DRAFT

RCRA Facility Investigation – Remedial Investigation/ Corrective Measures Study – Feasibility Study Report for the Rocky Flats Environmental Technology Site Appendix A – Comprehensive Risk Assessment

Volume 13 of 15 Risk Assessment for the Southeast Buffer Zone Area Exposure Unit

This Draft was prepared by Kaiser-Hill Company, L.L.C. for the U.S. Department of Energy



ADMIN RECORD

October 2005



TABLE OF CONTENTS

ACR	ONYM	S AND	ABBREVIATIONS	vi
EXE	CUTIV	E SUM	MARY	1
1.0	SOU'		T BUFFER ZONE EXPOSURE UNIT	
	1.1	South	east Buffer Zone Exposure Unit Description	1
EXE		1.1.1	Exposure Unit Characteristics and Location	2
		1.1.2	Topography and Surface Water Hydrology	DSURE UNIT
		1.1.3	Flora and Fauna	
			Data Description	
	1.2		Adequacy Assessment	
	1.3		Quality Assessment	
2.0		ECTION	N OF HUMAN HEALTH CONTAMINANTS OF CONCERN	7
2.0	2.1		minant of Concern Selection for Surface Soil/Surface Sediment	
	20.1	2.1.1	Surface Soil/Surface Sediment Cation/Anion and Essential	
		2.1.1		7
		2.1.2	Surface Soil/Surface Sediment Preliminary Remediation Goals	•••
		2.1.2		7
		2.1.3		
		2.1.3		
		2.1.4		
	2.2			пο
	2.2			Q
			Cub and Cation / Amian and Espanti	8 ntial
		2.2.1		
		000		
		2.2.2	Subsurface Soil/Subsurface Sediment Preliminary Remediation	
		2.2.3	Subsurface Soil/Subsurface Sediment Detection Frequency Screen	
				9
		2.2.4	•	9
	•	2.2.5	Subsurface Soil/Subsurface Sediment Professional Judgment	
			Evaluation	
	2.3		minant of Concern Selection Summary	
3.0			EALTH EXPOSURE ASSESSMENT	
4.0			EALTH TOXICITY ASSESSMENT	
5.0			EALTH RISK CHARACTERIZATION	
6.0	UNC	ERTAI	NTIES ASSOCIATED WITH THE HUMAN HEALTH RISH	ζ.
			NT	
	6.1	Uncer	tainties Associated With the Data	. 11
	6.2	Uncer	tainties Associated With Screening Values	. 11
		6.2.1	Uncertainties Associated with Potential Contaminants of Conce	
			without Preliminary Remediation Goals	
	6.3	Unce	rtainties Associated with Eliminating Potential Contaminants of	
	- 		ern Based on Professional Judgment	. 12
	6.4		tainties Evaluation Summary	

7.0			ATION OF ECOLOGICAL CONTAMINANTS OF L CONCERN	12
	7.1		Used in the Ecological Risk Assessment	
	7.1	Identii	fication of Surface Soil Ecological Contaminants of Potential	. 13
	7.2	Conce	em	. 13
		7.2.1		
			Ecological Screening Levels (ESLs)	
		7.2.2	Surface Soil Frequency of Detection Evaluation	
		7.2.3	Surface Soil Background Comparisons	
		7.2.4	Upper-Bound Exposure Point Concentration Comparisons to	
			Threshold ESLs (tESLs)	. 14
		7.2.5	Surface Soil Professional Judgment Evaluation	. 15
		7.2.6	Summary of Surface Soil Ecological Contaminants of Potential	
			Concern	
	7.3	Identi	fication of Subsurface Soil Ecological Contaminants of Potential	
			em	. 16
		7.3.1	Comparison to No Observed Adverse Effect Level Ecological	
			Screening Levels	
		7.3.2	Subsurface Soil Detection Frequency Evaluation	. 16
		7.3.3		
		7.3.4	Upper-Bound Exposure Point Concentration Comparisons to	
			Threshold ESLs	
		7.3.5		. 17
		7.3.6	Summary of Subsurface Ecological Contaminants of Potential	
			Concern	
	7.4		nary of Ecological Contaminants of Potential Concern	
8.0			AL EXPOSURE ASSESSMENT	
9.0	ECO	LOGIC	CAL TOXICITY ASSESSMENT	. 18
10.0			AL RISK CHARACTERIZATION	
	10.1		ical Risk Characterization	
	10.2		al Uncertainty Analysis	
			Uncertainties Associated With Data Adequacy and Quality	. 19
-		10.2.2		
			Ecological Contaminant of Interest Detected at the Southwest	10
		1000	Buffer Zone Area Exposure Unit	. 19
		10.2.3	Uncertainties Associated With Eliminating Ecological	10
		1004	Contaminants of Interest Based on Professional Judgment	
	CYD 6		Summary of Significant Sources of Uncertainty	
11.0			AND CONCLUSIONS	
	11.1		m Health	
12.0	11.2		gical RiskES	
1 Z.U	KEri	CKCNU	.L.J	. 4V

LIST OF TABLES

Table 1.1	SEEU IHSSs
Table 1.2	Number of Samples in Each Medium by Analyte Suite
Table 1.3	Summary of Detected Analytes in Surface Soil/Surface Sediment
Table 1.4	Summary of Detected Analytes in Subsurface Soil/Subsurface Sediment
Table 1.5	Summary of Detected Analytes in Surface Soil
Table 1.6	Summary of Detected Analytes in Subsurface Soil
Table 2.1	Essential Nutrient Screen for Surface Soil/Surface Sediment
Table 2.2	PRG Screen for Surface Soil/Surface Sediment
Table 2.3	Statistical Distributions and Comparison to Background for SEEU
Table 2.4	Essential Nutrient Screen for Subsurface Soil/Subsurface Sediment
Table 2.5	PRG Screen for Subsurface Soil/Subsurface Sediment
Table 2.6	Summary of the COC Selection Process
Table 6.1	Summary of Detected PCOCs without
Table 7.1	Comparison of MDCs in Surface Soil to NOAEL ESLs for Terrestrial Plants, Invertebrates, and Vertebrates
Table 7.2	Summary of Non-PMJM NOAEL ESL Screening Results for Surface Soil in the SEEU
Table 7.3	Statistical Distributions and Comparison to Background for SEEU Surface Soil
Table 7.4	Statistical Concentrations in Surface Soil
Table 7.5	Upper-Bound Exposure Point Concentration Comparison to Limiting ESLs in the SEEU Surface Soil
Table 7.6	Upper-Bound Exposure Point Concentration Comparison to Receptor- Specific ESLs for Small Home-Range Receptors in the SEEU Surface Soil
Table 7.7	Upper-Bound Exposure Point Concentration Comparison to Receptor- Specific ESLs for Large Home Range Receptors in the SEEU Surface Soil

Table 7.8	Summary of ECOPC Screening Steps for Surface Soil Non-PMJM Receptors
Table 7.9	Comparison of MDCs in SEEU Subsurface Soil to NOAEL ESLs for Burrowing Receptors
Table 7.10	Statistical Distributions and Comparison to Background for SEEU Subsurface Soil
Table 7.11	Statistical Concentrations in Subsurface Soil in the SEEU
Table 7.12	Upper-Bound Exposure Point Concentrations Comparison to Receptor- Specific ESLs for Burrowing Receptors in the SEEU Subsurface Soil
Table 7.13	Summary of ECOPC Screening Steps for Subsurface Soil
	LIST OF FIGURES
Figure 1.1	Rocky Flats Environmental Technology Site Exposure Units
Figure 1.2	Topography and Historical IHSS Locations in the Southeast Buffer Zone Area Exposure Unit
Figure 1.3	Aerial Photograph of Southeast Buffer Zone Area Exposure Unit, July 2005
Figure 1.4	Vegetation in the Southeast Buffer Zone Area Exposure Unit
Figure 1.5	Preble's Meadow Jumping Mouse Habitat and Surface Soil Sample Locations in the Southeast Buffer Zone Area Exposure Unit
Figure 1.6	Southeast Buffer Zone Area Exposure Unit Surface Soil and Surface Sediment Sample Locations
Figure 1.7	Southeast Buffer Zone Area Exposure Unit Subsurface Soil and Subsurface Sediment Sample Locations
	LIST OF ATTACHMENTS
Attachment 1	Detection Limit Screen
Attachment 2	Data Quality Assessment
Attachment 3	Statistical Analyses and Professional Judgment
Attachment A	CD A Analytical Data Set

ACRONYMS AND ABBREVIATIONS

μg/kg microgram per kilogram

μg/L microgram per liter

AEU Aquatic Exposure Unit

AI adequate intake

bgs below ground surface

BZ Buffer Zone

CAD/ROD Corrective Action Decision/Record of Decision

CD compact disc

CDPHE Colorado Department of Public Health and Environment

cfs cubic feet per second

CMS Corrective Measures Study

CNHP Colorado Natural Heritage Program

COC contaminant of concern

CRA Comprehensive Risk Assessment

DOE U.S. Department of Energy

DQA Data Quality Assessment

DQO data quality objective

DRI dietary reference intake

ECOI ecological contaminant of interest

ECOPC ecological contaminant of potential concern

EPA U.S. Environmental Protection Agency

EPC exposure point concentration

ERA Ecological Risk Assessment

ESL ecological screening level

EU Exposure Unit

HHRA Human Health Risk Assessment

HRR Historical Release Report

IA Industrial Area

IAG Interagency Agreement

IHSS Individual Hazardous Substance Site

kg kilogram

LOAEL lowest observed adverse effect level

LOEC lowest effects concentration

LWOEU Lower Woman Drainage Exposure Unit

MDC maximum detected concentration

mg milligram

mg/day milligram per day

mg/kg milligram per kilogram

mg/kg/BW/day milligram per kilogram receptor body weight per day

mg/l milligram per liter

mL milliliter

mL/day milliliter per day

N/A not applicable or not available

NFA No Further Action

NFAA No Further Accelerated Action

NOAEL no observed adverse effect level

OU Operable Unit

PAC Potential Area of Concern

PARC precision, accuracy, representativeness, completeness, and

comparability

PCB polychlorinated biphenyl

pCi picocurie

pCi/g picocuries per gram

pCi/L picocuries per liter

PCOC potential contaminant of concern

PMJM Preble's meadow jumping mouse

PRG preliminary remediation goal

QAPjP Quality Assurance Project Plan

QA/QC quality assurance/quality control

RCEU Rock Creek Drainage Exposure Unit

RCRA Resource Conservation and Recovery Act

RDA recommended daily allowance

RDI recommended daily intake

RFCA Rocky Flats Cleanup Agreement

RFETS Rocky Flats Environmental Technology Site

RI/FS Remedial Investigation/Feasibility Study

SAP Sampling and Analysis Plan

SCM site conceptual model

SEEU Southeast Buffer Zone Area Exposure Unit

SEP Solar Evaporation Ponds

SWEU Southwest Buffer Zone Area Exposure Unit

tESL threshold ESL

TRV toxicity reference value

UBC Under Building Contamination

UCL upper confidence limit

RCRA Facility Investigation - Remedial Investigation/	
Corrective Measures Study - Feasibility Study Report	

Appendix A, Volume 13 Southeast Buffer Zone Area Exposure Unit

UL	upper limit daily intake
UT	uncertain toxicity
UTL	upper tolerance limit
VOC	volatile organic compound
WRS	Wilcoxon Rank Sum
WRV	wildlife refuge visitor
WRW	wildlife refuge worker

EXECUTIVE SUMMARY

This report presents the Human Health Risk Assessment (HHRA) and Ecological Risk Assessment (ERA) for the 579-acre Southeast Buffer Zone (BZ) Exposure Unit (EU) (SEEU) at the Rocky Flats Environmental Technology Site (RFETS). The purpose of this report is to assess potential risks to human health and ecological receptors posed by exposure to contaminants of concern (COCs) and ecological contaminants of potential concern (ECOPCs) remaining at the SEEU after completion of accelerated actions at RFETS.

Results of the COC selection process for the HHRA indicate that no COCs were selected and there are no significant human health risks from RFETS-related operations at the SEEU. As a result, potential health risks for the wildlife refuge worker (WRW) and wildlife refuge visitor (WRV) are expected to be within the range of background risks. The estimated cancer risks for the WRW and WRV associated with potential exposure to background levels of naturally occurring metals in surface soil/surface sediment are both approximately 2E-06. The estimated noncancer hazard indices associated with potential exposure to background levels of metals in surface soil/surface sediment are approximately 0.3 for the WRW and 0.1 for the WRV.

In the ERA, no ECOPCs in surface soil were identified for non-Preble's jumping mouse (PMJM) receptors and no ECOPCs in subsurface soil were identified for burrowing receptors. No PMJM receptors were evaluated in the SEEU. The small areas of PMJM habitat were evaluated as part of the Southwest Buffer Zone Area Exposure Unit (SWEU) and the Lower Woman Drainage Exposure Unit (LWOEU). The ECOPC identification process constitutes a screening level risk assessment. Because this process did not identify any ECOPCs in the SEEU, risks to ecological receptors from site-related contaminants are likely to be negligible in this EU.

1.0 SOUTHEAST BUFFER ZONE EXPOSURE UNIT

This volume of the Comprehensive Risk Assessment (CRA) presents the Human Health Risk Assessment (HHRA) and Ecological Risk Assessment (ERA) for the Southeast Buffer Zone (BZ)Area Exposure Unit (EU) (SEEU) at the Rocky Flats Environmental Technology Site (RFETS) (Figure 1.1).

The HHRA and ERA methods and selection of receptors are described in detail in the Final CRA Work Plan and Methodology (DOE 2005a), hereafter referred to as the CRA Methodology. A summary of the risk assessment methods, including updates made in consultation with the regulatory agencies, are summarized in Appendix A, Volume 2, Section 2.0 of the Resource Conservation and Recovery Act (RCRA) Facility Investigation-Remedial Investigation (RI)/Corrective Measures Study (CMS)-Feasibility Study (FS) Report (hereafter referred to as the RI/FS Report). The anticipated future land use of RFETS is a wildlife refuge. Two human receptors, a wildlife refuge worker (WRW) and a wildlife refuge visitor (WRV), are evaluated in this risk assessment consistent with this land use. A variety of representative terrestrial and aquatic receptors are evaluated in the ERA including the Preble's meadow jumping mouse (PMJM), a federally listed threatened species present at the RFETS.

1.1 Southeast Buffer Zone Exposure Unit Description

This section provides a brief description of the SEEU, including its location at RFETS, historical activities in the area, topography, surface water features, vegetation, and ecological resources. A more detailed description of these features and additional information regarding the geology, hydrology, and soil types at RFETS is included in Section 2.0, Site Physical Characteristics, of the RI/FS Report. This information is also summarized in Appendix A, Volume 2 of the RI/FS Report.

The Historical Release Report (HRR) (DOE 1992) and its annual updates provide descriptions of known or suspected releases of hazardous substances that occurred at RFETS. The original HRR organized these known or suspected historical sources of contamination as Individual Hazardous Substance Sites (IHSSs), Potential Areas of Concern (PACs), or Under Building Contamination (UBC) sites (hereafter referred to as IHSSs). Individual historical IHSSs and groups of historical IHSSs were also designated as Operable Units (OUs). Over the course of cleanup under the 1991 Interagency Agreement (IAG) and the 1996 (Rocky Flats Cleanup Agreement), the U.S. Department of Energy (DOE) has thoroughly investigated and characterized contamination associated with these IHSSs. IHSSs have been dispositioned through appropriate remedial actions or by determining that No Further Accelerated Action (NFAA) is required, pursuant to the applicable IAG and RFCA requirements. Some OUs have also been dispositioned in accordance with an OU-specific Corrective Action Decision/Record of Decision (CAD/ROD).

A more detailed description of the OU and IHSS history at RFETS is included in Section 1.0, Site Background, of the RI/FS Report. This information is also briefly summarized in Appendix A, Volume 2 of the RI/FS Report.

One historical IHSS exists within the SEEU: Roadway Spraying (PAC 000-501) (Table 1.1 and Figure 1.2). PAC 000-501 was proposed for No Further Action (NFA) in 1991 and the NFA was approved in 2002 as documented in the 2002 HRR Update (DOE 2002).

1.1.1 Exposure Unit Characteristics and Location

The 579-acre SEEU is located in the southeastern portion of RFETS (Figure 1.1) and contains the following distinguishing features:

- The SEEU is located within the BZ OU and is outside areas that were used historically for operation of RFETS.
- There have been no significant releases within the SEEU boundaries. A short stretch of gravel road in the SEEU makes up a small portion of PAC 000-501, which was approved for NFA. The SEEU is located generally crosswind and hydraulically cross-gradient relative to the Industrial Area (IA).
- The SEEU includes the Smart Ditch Drainage, a minor drainage that includes two small ponds in the far southern section of RFETS. The drainage does not receive runoff from the IA.

The SEEU is bounded by the Southwest BZ Area EU (SWEU) to the west, the Lower Woman Drainage EU (LWOEU) to the north, and Indiana Street to the east. The property south of the SEEU is privately owned and is used for grazing.

1.1.2 Topography and Surface Water Hydrology

The SEEU is located on an eroded edge of an alluvial terrace. Natural surface water drainage is to the east. The principal surface water features in the SEEU are Smart Ditch and Ponds D-1 and D-2 (Figures 1.2 and 1.3). Smart Ditch¹ is a privately owned irrigation ditch in the southern portion of the BZ OU. The ditch does not receive runoff from the IA. Water from Rocky Flats Lake, located off site and west of the RFETS boundary, flows through Smart Ditch to a splitter box located where the ditch first crosses the SEEU northern boundary. The splitter box diverts water toward the southeast, away from the main channel of Woman Creek, and into Ponds D-1 and D-2. Overland runoff is also intercepted and conveyed by Smart Ditch. Smart Ditch is typically dry, although it has an estimated capacity of 10 cubic feet per second (cfs). Because the ditch is hydrologically separated and far-removed from the IA, limited flow and water quality data exist for this conveyance. An additional ephemeral drainage known as Dogleg Draw is present in the southwestern portion of the SEEU.

¹ Smart Ditch is referred to as Smart Ditch I. Smart Ditch II runs northeast of Rocky Flats Lake (located west of the SEEU) and is used to flood-irrigate a pasture west of RFETS.

The SEEU functioned mainly as a security buffer for the site. Gravel roads in the area are used for security patrols and provide access for surface water management and environmental monitoring activities.

1.1.3 Flora and Fauna

Vegetation in the SEEU is mainly comprised of grasslands. The major components are reclaimed grasslands and mesic mixed grasslands (Figure 1.4). Reclaimed grasslands are located in the southeastern half of the EU and are dominated by two introduced grass species, smooth brome (*Bromus inermis*) and intermediate wheatgrass (*Agropyron intermedium*). The mesic mixed grassland is comprised of western wheatgrass (*Agropyron smithii*), blue grama (*Bouteloua gracilis*), side-oats grama (*Bouteloua curtipendula*), prairie junegrass (*Koeleria pyramidata*), Canada bluegrass (*Poa compressa*), Kentucky bluegrass (*Poa pratensis*), green needlegrass (*Stipa virigula*), and little bluestem (*Andropogon scoparius*). Xeric grasslands occur on pediment areas and small areas of wetland and riparian woodland are found along Smart Ditch and the D-series ponds.

Grasslands are important to wildlife, and grassland conditions on the eastern side of RFETS including SEEU are considered good habitat, although weeds and introduced grass species have degraded grasslands in some areas (PTI 1997b). Weed control, erosion control, and ongoing reclamation activities within the EU will continue to promote native grasslands (Nelson 2005).

Numerous animal species have been observed at RFETS and the more common species are expected to be present in the SEEU. Common large and medium-sized mammals likely to live at or frequent the SEEU include mule deer (Odocoileus hemionus), white-tailed deer (Odocoileus virginianus), coyote (Canis latrans), raccoon (Procyon lotor), and desert cottontail (Sylvilagus audubonii). The most common reptile observed at RFETS is the western prairie rattlesnake (Crotalis viridus). Common bird species include meadowlark (Sturnella neglecta) and vesper sparrow (Pooecetes gramineus). Herons and ducks frequent the D-1 and D-2 ponds. The most common small mammal species include deer mice (Peromyscus maniculatus), prairie voles (Microtus ochrogaster), meadow voles (Microtus pennsylvanicus), and two species of harvest mice (Reithrodontomys sp).

The PMJM is a federally-listed threatened species found at RFETS. The preferred habitat for the PMJM is the riparian corridors bordering streams, ponds, and wetlands at RFETS, with an adjacent thin band of upland grasslands. PMJM habitat occurs along Smart Ditch in the northwestern portion of the SEEU (Figure 1.5). No PMJM have ever been captured within the boundaries of SEEU. As shown on Figure 1.5, portions of three distinct habitat patches are located within the boundaries of the SEEU (#28, #29A, and #30). Because PMJM habitat extends into two bordering EUs, habitat patch #28 will be addressed in the Lower Woman Drainage EU (LWOEU) and habitat patches #29A and #30 will be addressed in the SWEU.

More detail on the species that use RFETS habitats and the methodology of creating sitewide PMJM habitat patches can be found in Appendix A, Volume 2, Section 3.2 of the RI/FS Report.

1.1.4 Data Description

Data have been collected at RFETS under regulatory agency-approved Work Plans, Sampling and Analysis Plans (SAPs), and Quality Assurance Project Plans (QAPiPs) to meet data quality objectives (DQOs) and appropriate U.S. Environmental Protection Agency (EPA) and Colorado Department of Public Health and Environment (CDPHE) guidance. Surface soil, subsurface soil, surface sediment, subsurface sediment, and groundwater samples were collected from the SEEU. Surface soil/surface sediment, subsurface soil/subsurface sediment, surface soil, and subsurface soil are the media evaluated in the HHRA and ERA (Table 1.2). The sampling locations for these media are shown on Figures 1.6 and 1.7, and data summaries for detected analytes in each medium are provided in Tables 1.3 through 1.7. Potential contaminants of concern (PCOCs) and ecological contaminants of interest (ECOIs) that were analyzed for but not detected, or were detected in less than 5 percent of the samples, are presented in Attachment 1. Detection limits are compared to preliminary remediation goals (PRGs) and ecological screening levels (ESLs) and discussed in Attachment 1 (Tables A1.1 through A1.4). Only data from June 1991 to the present are used in the CRA because these data meet the approved analytical quality assurance/quality control (QA/QC) requirements.

In accordance with the CRA Methodology, only data collected on or after June 28, 1991, and data for subsurface soil and subsurface sediment samples with a start depth less than or equal to 8 feet below ground surface (bgs) are used in the CRA. Subsurface soil and subsurface sediment data are limited to this depth because it is not anticipated that the WRW or burrowing animals will dig to deeper depths. A detailed description of data storage and processing methods is provided in Appendix A, Volume 2 of the RI/FS Report. The CRA analytical data set for the SEEU is provided on a compact disc (CD) presented in Attachment 4. The CD includes the data used in the CRA as well as data not considered useable based on criteria presented in Appendix A, Volume 2 of the RI/FS Report.

The sampling data used for the SEEU HHRA and ERA are as follows:

- Combined surface soil/surface sediment data (HHRA);
- Combined subsurface soil/subsurface sediment data (HHRA);
- Surface soil data (ERA); and,
- Subsurface soil data (ERA).

These data for these media are briefly described below.

Surface water and sediment are assessed for ecological receptors on an Aquatic Exposure Unit (AEU) basis in Appendix A, Volume 15B of the RI/FS Report. An assessment of the surface water, groundwater-to-surface water, and volatilization pathways for human health are presented in Appendix A, Volume 2 of the RI/FS Report.

Surface Soil/Surface Sediment

The combined surface soil/surface sediment data set for SEEU consists of up to 55 samples for various analyte groups. The SEEU surface soil/surface sediment samples were analyzed for inorganics (up to 22 samples), organics (up to one sample), and radionuclides (up to 55 samples) (Table 1.2). The surface soil/surface sediment data set includes data from three shallow sediment sampling locations shown on Figure 1.6. The sediment samples were collected to depths less than 0.5 feet from the sediment surface. The samples were collected in the SEEU over several months from July 1991 through September 1994, and then again in March, April, and December of 2004, and January 2005. The samples collected in 2004 were located on a 30-acre grid, as described in CRA SAP Addendum #04-01 (DOE 2004). For the grid sampling, five individual samples were collected from each 30-acre cell, one from each quadrant and one in the center, as described in the Addendum (DOE 2004). Most of the evenly spaced surface soil sampling locations on Figure 1.6 represent the 30-acre grid samples.

The data summary for detected analytes in surface soil/surface sediment for the SEEU is presented in Table 1.3. Detected analytes include representatives from the inorganic, organic, and radionuclide analyte groups. A summary of analytes that were not detected or detected in less than 5 percent of surface soil/surface sediment samples in the SEEU is presented and discussed in Attachment 1.

Subsurface Soil/Subsurface Sediment

Subsurface soil samples used in the CRA are defined in the CRA Methodology as soil samples with a starting depth less than or equal to 8 feet bgs and an ending depth below 0.5 feet. The combined subsurface soil/subsurface sediment data set for SEEU consists of up to nine samples for various analyte groups. The subsurface soil/subsurface sediment data set includes data from one deep sediment sampling location shown on Figure 1.7. The SEEU subsurface soil/subsurface sediment samples were analyzed for inorganics (up to seven samples), organics (up to seven samples), and radionuclides (up to nine samples) (Table 1.2 Subsurface soil/subsurface sediment samples were collected in the SEEU in February 1992, July and August 1994, and again in January 2005.

The data summary for detected analytes in subsurface soil/subsurface sediment for the SEEU is presented in Table 1.4. Detected analytes include representatives from the inorganic, organic, and radionuclide analyte groups. A summary of analytes that were not detected or detected in less than 5 percent of subsurface soil/subsurface sediment samples in the SEEU is presented and discussed in Attachment 1.

Surface Soil

The surface soil data set for SEEU consists of up to 52 samples for various analyte groups. The SEEU surface soil samples were analyzed for inorganics (up to 19 samples),

organics (up to one sample), and radionuclides (up to 52 samples) (Table 1.2). The samples were collected in the SEEU over several months from July 1991 through September 1994, and then again in March and April of 2004. Sample locations are shown on Figure 1.6. The samples collected in 2004 were located on a 30-acre grid, as described in CRA SAP Addendum #04-01 (DOE 2004). For the grid sampling, five individual samples were collected from each 30-acre cell, one from each quadrant and one in the center, as described in the Addendum (DOE 2004). Most of the evenly spaced surface soil sampling locations on Figure 1.6 represent the 30-acre grid samples.

The data summary for detected analytes in SEEU surface soil is presented in Table 1.5, while the data summary for the detected analytes for those samples within designated PMJM habitat is presented in Table 1.6. Radionuclides and inorganics were detected in SEEU surface soil samples. A summary of analytes that were either not detected, or detected in less than 5 percent of surface soil samples in the SEEU is presented and discussed in Attachment 1.

Subsurface Soil

Subsurface soil samples used in the CRA are defined in the CRA Methodology as soil samples with a starting depth less than or equal to 8 feet bgs and an ending depth below 0.5 feet. The subsurface soil data set for SEEU consists of up to six samples for various analyte groups. The SEEU subsurface soil samples were analyzed for inorganics (up to six samples), organics (up to seven samples), and radionuclides (up to eight samples) (Table 1.2). The samples were collected in the SEEU in February 1992, and again in July and August 1994. Sample locations are shown on Figure 1.7.

The data summary for detected analytes in subsurface soil for the SEEU is presented in Table 1.6. Subsurface soil samples were analyzed for inorganics, organics, and radionuclides, and representatives from all three analyte groups were detected. A summary of analytes that were either not detected, or detected in less than 5 percent of subsurface soil samples in the SEEU is presented and discussed in Attachment 1.

1.2 Data Adequacy Assessment

A data adequacy assessment was performed to determine whether the available data set discussed in the previous section is adequate for risk assessment purposes. The data adequacy assessment rules are presented in the CRA Methodology, and a detailed data adequacy assessment for the data used in the CRA is presented in Appendix A, Volume 2 of the RI/FS Report. The adequacy of the data was assessed by examining the number of available samples for each analyte group in each medium for use in the CRA, the spatial and temporal representativeness of the data, as well as information on potential historical sources of contamination, migration pathways, and the concentration levels in the media. The assessment concludes that the data are adequate for the purposes of the CRA.

1.3 Data Quality Assessment

A Data Quality Assessment (DQA) of the SEEU data was conducted to determine whether the data were of sufficient quality for risk assessment use. The DQA is presented

in Attachment 2, and an evaluation of the entire RFETS data set is presented in Appendix A, Volume 2 of the RI/FS Report. The quality of the laboratory results were evaluated for compliance with the CRA Methodology data quality objectives (DQOs) through an overall review of precision, accuracy, representativeness, completeness, and comparability (PARCC) parameters. This review concluded that the data are of sufficient quality for use in the CRA, and the CRA DQOs have been met.

2.0 SELECTION OF HUMAN HEALTH CONTAMINANTS OF CONCERN

The human health contaminant of concern (COC) screening process is described in Section 4.4 of the CRA Methodology and summarized in Appendix A, Volume 2 of the RI/FS Report (Section 2.2).

The human health COC selection process was conducted for surface soil/surface sediment and subsurface soil/subsurface sediment in the SEEU. Results of the COC selection process are summarized below.

2.1 Contaminant of Concern Selection for Surface Soil/Surface Sediment

Detected PCOCs in surface soil/surface sediment samples (Table 1.3) are screened in accordance with the CRA Methodology to identify the COCs.

2.1.1 Surface Soil/Surface Sediment Cation/Anion and Essential Nutrient Screen

The major cations and anions that do not have toxicity criteria are eliminated from assessments in surface soil/surface sediment in accordance with the CRA Methodology.

The essential nutrient screen for analytes detected in surface soil/surface sediment is presented in Table 2.1. The screen includes PCOCs that are essential for human health and do not have toxicity criteria available. Table 2.1 shows the maximum detected concentrations (MDCs) for essential nutrients, daily intake estimates based on the MDCs, and dietary reference intakes (DRIs). The DRIs are identified in the table as recommended daily allowances (RDAs), recommended daily intakes (RDIs), adequate intakes (AIs), and upper limit daily intakes (ULs). The estimated daily maximum intakes based on the nutrients' MDCs and a surface soil/surface sediment ingestion rate of 100 milligrams (mg) per day (mg/day)are less than the DRIs. Therefore, these PCOCs were not further evaluated as COCs for surface soil/surface sediment.

2.1.2 Surface Soil/Surface Sediment Preliminary Remediation Goals Screen

Table 2.2 compares the MDCs and upper confidence limits (UCLs) to the WRW PRGs for each PCOC. If the MDC and the UCL are greater than the PRG, the PCOC is retained for further screening; otherwise, is not further evaluated. Arsenic and manganese were the only analytes in surface soil/surface sediment that had an MDC and UCL that exceeded the PRG and were retained as PCOCs. Cesium-137 and radium-228 were also retained as a PCOC because the MDCs exceeded the PRGs. A comparison of the UCLs

for cesium-137 and radium-228 could not be performed because an UCL could not be calculated based on the number of samples.

PRGs were not available for several PCOCs in surface soil/surface sediment. Analytes without PRGs are listed on Table 2.2 and their effect on the conclusions of the risk assessment results is discussed in the uncertainty section (Section 6.0).

2.1.3 Surface Soil/Surface Sediment Detection Frequency Screen

Arsenic and manganese were detected in more than 5 percent of surface soil/surface sediment samples (Table 1.3) and, therefore, were retained for further evaluation in the COC screen. A detection frequency screen was not performed for cesium-137 and radium-228 in surface soil/surface sediment because all reported values for radionuclides are considered detects.

2.1.4 Surface Soil/Surface Sediment Background Analysis

Results of the background statistical comparison for arsenic, manganese, cesium-137, and radium-228 are presented in Table 2.3 and discussed in Attachment 3. Boxplots for arsenic and manganese (both SEEU and background) are provided in Attachment 3. Arsenic and manganese were statistically greater than background at the 0.1 significance level, and are evaluated further in the professional judgment section.

A background analysis could not be performed for cesium-137 and radium-228 based on the number of samples. Therefore, cesium-137 and radium-228 are evaluated further in the professional judgment section.

2.1.5 Surface Soil/Surface Sediment Professional Judgment Evaluation

Based on the weight of available evidence evaluated by professional judgment, PCOCs will either be included for further evaluation as COCs or excluded as COCs. The professional judgment evaluation takes into account process knowledge, spatial trends, pattern recognition, comparisons to RFETs background and other background data sets, and risk potential. As discussed in Section 1.2 and Attachment 2, the sample results are adequate for use in the professional judgment because they are of sufficient quality for use in the CRA.

Based on the weight of evidence described in Attachment 3, arsenic, manganese, cesium-137, and radium-228 in surface soil/surface sediment in the SEEU are not considered COCs because the weight of evidence supports the conclusion that arsenic, manganese, cesium-137, and radium-228 concentrations in surface soil/surface sediment in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations.

2.2 Contaminant of Concern Selection for Subsurface Soil/Subsurface Sediment

Detected PCOCs in subsurface soil/subsurface sediment samples (Table 1.4) are screened in accordance with the CRA Methodology to identify the COCs.

2.2.1 Subsurface Soil/Subsurface Sediment Cation/Anion and Essential Nutrient Screen

The major cations and anions that do not have toxicity criteria were eliminated from assessments in subsurface soil/subsurface sediment in accordance with the CRA Methodology.

Essential nutrients without toxicity criteria that were detected in subsurface soil/subsurface sediment at the SEEU were compared to DRIs in Table 2.4. The estimated daily maximum intakes for these PCOCs, based on the nutrient's MDCs and a subsurface soil/subsurface sediment ingestion rate of 100 mg/day, are less than the DRIs. Therefore, these PCOCs were not further evaluated as COCs for subsurface soil/subsurface sediment.

2.2.2 Subsurface Soil/Subsurface Sediment Preliminary Remediation Goal Screen

The PRG screen for detected analytes in subsurface soil/subsurface sediment is presented in Table 2.5. The MDC and UCL for radium-228 in subsurface soil/subsurface sediment were greater than the PRG and, therefore, radium-228 was retained for further evaluation in the COC selection process in the SEEU.

PRGs were not available for several PCOCs in subsurface soil/subsurface sediment. Analytes without PRGs are listed on Table 2.5 and their effect on the conclusions of the risk assessment results is discussed in the uncertainty section (Section 6.0).

2.2.3 Subsurface Soil/Subsurface Sediment Detection Frequency Screen

The detection frequency screen was not performed for radium-228 in subsurface soil/subsurface sediment because all reported values for radionuclides are considered detects.

2.2.4 Subsurface Soil/Subsurface Sediment Background Analysis

Analyses were conducted to asses whether radium-228 concentrations in SEEU subsurface soil/subsurface sediment are statistically higher than those in background subsurface soil/subsurface sediment at the 0.1 level of significance (1-p less than or equal to 0.1). The subsurface soil/subsurface sediment background data are described in detail in Appendix A, Volume 2 of the RI/FS Report.

The results of the statistical comparisons of the SEEU data to the background data indicate site activity for radium-228 is not statistically greater than background at the 0.1 significance level. The results are summarized in Table 2.3 and in Attachment 3. Boxplots for radium-228 (both SEEU and background) are provided in Attachment 3. Radium-228 in subsurface soil/subsurface sediment is not further evaluated in the COC screening process.

2.2.5 Subsurface Soil/Subsurface Sediment Professional Judgment Evaluation

The professional judgment step was not performed for subsurface soil/subsurface sediment because there were no PCOCs with concentrations statistically greater than background concentrations.

2.3 Contaminant of Concern Selection Summary

A summary of the results of the COC screening process is presented in Table 2.6. No COCs were selected for any of the media at the SEEU.

3.0 HUMAN HEALTH EXPOSURE ASSESSMENT

The site conceptual model (SCM), presented in Figure 2.1 of the CRA Methodology and discussed in Appendix A, Volume 2 of the RI/FS Report, provides an overview of potential human exposures at RFETS for reasonably anticipated land use. However, all PCOCs were eliminated from further consideration as human health COCs for the SEEU based on comparisons of MDCs and UCLs to PRGs, background comparisons, or professional judgment (see Section 2.0). A quantitative risk characterization is not necessary for the SEEU and, therefore, an exposure assessment was not conducted.

4.0 HUMAN HEALTH TOXICITY ASSESSMENT

Procedures and assumptions for the toxicity assessment are presented in the CRA Methodology. All PCOCs were eliminated from further consideration as human health COCs for the SEEU based on comparisons of MDCs and UCLs to PRGs, background comparisons, or professional judgment (see Section 2.0). A quantitative risk characterization is not necessary for the SEEU and, therefore, a toxicity assessment was not conducted.

5.0 HUMAN HEALTH RISK CHARACTERIZATION

Information from the exposure assessment and the toxicity assessment is integrated in this section to characterize risk to the WRW and WRV receptors. All PCOCs were eliminated from further consideration as human health COCs based on comparisons of MDCs and UCLs to PRGs, background comparisons, or professional judgment (see Section 2.0). Therefore, a quantitative risk characterization was not performed for the SEEU.

6.0 UNCERTAINTIES ASSOCIATED WITH THE HUMAN HEALTH RISK ASSESSMENT

There are various types of uncertainties associated with steps of an HHRA. General uncertainties common to the EUs are discussed in Appendix A, Volume 2 of the RI/FS Report. Uncertainties specific to the EU are described below.

6.1 Uncertainties Associated With the Data

Data adequacy for this CRA is evaluated and discussed in Appendix A, Volume 2 of the RI/FS Report. Although there are some uncertainties associated with the sampling and analyses conducted for surface soil/surface sediment and subsurface soil/subsurface sediment at the SEEU, data are considered adequate for the characterization of risk at the EU. The environmental samples for the SEEU were collected from 1991 through 2004. The CRA sampling and analysis requirements for the BZ (DOE 2004, 2005a) specify that the minimum sampling density requirement for surface soil/surface sediment is one five-sample composite for every 30-acre grid cell. In surface soil/surface sediment, there are up to 55 samples in the SEEU. Although there is limited data for organics in surface soil/surface sediment, there are no known or suspected sources for organic contaminants in the SEEU. In subsurface soil/subsurface sediment, there are up to nine samples in the SEEU.

Another source of uncertainty in the data is the relationship of detection limits to the PRGs for analytes eliminated as COCs because they were not detected or had a low detection frequency (i.e., less than 5 percent). The detection limits were appropriate for the analytical methods used, and this is examined in greater detail in Attachment 1.

6.2 Uncertainties Associated With Screening Values

The COC screening analyses utilized RFETS-specific PRGs based on a WRW scenario. The assumptions used in the development of these values were conservative. For example, it is assumed that a future WRW will consume 100 mg of surface soil/surface sediment for 230 days per year for a period of 18.7 years. In addition, a WRW is assumed to be dermally exposed to and inhale surface soil and surface sediment particles in the air. These assumptions are likely to overestimate actual exposures to surface soil for WRWs in the SEEU because a WRW will not spend 100 percent of his or her time in this area. Exposure to subsurface soil and subsurface sediment is assumed to occur 20 days per year. The WRW PRGs for subsurface soil/subsurface sediment are also expected to conservatively estimate potential exposures because it is unlikely a WRW will excavate extensively in the SEEU.

6.2.1 Uncertainties Associated with Potential Contaminants of Concern without Preliminary Remediation Goals

PCOCs for the SEEU for which PRGs are not available are listed in Table 6.1.

Uncertainties associated with the lack of PRGs for analytes listed in Table 6.1 are considered small. The listed inorganics are not usually included in HHRAs because they are not expected to result in significant human health impacts. Radionuclide PRGs are available for all detected individual radionuclides. Therefore, the lack of PRGs for the gross alpha and gross beta activities is not expected to affect the results of the HHRA.

6.3 Uncertainties Associated with Eliminating Potential Contaminants of Concern Based on Professional Judgment

Arsenic, manganese, cesium-137, and radium-228 in surface soil/surface sediment were eliminated as COCs based on professional judgment. There is no identified source or pattern of release for these analytes in the SEEU and the slightly elevated median values of arsenic, manganese, cesium-137, and radium-228 in the SEEU are most likely due to natural variation. The weight of evidence presented in Attachment 3, Section 4.0 supports the conclusion that concentrations of arsenic, manganese, cesium-137, and radium-228 are naturally occurring and not due to site activities. Uncertainty associated with the elimination of these chemicals as COCs is low.

No PCOCs were eliminated in subsurface soil/subsurface sediment based on professional judgment in the SEEU.

6.4 Uncertainties Evaluation Summary

Evaluation of the uncertainties associated with the data and the COC screening processes indicates there is reasonable confidence in the conclusions of the SEEU risk characterization.

7.0 IDENTIFICATION OF ECOLOGICAL CONTAMINANTS OF POTENTIAL CONCERN

The ecological contaminant of potential concern (ECOPC) identification process streamlines the ecological risk characterization for each EU by focusing the assessment on ECOIs that are present in the SEEU. ECOIs are defined as any chemical detected in the SEEU and are assessed for surface soils and subsurface soils. ECOIs for sediments and surface water are assessed in Appendix A, Volume 15 of the RI/FS Report. The ECOPC process is described in the CRA Methodology and additional details are provided in Appendix A, Volume 2 of the RI/FS Report. A detailed discussion of the SCM, including the receptors of concern, exposure pathways, and endpoints used in the ERA for the SEEU, are also provided in Appendix A, Volume 2 of the RI/FS Report.

The process is based on the SCM presented in the CRA Methodology and described in detail in Appendix A, Volume 2 of the RI/FS Report. The SCM presents the pathways of potential exposure from documented historical source areas (IHSSs and PACs) to the receptors of concern. Generally, the most significant exposure pathways for wildlife at the SEEU are the ingestion of plant, invertebrate, or animal tissue that could have accumulated ECOIs from the source areas through direct uptake or dietary routes, as well as the direct contact or ingestion of potentially contaminated media. For terrestrial plants and invertebrates, the most significant pathway is direct contact with potentially contaminated soil.

The receptors of concern that were selected for assessment are listed in Table 7.1, and discussed in detail in Appendix A, Volume 2 of the RI/FS Report, and include representative birds and mammals in addition to the general plant and terrestrial

invertebrate communities. The receptors were selected based on several criteria, including their potential to be found in the various habitats present within RFETS, their potential to come into contact with ECOIs, and the amount of life history and behavioral information available.

The ECOPC process consists of two separate evaluations, one for the PMJM receptor and one for non-PMJM receptors. The ECOPC identification process for the PMJM is conducted separately from non-PMJM receptors because the PMJM is a federally listed threatened species under the Endangered Species Act (63 FR 26517).

7.1 Data Used in the Ecological Risk Assessment

The following SEEU data are used in the CRA:

- Surface soil samples analyzed for inorganics (19 samples), organics (one sample), and radionuclides (52 samples); and
- Subsurface soil samples analyzed for inorganics (six samples), organics (seven samples), and radionuclides (eight samples).

A data summary is provided in Table 1.5 for surface soil and Table 1.6 for subsurface soil.

Sediment and surface water data for the SEEU also were collected (Section 1.1.4) and these data are evaluated for the ERA in Appendix A, Volume 15 of the RI/FS Report.

The SEEU has one sample location occurring in PMJM habitat which is assessed as part of the SWEU PMJM evaluation.

7.2 Identification of Surface Soil Ecological Contaminants of Potential Concern

ECOPCs for surface soil were identified for non-PMJM and PMJM receptors in accordance with the sequence presented in the CRA Methodology.

7.2.1 Comparison with No Observed Adverse Effect Level (NOAEL) Ecological Screening Levels (ESLs)

In the first step of the ECOPC identification process, the MDCs of ECOIs in surface soil were compared to receptor-specific no observed adverse effect level (NOAEL) ESLs. NOAEL ESLs for surface soil were developed in the CRA Methodology for three receptor groups: terrestrial vertebrates, terrestrial invertebrates, and terrestrial plants.

Non-PMJM Receptors

The NOAEL ESLs for non-PMJM receptors are compared to MDCs in surface soil in Table 7.1. The results of the NOAEL ESL screening analyses for all receptor types are

summarized in Table 7.2. Analytes with a "Yes" in any of the "Exceedance" columns in Table 7.2 are evaluated further.

NOAEL ESLs were not available for several ECOI/receptor pairs (Tables 7.1 and 7.2). These ECOI/receptor pairs are discussed as ECOIs with uncertain toxicity (UT) in Section 10.0 along with the potential impacts to the risk assessment.

PMJM Receptors

No screening for PMJM receptors was conducted in the SEEU because the SEEU PMJM habitat is addressed as part of the SWEU PMJM evaluation.

7.2.2 Surface Soil Frequency of Detection Evaluation

The ECOPC identification process for non-PMJM receptors involves an evaluation of detection frequency for each ECOI retained after the NOAEL screening step. If the detection frequency is less than 5 percent, then population-level risks are considered highly unlikely and the ECOI is not further evaluated. None of the chemicals detected in surface soil at the SEEU that were retained after the NOAEL ESL screening step had a detection frequency less than 5 percent. Therefore, no ECOIs were excluded based on the detection frequency evaluation for surface soil in the SEEU.

7.2.3 Surface Soil Background Comparisons

The ECOIs retained after the NOAEL ESL screening and the detection frequency evaluation were then compared to site-specific background concentrations where available. The background comparisons are presented in Table 7.3 and discussed in Attachment 3. The statistical methods used for the background comparison are summarized in the Appendix A, Volume 2, Section 3.2 of the RI/FS Report.

Non-PMJM Receptors

The results of the background comparisons for the non-PMJM receptors are presented in Table 7.3. The analytes listed as being retained as ECOIs in Table 7.3 are evaluated further using upper-bound EPCs in the following section.

PMJM Receptors

No screening for PMJM receptors was conducted in the SEEU because the SEEU PMJM habitat is addressed as part of the LWOEU and SWEU PMJM evaluations.

7.2.4 Upper-Bound Exposure Point Concentration Comparisons to Threshold ESLs (tESLs)

The ECOIs retained after completion of all previous evaluations for non-PMJM receptors were then compared to threshold ESLs (tESLs) using upper-bound exposure point concentrations (EPCs) specific to small and large home-range receptors. The calculation of upper-bound EPCs is described in Appendix A, Volume 2 of the RI/FS.

Statistical concentrations for each ECOI retained for the tESL screen are presented in Table 7.4. The EPC for small home-range receptors is the 95 percent UCL of the 90th

percentile (upper tolerance limit [UTL]), or the MDC in the event that the UTL is greater than the MDC. The EPC for large home-range receptors is the UCL, or the MDC in the event that the UCL is greater than the MDC.

Small home-range receptors include terrestrial plants, terrestrial invertebrates, mourning dove, American kestrel, deer mouse, and black-tailed prairie dog. These receptors are evaluated by comparing the small home-range EPC (UTL) for each ECOI to the limiting (or lowest) small home-range receptor tESL (if available). In the event that tESLs are not available, the limiting NOAEL ESL is used in accordance with the CRA Methodology.

Large home-range receptors, such as coyote and mule deer, are evaluated by comparing the large home-range EPC (UCL) for each ECOI to the limiting large home-range receptor tESL (if available). In the event that tESLs are not available, the limiting NOAEL ESL is used in accordance with the CRA Methodology.

The EPC comparison to limiting tESLs for small and large home-range receptors is presented in Table 7.5. Analytes that exceed the limiting tESLs are further evaluated by comparing them to the receptor-specific tESLs (if available) to identify receptors of potential concern. Analytes exceeding the limiting tESLs for small home-range receptors are compared to receptor-specific tESLs in Table 7.6, and analytes exceeding limiting tESLs for large home-range receptors are compared to receptor-specific tESLs in Table 7.7.

Chemicals that exceed any tESLs (if available) are assessed in the professional judgment evaluation. Any analyte/receptor pairs that are retained through professional judgment are identified as ECOPCs and are carried forward in the risk characterization.

7.2.5 Surface Soil Professional Judgment Evaluation

Non-PMJM Receptors

Based on the weight-of-evidence, professional judgment described in Attachment 3, aluminum, boron, chromium, copper, lithium, manganese, molybdenum, nickel, vanadium, and zinc in surface soil at the SEEU were not considered ECOPCs for non-PMJM receptors and are not further evaluated quantitatively.

PMJM Receptors

No professional judgement evaluation was conducted for PMJM receptors in the SEEU.

7.2.6 Summary of Surface Soil Ecological Contaminants of Potential Concern

The ECOPC screening process for surface soil is summarized below for non-PMJM receptors and PMJM receptors.

Non-PMJM Receptors

Inorganic and radionuclide surface soil ECOIs for non-PMJM receptors in the SEEU were eliminated from further consideration as ECOPCs based on one of the following: 1) the MDC of the ECOI was less than the lowest ESL; 2) no ESLs were available (these

ECOIs are discussed in Section 10.0); 3) the concentration of the ECOI in SEEU surface soils was not statistically greater than background surface soils; 4) the upper-bound EPC did not exceed the limiting tESL; or 5) the weight-of-evidence, professional judgment evaluation indicated that the ECOI was not a site-related contaminant of potential concern. Chemicals that were retained are identified as ECOPCs.

A summary of the ECOPC screening process for non-PMJM receptors is presented in Table 7.10.

PMJM Receptors

No ECOPC identification for PMJM receptors was conducted in the SEEU because the SEEU PMJM habitat is addressed as part of the LWOEU and SWEU PMJM evaluations.

7.3 Identification of Subsurface Soil Ecological Contaminants of Potential Concern

Subsurface soil sampling locations for soil collected at a starting depth of 0.5 to 8 feet bgs in the SEEU are identified on Figure 1.7. A data summary for subsurface soil less than 8 feet deep is presented in Table 1.5.

7.3.1 Comparison to No Observed Adverse Effect Level Ecological Screening Levels

The CRA Methodology indicates subsurface soil is evaluated for those ECOIs that have greater concentrations in subsurface soil than in surface soil. As a conservative screening step, subsurface soil is evaluated for all EUs regardless of the presence/absence of a change in concentrations from surface soil and subsurface soil. The MDCs of ECOIs in subsurface soil were compared to NOAEL ESLs for burrowing receptors (Table 7.8). ECOIs with MDCs greater than the NOAEL ESL for the prairie dog are further evaluated in the ECOPC identification process.

NOAEL ESLs are not available for some analytes, and these are identified as "UT" in Table 7.9. These constituents are considered ECOIs with UT and are discussed in the uncertainty analysis (Section 10).

7.3.2 Subsurface Soil Detection Frequency Evaluation

No 5 percent detection frequency evaluation (Table 7.9) was conducted because only eight subsurface soil samples are available in the SEEU. Therefore, the detection frequency for the analytes that reach this step will always be above 5 percent.

7.3.3 Subsurface Soil Background Comparison

The ECOIs retained after the ESL screening and detection frequency evaluation were compared to site-specific background concentrations where available. The background comparison was conducted in the same manner as that for surface soil non-PMJM receptors using statistical comparisons.

Analyses were conducted to assess whether arsenic in SEEU subsurface soil is statistically greater than those in sitewide background surface soil at the 0.1 level of significance.

The results of the statistical comparisons of the SEEU data to background data indicate that site concentrations of arsenic in SEEU subsurface soil are statistically greater than background concentrations. The results are summarized in Table 7.10.

7.3.4 Upper-Bound Exposure Point Concentration Comparisons to Threshold ESLs

ECOIs retained after all previous evaluations for burrowing receptors are compared to tESLs using upper-bound EPCs specific to small home-range receptors. The calculation of upper-bound EPCs is discussed in the Appendix A, Volume 2 of the RI/FS.

Only arsenic was retained following the background analysis step. Statistical concentrations for arsenic are presented in Table 7.11. The EPC comparison to tESLs for burrowing receptors is presented in Table 7.12. The subsurface soil UTL for arsenic is lower than the tESL for the prairie dog receptor; therefore, it was not evaluated further.

7.3.5 Subsurface Soil Professional Judgment

The professional judgment step was not performed for subsurface soils because no ECOIs were retained in the previous screening step.

7.3.6 Summary of Subsurface Soil Ecological Contaminants of Potential Concern

All subsurface soil ECOIs for burrowing receptors in the SEEU were eliminated from further consideration as ECOPCs based on one of the following: 1) the MDC of the ECOI was less than NOAEL ESL for the burrowing receptor; 2) no ESLs were available (these ECOIs are discussed in Section 10.0); 3) the concentration of the ECOI in SEEU subsurface soils was not statistically greater than background subsurface soils; or 4) the upper-bound EPC was less than the tESL. The results of the subsurface soil ECOPC identification process for burrowing receptors are summarized in Table 7.13.

7.4 Summary of Ecological Contaminants of Potential Concern

ECOIs in surface and subsurface soil in the SEEU were evaluated in the ECOPC identification process for non-PMJM receptors and burrowing receptors. No chemicals were identified as ECOPCs for non-PMJM receptors (Table 7.8). No chemicals were identified as ECOPCs for burrowing receptors (Table 7.13).

8.0 ECOLOGICAL EXPOSURE ASSESSMENT

The ECOPC identification steps did not identify any ECOPCs for either surface or subsurface soil in the SEEU. Therefore, no exposure assessment was performed for the SEEU.

9.0 ECOLOGICAL TOXICITY ASSESSMENT

The ECOPC identification steps did not identify any ECOPCs for either surface or subsurface soil in the SEEU. Therefore, no toxicity assessment for the SEEU was performed.

10.0 ECOLOGICAL RISK CHARACTERIZATION

Risk characterization includes risk estimation and risk description. Details of these components are described in the CRA Methodology and Appendix A, Volume 2 of the RI/FS Report. Predicted risks should be viewed in terms of the potential for the assumptions used in the risk characterization to occur in nature, the uncertainties associated with the assumptions, and in the potential for effects on the population of receptors that could inhabit the SEEU. Because no ECOPCs were identified for either surface or subsurface soils in the SEEU, no risk characterization is necessary. The ECOPC identification process constitutes a screening level risk assessment. Because the process did not identify any ECOPCs, risks to ecological receptors from site-related contaminants are likely to be negligible in the SEEU.

10.1 Chemical Risk Characterization

No ECOPCs were identified for any receptor in either surface or subsurface soil in the SEEU. The ECOPC identification procedure constitutes a screening-level risk assessment. Because the procedure did not identify any ECOPCs, risks to ecological receptors from site-releted contaminants are likely to be negligible in the SEEU.

10.2 General Uncertainty Analysis

Quantitative evaluation of ecological risks is limited by uncertainties regarding the assumptions used to predict risk and the data available for quantifying risk. These limitations are usually addressed by making estimates based on the data available or by making assumptions based on professional judgment when data are limited. Because of these assumptions and estimates, the results of the risk calculations themselves are uncertain, and it is important for risk managers and the public to view the results of the risk assessment with this in mind. A full discussion of categories of general uncertainty that are not specific to the SEEU is presented in Appendix A, Volume 2 of the RI/FS Report. The following sections are potential sources of general uncertainty that are specific to the SEEU ERA.

10.2.1 Uncertainties Associated With Data Adequacy and Quality

Sections 1.2 and 1.3 summarize the general data adequacy and data quality for the SEEU, respectively. A more detailed discussion is presented in Attachment 2 and Appendix A, Volume 2 of the RI/FS Report. The data adequacy assessment indicates that the data are adequate for the CRA. Data of sufficient quality for ERA purposes were collected in surface and subsurface soils.

10.2.2 Uncertainties Associated with the Lack of Toxicity Data for Ecological Contaminant of Interest Detected at the Southwest Buffer Zone Area Exposure Unit

Several ECOIs detected in the SEEU do not have adequate toxicity data for the derivation of ESLs (CRA Methodology). These ECOIs are listed in Tables 7.1 and 7.9 with a "UT" designation. Appendix B of the CRA Methodology outlines a detailed search process that was intended to provide high-quality toxicological information for a large portion of the chemicals detected at RFETS. Although the toxicity is uncertain for those ECOIs that do not have ESLs calculated due to a lack of identified toxicity data, the overall effect on the risk assessment is small because the primary chemicals historically used at RFETS have adequate toxicity data for use in the CRA. Therefore, while the potential for risk from these ECOPCs is uncertain and will tend to underestimate the overall risk calculated, the magnitude of underestimation is likely to be low.

10.2.3 Uncertainties Associated With Eliminating Ecological Contaminants of Interest Based on Professional Judgment

Several analytes in surface soil and subsurface soil were eliminated as ECOIs based on professional judgment. The professional judgment evaluation is intended to identify those ECOIs that have a limited potential for contamination in the SEEU. One historical IHSS exists within the SEEU: Roadway Spraying (PAC 000-501) (Table 1.1 and Figure 1.2). PAC 000-501 was proposed for NFA in 1991 and the NFA was approved in 2002 (EPA 2002) as documented in the 2002 HRR Update (DOE 2002). The weight-of-evidence approach indicates that the concentrations of these ECOIs are most likely due to natural variation. The magnitude of underestimation of risk due to the professional judgment evaluation is unknown, but the ECOIs eliminated from further consideration are not considered related to site-activities in the SEEU and have very low potential to be transported from historical sources to the SEEU.

10.2.4 Summary of Significant Sources of Uncertainty

The preceding discussion outlined the significant sources of uncertainty in the CRA process for assessing ecological risk. While some of the sources of uncertainty discussed tend to either underestimate risk or overestimate risk, many result in an unknown effect on the potential risks. However, the CRA process was designed to be of a conservative nature, which should be taken into consideration when reviewing the conclusions of the risk assessment.

11.0 SUMMARY AND CONCLUSIONS

A summary of the results of this CRA for human health and ecological receptors in the SEEU is presented below.

11.1 Human Health

The COC screening analyses compared MDCs and UCLs of chemicals and radionuclides in SEEU media to PRGs for the WRW receptor. Inorganic and radionuclide analytes with UCLs greater than the PRGs were statistically compared to the background concentration data set. Inorganic and radionuclide analytes that were statistically greater than background at the 0.1 significance level, and organics with UCL concentrations greater than the PRG, were carried forward to professional judgment evaluation. Based on the COC selection process, no COCs were selected for surface soil/surface sediment and subsurface soil/subsurface sediment in the SEEU, and a risk characterization was not performed for the SEEU.

11.2 Ecological Risk

No ECOPCs were identified in surface soil (non-PMJM receptors) or subsurface soil (burrowing receptors). All ECOIs were eliminated from further consideration as ECOPCs based on comparisons of MDCs to NOAEL ESLs, background comparisons, tESL comparisons (non-PMJM receptors only), or professional judgment evaluations. Therefore, potential risks to ecological receptors in the SEEU are likely to be negligible.

12.0 REFERENCES

DOE, 1992. Final Historical Release Report for Rocky Flats Plant, Golden, Colorado. June.

DOE, 2002. 2002 Annual Update to the Historical Release Report, Rocky Flats Environmental Technology Site, Golden, Colorado.

DOE, 2004. Comprehensive Risk Assessment Sampling and Analysis Plan Addendum, #04-01, Rocky Flats Environmental Technology Site, Golden, Colorado. March.

DOE, 2005a. Final Comprehensive Risk Assessment Work Plan and Methodology, Rocky Flats Environmental Technology Site, Golden, Colorado. September.

DOE, 2005b. 2005 Annual Update to the Historical Release Report, Rocky Flats Environmental Technology Site, Golden, Colorado.

Interagency Agreement (IAG), 1991. Federal Facility Agreement and Consent Order CERCLA VIII-91-03, RCRA (3008(h)) VIII-91-07 and State of Colorado Docket Number 91-01-22-01.

K-H, 2000. 1999 Annual Wildlife Survey for the Rocky Flats Environmental Technology Site. Kaiser-Hill Company, L.L.C., Rocky Flats Environmental Technology Site, Golden, Colorado.

Menzie, C.A., D.E. Burmaster, J.S., Freshman, and C.A. Callahan, 1992. Assessment of Methods for Estimating Ecological Risk in the Terrestrial Component: A Case Study at the Baird and McGuire Superfund Site in Holbrook, Massachusetts. Environ. Toxicol. Chem. 11: 245-260.

Nelson, Jody. 2005. Senior Ecologist, Kaiser-Hill Ecology Group, Rocky Flats Environmental Technology Site, Personal Communication with Tom Ryon, OtterTail Environmental, Inc., April 2005.

Rocky Flats Cleanup Agreement (RFCA), 1996. CERCLA Federal Facility Agreement and RCRA/CHWA Consent Order (CERCLA VIII-96-21; RCRA (3008(h)) VIII-96-01; State of Colorado Docket #96-07-19-0).

USFWS, 2004. Rocky Flats National Wildlife Refuge, Final Comprehensive Conservation Plan and Environmental Impact Statement. U.S. Fish and Wildlife Service. September.

TABLES

Table 1.1 SEEU IHSSs

JUSS F	JE OU LA	SpirAC Si.	A Title	Description #24-4/	Disposition -
	BZ	000-501	Roadway	Roadways in the BZ OU were sprayed	NFA - 2005 HRR
			Spraying	with waste oils for dust suppression;	
				reverse osmosis brine solutions and	
				footing drain water were also applied.a	

^a PAC 000-501 was one of 79 IHSS/PACs proposed for NFA by the NFA Working Group in 1991. The NFA was approved in 2002. (EPA et al. 2002).

Table 1.2

Number of Samples in Each Medium by Analyte Suite

Analyte Suite	Surface Soil/Surface Sediment ²	Subsurface Soil/Subsurface Sediment	Surface Soil	Subsurface Soil
Inorganic	22	7	. 19	6
Organic	1	7	1	7
Radionuclide	55	9	52	8

^a Used in the HHRA

Note: The total number of results (samples) in Tables 1.3 through 1.6 may differ from the total number of samples presented in Table 1.2 because not all analyses are necessarily performed for each sample.

b Used in the ERA

Table 1.3
Summary of Detected Analytes in SEEU Surface Soil/Surface Sediment

Summary of Detected Analysis in September 2011 and								
	Range of	Total	Detection	Minimum	Maximum			
Analyte	Reported	Number	Frequency	Detected 2	Detected	Arithmetic Mean	Standard	
Marian Artist	Detection •	of Results	(%)	Concentration	Concentration	Concentration?	Deviation	
	Limits	E-CAS DELL		建筑位于1000	Concentration			
Inorganics (mg/kg)								
Aluminum	3.9 - 40	22	100	5,860	26,000	15,613	5,417	
Antimony	0.29 - 12	21	33.3	0.350	0.590	1.27	2.23	
Arsenic	0.69 - 2	22	100	2.50	23	7.40	4.15	
Barium	0.18 - 40	22	100	57	240	142	46.2	
Beryllium	0.022 - 1	22	86.4	0.520	1.50	0.874	0.314	
Boron	0.56 - 3	17	100	3.70	19	6.93	3.52	
Cadmium	0.066 - 1	22	72.7	0.120	1	0.368	0.206	
Calcium	3.5 - 1000	22	100	1,760	55,000	9,195	11,667	
Cesium ^b	200	3	33.3	14.5	14.5	7.27	6.27	
Chromium	0.071 - 2	22	100	7.30	27	17.1	5.66	
Cobalt	0.14 - 10	22	100	2.80	10.4	7.69	1.88	
Соррег	0.047 - 5	22	100	7.80	27	15.7	4.71	
lron	1.4 - 20	22	100	7,970	52,000	22,058	11,195	
Lead	0.28 - 1	22	100	4.80	37	23.1	7.01	
Lithium	0.066 - 20	19	94.7	5.20	23	13.6	5.62	
Magnesium	2 - 1000	22	100	1,360	7,100	3,236	1,316	
Manganese	0.18 - 3	22	100	55	1,300	386	237	
Mercury	0.0056 - 0.1	19	36.8	0.0140	0.0290	0.0155	0.0117	
Molybdenum	0.23 - 40	21	81.0	0.260	1.90	1.08	0.591	
Nickel	0.2 - 8	22	100	9.30	35	16.2	5.84	
Potassium	22 - 1000	22	100	1,200	5,200	3,066	873	
Selenium	0.82 - 1.4	22	13.6	0.270	1.70	0.448	0.307	
Silica	1.8 - 5.1	17	100	580	2,900	1,007	555	
Silver	0.08 - 2	21	33.3	0.120	0.390	0.250	0.219	
Sodium	100 - 1000	22	22.7	54.8	510	79.0	. 98.2	
Strontium	0.06 - 40	21	100	12.1	290	56.3	56.9	
Thallium	0.37 - 2	22	9.09	2.30	2.60	0.575	0.632	
Titanium	0.089 - 0.44	17	100	64	260	144	53.1	
Uranium	1.3 - 2.1	17	23.5	1.60	2.80	1.09	0.640	
Vanadium	0.41 - 10	22	100	22	140	50.0	25.7	
Zinc	0.47 - 4	22	100	18	81	54.3	15.7	
Radionuclides (pCi/g)	"不是在"。"大多 "	和教物	The call	and one of	nzznes au	经过的通知	那個公本政治	
Americium-241	0 - 0.206	46	N/A	-0.00600	0.381	0.0466	0.0624	
Cesium-137	0.0510	1	N/A	0.661	0.661	0.661	N/A	
Gross Beta	1 - 20	6	N/A	18	41	26.8	7.79	
Plutonium-239/240	0 - 0.219	54	N/A	0.00205	4.60	0.251	0.628	
Radium-226	0.740	1	N/A	2.02	2.02	2.02	N/A	
Radium-228	0.189	. 1	N/A	1.59	1.59	1.59	N/A	
Uranium-233/234	0 - 0.588	37	N/A	0.119	1.52	0.762	0.445	
Uranium-235	0 - 0.518	37	N/A	-0.0564	0.344	0.0511	0.0725	
Uranium-238	0 - 0.459	37	N/A	0.162	1.81	0.820	0.433	
Cesium-134	0.0492	1	N/A	-0.265	-0.265	-0.265	N/A	
Gross Alpha	2.92 - 30	6	N/A	8.47	43	17.0	13.3	
Strontium-89/90	0.0656 - 0.4319	3	N/A	0.110	0.171	0.140	0.0304	

^a For inorganics and organics, statistics are computed using one-half the reported value for nondetects.

Note: Organics were not detected.

^b All detections are "J" qualified, signifying that the reported result is below the detection limit, but above the instrument detection limit.

^c All radionuclide values are considered detects.

N/A = Not applicable.

Table 1.4
Summary of Detected Analytes in Subsurface Soil/Subsurface Sediment

Parties for the parties of the parties of the parties of the parties of		•		uosuriace SolvSubs		7.	
Analyte	Range of Reported Detection Limits	Number of	rrequency		Maximum Detected Concentration	Arithmetic Mean- Concentration	Standard Deviation
Inorganics (mg/kg)	DAY CAMERA SEEC OF HE	* Kesuits *	(%)	/ Concentration &	CANCEL CONTRACT OF THE CONTRAC		
Aluminum	4.1 - 40	7	100	463	25,000	10,278	8,548
Arsenic	0.29 - 2.3	7	100	2.70	19.1	7.87	5.27
Barium	0.18 - 40	7	100	19	190	108	77.7
Beryllium	0.031 - 1	7	71.4	0.330	1.20	0.546	0.434
Boron	1.80	1	100	11	11	11	N/A
Cadmium	0.07 - 1	6	33.3	0.450	0.850	0.440	0.209
Calcium	1.3 - 1000	7	100	1,350	20,000	11,787	6,877
Cesium ^b	81.6 - 200	6	33.3	1.80	2.70	33.8	25.1
Chromium	0.074 - 2	7	100	1.70	26	11.4	9.06
Cobalt	0.14 - 10	7	100	0.890	10.8	5.78	3.82
Copper	0.091 - 5	7	85.7	2.80	22	11.1	8.81
Iron	0.52 - 20	7	100	4,020	34,600	14,266	11,224
Lead	0.19 - 4.9	7	100	4.10	22	10.2	6.69
Lithium	0.28 - 20	7	85.7	2.10	21	9.33	8.06
Magnesium	3.6 - 1000	7	100	135	8,920	3,439	3,124
Manganese	0.13 - 3	7	100	28.1	699	226	225
Mercury	0.0067 - 0.11	7	14.3	0.0230	0.0230	0.0384	0.0116
Molybdenum	0.24 - 40	7	42.9	0.550	10.6	2.17	3.72
Nickel	0.24 - 8	7	85.7	3.60	29.2	14.0	9.96
Potassium	44 - 1000	7	. 85.7	346	3,900	1,517	1,348
Selenium	0.31 - 1	7	57.1	0.430	2.40	0.911	0.901
Silica	1.80	1	100	1,900	1,900	1,900	N/A
Silicon ^b	0	2	100	85.1	147	116	43.8
Sodium	2.2 - 1000	7	85.7	70.8	2,700	585	973
Strontium	0.11 - 40	7	100	18.7	172	74.8	61.0
Thallium	0.26 - 2	7	14.3	1.20	1.20	0.294	0.401
Titanium	0.270	1	100	260	260	260	N/A
Vanadium	0.36 - 10	7	85.7	5.90	60	30.8	23.0
Zinc	0.39 - 4	7	100	9	76.2	37.6	30.4
Organics (ug/kg)	·斯克克斯(18)	美國經濟公司		SOME PERSONAL	· 化药品 指数的		
1,1,1-Trichloroethane	5 - 6	_ 5	20	44	44	11.2	18.3
bis(2-Ethylhexyl)phthalate	330	3	66.7	49	75	101	69.4
Styrene	5 - 6	5	20	2	- 2	2.80	0.447
Toluene	5 - 6	5	40	9	19	7.40	6.99
Xylene	5 - 6	5	20	3	3	3	0
Radionuclides (pCl/g)	TARREST TO MELANTIN	470	*3833 F	ina i secona seleta			
Americium-241	0.00504 - 0.123	5	N/A	0.00129	0.0504	0.0154	0.0201
Cesium-134	0.0142 - 0.0602	4	N/A	-0.0766	-0.00366	-0.0334	0.0351
Cesium-137	0.0134 - 0.061	4	: N/A	0.00242	0.160	0.0699	0.0766

Table 1.4
Summary of Detected Analytes in Subsurface Soil/Subsurface Sediment

Analyte (a)	Range of Reported Detection Limits	Total	Detection 2	Minimum)	Maximum Detected	Arithmetic Mean Concentration	Standard
	Detection Limits	Results	(%)	Concentration	Concentration	Concentration*	/> Deviation
Gross Alpha	0.82 - 3.95	8	N/A	7	20.4	12.9	4.20
Gross Beta	1 - 4.7	8	N/A	13.6	30.4	21.7	5.42
Plutonium-238	0.0107	1	N/A	0	0	0	N/A
Plutonium-239/240	0 - 0.123	8	N/A	0	0.0277	0.0125	0.0107
Radium-226	0.249 - 0.747	4	N/A	-0.367	1.78	0.585	1.09
Radium-228	0.044 - 0.216	4	N/A	0.191	2.01	0.999	0.897
Strontium-89/90	0.0596 - 0.399	6	N/A	0.0155	0.240	0.0796	0.0844
Uranium-233/234	0.0285 - 0.284	7	N/A	1.10	1.78	1.43	0.267
Uranium-235	0.0176 - 0.266	7	N/A	0.0191	0.0763	0.0439	0.0224
Uranium-238	0.0132 - 0.146	7	N/A	1.31	1.83	1.46	0.179

^a For inorganics and organics, statistics are computed using one-half the reported value for nondetects.

N/A = Not applicable.

^b All detections are "J" qualified, signifying that the reported result is below the detection limit, but above the instrument detection limit.

[°] All radionuclide values are considered detects.

Table 1.5
Summary of Detected Analytes in Surface Soil (Non-PMJM)

		<u> </u>		iytes ili Surtace Sc			
Analyte	Range of Reported Detection Limits	Total Number of Results	Detection Frequency	-Minimum &Detected Concentration	Maximum Detected Concentration	Arithmetic Mean Concentration	Standard Deviation
Inorganics (mg/kg)		14.7. S.C. 46.7	a de estados de	274420443		107 x 21781/12 250000	at a region and a region
Aluminum	3.9 - 40	19	100	5,860	25,000	15,362	4,928
Antimony ^b	0.29 - 12	18	38.9	0.350	0.590	1.41	2.39
Arsenic	0.83 - 2	19	100	2.50	23	7.43	4.41
Barium	0.38 - 40	19	100	57	210	141	41.4
Bervllium	0.022 - 1	19	84.2	0.530	1.50	0.853	0.303
Boron	0.56 - 1.1	14	100	3.70	8.70	5.95	1.47
Cadmium	0.066 - 1	19	68.4	0.120	1	0.356	0.207
Calcium	3.5 - 1000	19	100	1,760	23,000	6,731	5,808
Cesium ^b	200	3	33.3	14.5	14.5	7.27	6.27
Chromium	0.16 - 2	19	100	7.30	27	17.0	5.43
Cobalt	0.19 - 10	19	100	2.80	10.4	7.78	1.94
Copper	0.047 - 5	19	100	7.80	25	15.2	3.83
Iron	1.4 - 20	19	100	7,970	52,000	21,856	11,561
Lead	0.28 - 1	19	100	4.80	37	23.9	6.63
Lithium	0.066 - 20	16	93.8	5.20	23	13.3	5.29
Magnesium	2 - 1000	19	100	1,360	5,000	3,084	1,009
Manganese	0.18 - 3	19	100	55	1,300	392	247
Mercury ^b	0.0056 - 0.1	16	25	0.0140	0.0210	0.0139	0.0119
Molybdenum	0.3 - 40	18	77.8	0.610	1.90	1.14	0.605
Nickel	0.2 - 8	19	100	9.30	35	16.3	6.03
Potassium	22 - 1000	19	100	1,430	4,000	3,066	663
Selenium ^b	0.82 - 1	19	10.5	0.270	0.320	0.381	0.135
Silica ^b	4.4 - 5.1	14	100	580	990	817	126
Silver	0.08 - 2	18	38.9	0.120	0.390	0.281	0.222
Sodium	100 - 1000	19	21.1	54.8	137	58.4	21.1
Strontium	0.06 - 40	. 18	100	12.1	90	43.8	20.0
Titanium ^b	0.089 - 0.1	14	100	83	210	137	39.5
Uranium	1.4 - 1.7	14	14.3	1.60	1.80	0.907	0.340
Vanadium	0.48 - 10	19	100	22.5	140	50.5	26.7
Zinc	0.47 - 4	19	100	18	71	53.6	15.1
Radionuclides (pCi/g)			T44.03.04			2,7 7 2,01934037	
Americium-241	0 - 0.206	43	N/A	-0.00600	0.381	0.0465	0.0644
Cesium-137	0.0510	1	N/A	0.661	0.661	0.661	N/A
Gross Beta	1 - 20	6	N/A	18	41	26.8	7.79

Table 1.5
Summary of Detected Analytes in Surface Soil (Non-PMJM)

				· j · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , ,	•	
Analyte	Reported	Number of	Frequency		Maximum = Detected Concentration	Arithmetic Mean Concentration	L Standard
Cesium-134	0.0492	1	N/A	-0.265	-0.265	-0.265	N/A
Gross Alpha	2.92 - 30	6	N/A	8.47	43	17.0	13.3
Plutonium-239/240	0 - 0.195	51	N/A	0.00520	4.60	0.259	0.645
Radium-226	0.740	1	N/A	2.02	2.02	2.02	N/A
Radium-228	0.189	l	N/A	1.59	1.59	1.59	N/A
Strontium-89/90	0.0656 - 0.4319	3	N/A	0.110	0.171	0.140	0.0304
Uranium-233/234	0 - 0.588	34	N/A	0.119	1.47	0.714	0.425
Uranium-235	0 - 0.518	34	N/A	-0.0564	0.344	0.0464	0.0734
Uranium-238	0 - 0.459	34	N/A	0.162	1.50	0.784	0.415

^a For inorganics and organics, statistics are computed using one-half the reported value for nondetects.

N/A = Not applicable.

Note: Organics were not detected.

^b All detections are "J" qualified, signifying that the reported result is below the detection limit, but above the instrument detection limit.

^c All radionuclide values are considered detects.

Table 1.6 Summary of Detected Analytes in Subsurface Soil

Amiyte	Range of Reported	Total Number of	Detection Frequency	Minimum Detected Concentration	Maximum Detected	Arithmetic Mean	Standard
多名为主张·阿莱伯克拉拉	Detection Limits	Results	。沙州(%)海湾	Concentration.	Concentration	Concentration	Deviation
Inorganics (mg/kg)	2.34.43.85克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克克	副党员和	CAL ME GOOD	网络似北京 公司		Maria Maria	32. In this letter
Aluminum	4.1 - 40	6	100	463	15,300	7,824	6,091
Arsenic	0.29 - 2.3	6	100	2.70	19.1	8.10	5.74
Barium	0.23 - 40	6	100	19	185	94.1	75.3
Beryllium	0.23 - 1	6	66.7	0.330	1.10	0.438	0.356
Cadmium ^b	0.54 - 1	5	20	0.850	0.850	0.438	0.234
Calcium	1.3 - 1000	6	100	1,350	20,000	10,918	7,101
Cesium ^b	81.6 - 200	6	33.3	1.80	2.70	33.8	25.1
Chromium	0.59 - 2	6	100	1.70	17.5	8.95	6.97
Cobalt	0.41 - 10	6	100	0.890	10.8	5.35	3.99
Copper	0.24 - 5	6	83.3	2.80	21.2	9.30	8.09
Iron	0.52 - 20	6	100	4,020	34,600	12,810	11,548
Lead	0.19 - 4.9	6	100	4.10	15.7	8.18	4.58
Lithium	0.28 - 20	6	83.3	2,10	16.1	7.38	6.80
Magnesium	3.6 - 1000	6	100	135	8,920	3,162	3,326
Manganese	0.13 - 3	6	100	28.1	699	222	247
Molybdenum	0.77 - 40	6	33.3	0.930	10.6	2.44	4.00
Nickel	1.9 - 8	6	83.3	3.60	29.2	12.8	10.4
Potassium	77.8 - 1000	6	83.3	346	2,610	1.120	925
Selenium	0.31 - 1	6	66.7	0.430	2.40	0.990	0.960
Silicon ^b	0	2	100	85.1	147	116	43.8
Sodium	2.2 - 1000	- 6	100	70.8	2,700	672	1,035
Strontium	0.83 - 40	6	100	18.7	172	72.8	66.5
Vanadium	0.36 - 10	6	83.3	5.90	58.1	26.0	20.9
Zinc	0.39 - 4	6	100	9	76.2	31.5	28.2
Organics (ug/kg)	Carally Light Control						
1,1,1-Trichloroethane	5 - 6	5	20	44	44	11.2	18.3
bis(2-Ethylhexyl)phthalate	330	3	66.7	49	75	101	69.4
Styrene	5-6	5	20	2	2	2.80	0.447
Toluene	5 - 6	5	40	9	19	7.40	6.99
Xylene	5-6	5	20	3	3	3	0
Radionuclides (pCl/g)	210-25		winds to the			MARKET AND	hand to the second
Americium-241	0.00504 - 0.00831	4	N/A	0.00129	0.0136	0.00666	0.00514
Cesium-134	0.0142 - 0.0602	4	N/A	-0.0766	-0.00366	-0.0334	0.0351
Cesium-137	0.0134 - 0.061	4	N/A	0.00242	0.160	0.0699	0.0766
Gross Alpha	0.82 - 3.95	8	N/A	7	20.4	12.9	4.20
Gross Beta	1 - 4.7	8	N/A	13.6	30.4	21.7	5.42
Plutonium-238	0.0107	1	N/A	0	0	0	N/A
Plutonium-239/240	0 - 0.0152	7	N/A	0	0.0277	0.0117	0.0113
Radium-226	0.249 - 0.747	4	N/A	-0.367	1.78	0.585	1.09
Radium-228	0.044 - 0.216	4	N/A	0.191	2.01	0.999	0.897
Raulull-220				0.0155	0.240	0.0796	0.0844
Strontium-89/90	0.0596 - 0.399	6	N/A	1 0.0133		0.0770	0.0077
	0.0596 - 0.399 0.0285 - 0.0905	6	N/A N/A	1.23	1.78	1.49	0.245
Strontium-89/90							

⁴ For inorganics and organics, statistics are computed using one-half the reported value for nondetects.

b All detections are "J" qualified, signifying that the reported result is below the detection limit, but above the instrument detection limit.

⁶ All radionuclide values are considered detects.

N/A = Not applicable.

Table 2.1
Essential Nutrient Screen for Surface Soil/Surface Sediment

Analyte	MDC (mg/kg)	(Estimated Maximum Daily Intake [‡] (mg/day)	RDA/RDI/ĀI ^b (mg/day)	UL ^b (mg/day)	Retain for PRG Screen?
Calcium	55,000	5.50	500-1,200	2,500	No
Magnesium	7,100	0.710	80-420	65-110	No
Potassium	5,200	0.520	2,000-3,500	N/A	No
Sodium	510	0.0510	500-2,400	N/A	No

^a Based on the MDC and a 100 mg/day soil ingestion rate for a WRW.

N/A = Not available.

 $^{^{\}rm b}$ RDA/RDI/AI/UL taken from NAS 2000 and 2002.

Table 2.2
PRG Screen for Surface Soil/Surface Sediment

Analyte + †i	PRG*	MDC 3	MDC Exceeds PRG?	F. UGD	UCL Exceeds	-Retain for Detection
Inorganics (mg/kg)					REPREZE	Frequency Screen ?
Aluminum	24,774	26,000	Yes	17,600	No	l No
Antimony	44.4	0.590	No		+-	No
Arsenic	2.41	23	Yes	8.90	Yes	Yes
Barium	2.872	240	No			No
Beryllium	100	1.50	No			No
Boron	9,477	19	No			No
Cadmium	91.4	19	No			No
Calcium	N/A	55,000	No			UT
Cesium	N/A	14.5	No			UT
			†		••	
Chromium ^c	28.4	27	No		<u> </u>	No
Cobalt	122	10.4	No	••	••	No
Copper	4,443	27	No			No
Iron	33,326	52,000	Yes	26,477	No	No
Lead	1,000	37	No		••	No
Lithium	2,222	23	No			No
Magnesium	N/A	7,100	No		· 	UT
Manganese	419	1,300	Yes	607	Yes	Yes
Mercury	32.9	0.0290	No		••	· No
Molybdenum	555	1.90	No			No
Nickel	2,222	35	No			No
Potassium	N/A	5,200	No			UT
Selenium	555	1.70	No			No
Silica	N/A	2,900	No			UT
Silver	555	0.390	No	••		. No
Sodium	N/A	510	No			UT
Strontium	66,652	290	No		. •-	- No
Thallium	7.78	2.60	No			No
Titanium	169,568	260	No			No
Uranium	333	2.80	No			No
Vanadium	111	140	No	59.5	No	No
Zinc	33,326	81	No			No
Radionuclides (pCl/g)				NEW THE TAX		
Americium-241	7.69	0.381	No			No
Cesium-134	0.0800	-0.265	No			No
Cesium-137	0.221	0.661	Yes	N/A	Yes	Yes
Gross alpha	N/A	43	No			UT
Gross beta	N/A	41	No	••	••	UT

Table 2.2
PRG Screen for Surface Soil/Surface Sediment

Analyte	7 -PRG	MDC	MDC Exceeds PRG?	" UCL"	UCL Exceeds:	Retain for Detection. Frequency Screen?
Plutonium-239/240	9.80	4.60	No			No
Radium-226	2.69	2.02	No			No
Radium-228	0.111	1.59	Yes	N/A	Yes	Yes
Strontium-89/90	13.2	0.171	No			No
Uranium-233/234	25.3	1.52	No			No
Uranium-235	1.05	0.344	No			No
Uranium-238	29.3	1.81	No			No

^a The value shown is equal to the most stringent of the PRGs based on a risk of 1E-06 or an HQ of 0.1.

N/A = Not available.

UT = Uncertain toxicity; no PRG available (assessed in Section 6.0)

-- = Screen not performed because analyte was eliminated from further consideration in a previous COC selection step.

Bold = Analyte retained for further consideration in the next COC selection step.

^b UCL = 95% upper confidence limit on the mean, unless the MDC < UCL, then the MDC is used as the UCL.

^c The PRG for chromium (VI) is used in the PRG screen because it is more conservative than the PRG for chromium (III).

 $\label{eq:table 2.3} \textbf{Statistical Distributions and Comparison to Background for the SEEU}^a$

And and a property	Dylde North	Statistical	Distributio	n Testing Re	sults		Back	kground Cor	nparison 💸 💸
	公本农务有数 公	Background	42567343		* SEEU **				
Analyte	Total	Distribution 🗽	Detects	, Total:	#Distribution Recommended	Detecto	Test		-Retain as
	Samples	Recommended	the second state of the second second	Samples		70.5			PCOC?
	AND THE PROPERTY OF THE SAME	by ProUCL			by ProUCL		and the second	6.400	多。在音样的
Surface Soil/Surface	e Sediment	CATE OF THE PARTY	THE BEST OF					CAPPEND STAP	PACKARE S
Arsenic	73	GAMMA	91.8	22	GAMMA	100	WRS	1.28E-06	Yes
Manganese	73	GAMMA	100	22	NONPARAMETRIC	100	WRS	5.28E-05	Yes
Cesium-137	105	NONPARAMETRIC	100	1	N/A	N/A	WRS	N/A	Yes
Radium-228	40	GAMMA	100	1	N/A	N/A	WRS	N/A	Yes
Subsurface Soil/Su	bsürface Sedin	iente de la sala de la companya de	第一型工程	948.3394	CONTRACTOR OF THE PARTY OF THE P	63.67		建工业的	的推过两部级
Radium-228	31	GAMMA	100	4	NORMAL	N/A	WRS	0.767	No

1 of 1

WRS = Wilcoxon Rank Sum Text.

N/A = Not available or not applicable.

Bold = PCOCs retained for further consideration in the next COC selection step.

^a EU data used for background comparisons do not include data from background locations.

Table 2.4
Essential Nutrient Screen for Subsurface Soil/Subsurface Sediment

Analytě 1	MDC (mg/kg)	Estimated Maximum Daily Intake (mg/day)	RDA/RDI/AI ^D (mg/day)	UL ^b (mg/day)	Retain for PRG Screen?
Calcium	20,000	2	500-1,200	2,500	No
Magnesium	8,920	0.892	80-420	65-110	No
Potassium	3,900	0.390	2,000-3,500	N/A	No
Sodium	2,700	0.270	500-2,400	N/A	No

^a Based on the MDC and a 100 mg/day soil ingestion rate for a WRW.

N/A = Not available.

^b RDA/RDI/AI/UL taken from NAS 2000 and 2002.

Table 2.5
PRG Screen for Subsurface Soil/Subsurface Sediment

M 1725 Spinosch Participal	Lucap Abasis Result.		ace Solv Subsur			STATE OF STATE
Analyte	PRG'	MDC	MDC Greater Than PRG?	加州市区,加州市	Than PRG?	Retain for Detection Frequency Screen?
Inorganics (mg/kg)	Dieta Maria	SE MAKA	ALAMA AMA	30%间的13	271.27 142.1733	多名数的公司 加加克斯
Aluminum	284,902	25,000	No			No
Arsenic	27.7	19.1	No			No
Barium	33,033	190	No			No
Beryllium	1,151	1.20	No			No
Boron	108,980	11	No			No
Cadmium	1,051	0.850	No			No
Calcium	N/A	20,000	UT			UT
Cesium	N/A	2.70	UT			UT
Chromium ^c	327	26	No			No
Cobalt	1,401	10.8	No			No
Copper	51,100	22	No			No
Iron	383,250	34,600	No			No
Lead	1,000	22	No			No
Lithium	25,550	21	No			No
Magnesium	N/A	8,920	UT			UT
Manganese	4,815	699	No			No
Mercury	379	0.0230				
	6,388	10.6	No No			No
Molybdenum	25,550					No
Nickel	- · · · · · · · · · · · · · · · · · · ·	29.2	No			No
Potassium	N/A	3,900	UT			ហា
Selenium Silica	6,388	2.40	No			No
	N/A	1,900	UT			UT
Silicon	N/A	147	UT			UT
Sodium	N/A	2,700	UT			UT
Strontium	766,500	172	No			No
Thallium	89.4	1.20	No			No
Titanium	1.95E+06	260	No			No
Vanadium	1,278	60	No ,			No
Zinc	383,250	76.2	No			No
Organics (ug/kg)				LEADING	的和社会协会	Where Your Committee in the
1,1,1-Trichloroethane	1.06E+08	44	No			No
bis(2-Ethylhexyl)phthalate	2.46E+06	75	No			No .
Styrene	1.59E+08	2	No			No
Toluene	3.56E+07	19	No			No
Xylene ^d	1.22E+07	3	No			No
Radionuclides (pCi/g) = 34.3	Caracteristics	4200 to 1000 100	94 X (A) (A) (A) (A) (A)	THE HEALTH	TWE TO S	
Americium-241	88.4	0.0504	No			No
Cesium-134	0.910	-0.00366	No			No
Cesium-137	2.54	0.160	No			No
Gross Alpha	N/A	20.4	UT			UT
Gross Beta	N/A	30.4	UT			UT
Plutonium-238	68.7	0	No			No
Plutonium-239/240	112	0.0277	No			No
Radium-226	31	1.78	No			No
Radium-228	1.28	2.01	Yes	2.05	Yes	Yes
Strontium-89/90	152	0.240	No			No
Uranium-233/234	291	1.78	No			No
Uranium-235	12.1	0.0763	No	••		No
Uranium-238	337	1.83	No			No
The value shown is equal to the						

^a The value shown is equal to the most stringent of the PRGs based on a risk of 1E-06 or an HQ of 0.1.

N/A = Not available.

UT = Uncertain toxicity; no PRG available (assessed in Section 6.0).

Bold = Analyte retained for further consideration in the next COC selection step.

^b UCL = 95% upper confidence limit on the mean, unless the MDC < UCL, then the MDC is used as the UCL.

^c The PRG for chromium (VI) is used in the PRG screen because it is more conservative than the PRG for chromium (III).

^d The PRG for total xylene is used.

^{-- =} Screen not performed because analyte was eliminated from further consideration in a previous COC selection step.

Table 2.6
Summary of the COC Selection Process

Analyte	MDC Exceeds PRG?	UCL Exceeds PRG?	Detection Frequency.	5.分割 运行公共	Exceeds Background?	Professional Judgment Retain?	Retain as COC?
Surface Soil/Su	riace Sediment	ar and services	高级的数据中国	维的人的第一人的基础,但是是	则 代表 出。而和155人包括16	- The annual of the state of	建于47人2000年17
Aluminum	Yes	No					
Arsenic	Yes	Yes	Yes	N/A	Yes	No	No
Iron	Yes	No					
Manganese	Yes	Yes	Yes	N/A	Yes	No	No
Vanadium	Yes	No					
Cesium-137	Yes	Yes	N/A	N/A	N/A ^b	No ·	No
Radium-228	Yes	Yes	N/A	N/A	N/A ^b	No	No
Subsurface Soil	/Subsurface Se	liment -	SEPARATE SAN	ALTERNISH ST		VISAS ING ALATA (A	
Radium-228	Yes	Yes	N/A	N/A	No		No

^a All radionuclide values are considered detects.

^b The background analysis was not conducted, because only one sample was collected for this analyte at the SEEU. N/A - Not applicable.

^{-- =} Screen not performed because analyte was eliminated from further consideration in a previous COC selection step.

Table 6.1
Summary of Detected PCOCs Without PRGs^a

Dammary of Detected 1 00 00 77 tender 1 1105							
Analyte	Surface Soil/Surface Sediment	Subsurface Soil/Subsurface Sediment					
Inorganics		是这个问题的特别是对自己的					
Cesium	X ^b	X ^b					
Silica	X	X					
Silicon	N/A	X ^b					
Radionuclides (2013)	理論認為其語《為中國語	产5、3在农业地位的产品					
Gross Alpha	X	X					
Gross Beta	X	X					

^a Does not include essential nutrients. Essential nutrients without PRGs were evaluated by comparing estimated intakes to recommended intakes.

N/A = Not Applicable. Analyte not detected or not analyzed.

X = PRG is unavailable.

^b All detections are "J" qualified, signifying that the reported result is below the detection limit, but above the instrument detection limit.

Table 7.1

Comparison of MDCs in Surface Soil to NOAEL ESLs for Terrestrial Plants, Invertebrates, and Vertebrates

Part	Reta	1813		""是有高温	ie .	Cov	ote .	· E Co	the second	Cor		Prof. A	airie	Pr	Mouse	Deer Deer	Monse	Deer	ncan	Ame	Dove	Mournin	ne Dove	Mour		建筑	1010341			
Comparison Com	st Sensitive Reta Fur Receptor Anal		(4) (4) (4) (4)	设势护证 。我	vore 🗸 💍	Insert	rallst	Gene	ore	Carni	er .	D	og i	i de la	tivore	inse			11.	The same of the same		A LE CONTRACTOR		Her	Invertebrates	Terrestrial	d Plants	Terrestri	MDC	Analyte
Image 1976	Results		MDC >	NOAEL	MDC > (NOAEL	MDC>	NOAEL	MDC >	NOAEL	MDC >	NOAEL	MDC >	-NOAEL	MDC >	NOAEL	MDC>	NOAEL	MDC>	NOAEL	MDC >	NOAEL	MDC >	NOAEL	MDC>+	NOAEL	MDC>	/NOAEL		
Transference 1,500 50 7ex No.																														Inormanics (ma/ka)
Marging 1,500 1,	Plant Y	1										T																		
Second 130 160 170 1	ouse Insectivore N	Deer											+	+																
Early 10 50 No 130 No 130 No 130 No 130 No 130 No 137 No	ouse Herbivore Y	+	 				No			709		13.0	Yes	9.35		+		2.57				164								
1.50	Dove Herbivore Y	Mouri	N/A	N/A	No	18,369	No	19.838	No ·	24.896	No	4,766	No	3,224	No	4,427	No	930	No	1,317	No	357	Yes	159	No	330		500		
Series S	ouse Insectivore N	Deer	N/A	N/A	No	29.2	No	103	No	1,072	No	896	No	211	No	6.82	No	160	N/A	N/A	N/A	N/A	N/A	N/A	No	40.0	No	10.0		
Cadmins	Plant Y	1	N/A	N/A	No	1,816	No	6,070	No	929	No	314	No	237	No	422	No	62.1	No	167	No	115	No	30.3	N/A	N/A	Yes	0.500	8.70	
Calcium 23,000 NA NIA	Dove Insectivore Y	Mourn	N/A	N/A	No	9.75	No	51.2	No	1,360	No	723	No	198	No	1.56	No	59.9	No	15.0	Yes	0.705	No	28.1	No	140	No	32.0	1.00	
Cestimes	N/A U	<u> </u>		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23,000	
Cobin 10.4 13.0 No	N/A U		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14.5	
Capper	vertebrate Y		N/A	N/A	No	68.5	No	250	No	4,173	No	1,461	No	703	Yes	15.9	No	281	Yes	14.0	Yes	1.34	Yes	24.6	Yes	0.400	Yes	1.00	27.0	Chromium
Total 10	Plant N		N/A	N/A	No	1,519	No	2,492	No	3,785	No	7,902	No	2,461	No	363	No	1,476	No	440	No	87.0	No .	278	N/A	N/A	No	13.0	10.4	Cobalt
From S2,000 N/A	Dove Insectivore Y	Mourn	N/A	N/A	No	4,641	No ۰	3,000	No	5,459	No	4,119	No	838	No	605	No	295	No	164	Yes	8.25	No	28.9	No	50.0	No	100	25.0	Copper
Lindhum 1,00 2,00 Ves N/A	N/A U		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	52,000	iron
Magnagames 1,300 N/A N	Dove Insectivore Y	Mourn	N/A	N/A	No	1,393	No	3,066	No	8,927	No	9,798	No	1,850	No	242	No	1,344	No	95.8	Yes	12.1	No	49.9	No	1,700	No	110	37.0	Lead
Manganese 1.300 590 Yes N/A N/A 3.032 Yes 2.631 No 9.917 No 4.866 Yes 4.080 No 1.519 No 2.506 No 14.051 No 10.939 No 19.115 No N/A N/A N/A M/A	Plant Y		N/A	N/A	No	2,560	No	5,608	No	18,431	No	10,173	No	3,178	No	610	No	1,882	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Yes	2.00	23.0	Lithium
Mercury	N/A U		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5,000	Magnesium
Molyhelman 1.90 2.00 No	ouse Herbivore Y	Deci	N/A	N/A	No	19,115	No ·	10,939	No	14,051	No	2,506	No	1519	No	4,080	Yes	486	No	9,917	No	2,631	Yes	1,032	N/A	N/A	Yes	500	1,300	Manganese
Nicket 15.0 30.0 Yes 20.0 No 44.1 No 1.24 Yes 13.1 Yes 16.4 Yes 38.3 No 124 No 99.9 No 6.02 Yes NiA NI	Dove Insectivore Y	Mourn	N/A	N/A	No	37.3	No	8.49	No	8.18	No	7.56	No	3.15	No	0.179	No	0.439	No	1.57	Yes	1.00E-04	No	0.197	No	0.100	No	0.300	0.021	Mercury
Potassium	ouse Insectivore Y	Deer	N/A	N/A	No	8.18	No	28.9	No	275	No	44.3	No	27.1	Yes	1.90	No	8.68	No	76.7	No	6.97	No	44.4	N/A	N/A	No	2.00	1.90	Molybdemun
Selenium 0.320 1.00 No 70.0 No 70.0 No 1.61 No 1.00 No 8.48 No 0.872 No 0.754 No 0.290 No 3.82 No 3.25 No 12.2 No 5.39 No NiA	ouse Insectivore Y	Deer	N/A	N/A	Yes	1.86	Yes	6.02	No	90.9	No	124	No	38.3	Yes	0.431	Yes	16.4	Yes	13.1	Yes.	1.24	No	44.I	No	200	Yes	30.0	35.0	Nickel
Silica 990 N/A	N/A U		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	4,000	Potassium
Silver 0.390 2.00 No N/A	ouse Insectivore N	Deer	N/A	N/A	No	5.39	No ·	12.2	No	32.5	No	3.82	No	2.80	No	0.754	No	0.872	No	8.48	No	1.00	No	1.61	No	70.0	No	00.1	0.320	Selenium
Sodium 137 Ni/A	N/A U		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	990	Silica
Strontium 90.0 N/A	Plant N		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	No	2.00	0.390	Silver
Titanium 210 N/A	N/A U		N/A	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	137	Sodium
Urmium 1.80 5.00 No Ni/A	ouse Herbivore N	Deer	N/A	N/A	No	57,298	No	144,904	No	584,444	No	4,702	No	3,519	No	13,578	No	940	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	90.0	Strontium
Vanadium 140 2.00 Yes N/A N/A 503 No 274 No 1.514 No 63.7 Yes 29.9 Yes 83.5 Yes 358 No 341 No 164 No 121 Yes N/A	N/A U	I	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	· N/A	N/A	N/A	N/A	N/A	210	Titanium
Zine 71.0 50.0 Yes 200 No 109 No 0.646 Yes 113 No 171 No 5.29 Yes 1,174 No 2,772 No 16,489 No 3,887 No 431 No N/A N/A Mouning Radiometides (p.Cyg) Americium-241 0.381 N/A	Plant N		N/A	N/A	No				No		No								No						N/A				1.80	Uranium
Radiomedides (pCVg) Americium-241 0.381 N/A	Plant Y				Yes																				N/A					Vanadium
Americium-241 0.381 N/A	Dove Insectivore Y		1							22,122	<u> </u>			,																Zinc
Cesium-134 -0.265 N/A <	沙沙洲 化常用性系统			Commence of the second					TO THE PLANT OF THE PARTY OF TH			Charles September 1	400000000000000000000000000000000000000	The state of the state of the state of	White Attachments	Table of the state of the same		Contract of the Contract of th	August Talleton	martine mer mark surface.	or management and									
Cesium-137 0.661 N/A	rial Receptors N	Ter												-																
Gross Alpha 43.0 N/A	N/A U													+		+														
Gross Beta 41.0 N/A	rial Receptors N	Ten								-				+		+														
	N/A U																											\longrightarrow		
Phutonium-239/240 4.60 N/A N/	N/A U	Ļ																												
	rial Receptors N	Ter										+																		
	rial Receptors N	_																												
	rial Receptors N	Ten												 																
	rial Receptors N									-			+	 		+														
	rial Receptors N	+										+		 															****	
	rial Receptors N													+			_												0.0	
Uranium-238 1.50 N/A	rial Receptors N	Ten	No	1,580	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A		'						

^{*}Radionuclide ESLs are not receptor-specific. They are considered protective of all terrestrial ecological species.

*BESLs for chromium were developed based on available toxicity data and are based on Chromium III (birds) and Chromium VI (plants, invertebrates, and mammals).

N/A = No ESL available for the ECOl/receptor pair.

UT = Uncertain toxicity; no ESL available (assessed in Section 10).

Bold = Analyte retained for further consideration in the next ECOPC selection step.

Table 7.2
Summary of Non-PMJM NOAEL ESL Screening Results for Surface Soil in the SEEU

Analyte	Terrestrial Plant Exceedance?	Terrestial Invertebrate	Terrestrial Verfebrate Exceedance?
Inorganics (mg/kg)	经过产的 地口的地位	公司的"政"中已出产的	PARENT PRESENT THE
Aluminum	Yes	UT	UT
Antimony	No	No	No
Arsenic	Yes	No	Yes
Barium	No	No	Yes
Beryllium	No	No	No
Boron	Yes	UT	No
Cadmium	No	No	Yes
Calcium	UT	UT	UT
Cesium	UT	UT	UT
Chromium	Yes	Yes	Yes
Cobalt	No	UT	No
Copper	No	No	Yes
Iron	UT	UT	UT
Lead	No	No	Yes
Lithium	Yes	UT	No
Magnesium	UT	UT	UT
Manganese	Yes	UT	Yes
Mercury	No	No	Yes
Molybdenum	No.	UT	Yes
Nickel	Yes	No	Yes
Potassium	UT	UT	UT
Selenium	No	No	No
Silica .	UT	UT	UT
Silver	No	UT	UT
Sodium	UT	UT	UT
Strontium	UT	UT	No
Titanium	UT	UT	UT
Uranium	No	UT	No
Vanadium	Yes	UT	Yes
Zinc	Yes	No	Yes
Americium-241	UT	UT	No -
Cesium-137	UT	UT	No
Gross Alpha	UT	UT	UT
Gross Beta	UT	UT	UT
Plutonium-239/240	UT	UT	No
Radium-226	UT	UT	No
Radium-228	UT	UT	No
Strontium-89/90	UT	UT	No
Uranium-233/234	UT	UT	
	UT	······································	No No
Uranium-235 Uranium-238	UT	UT UT	No No

UT - Uncertain toxicity; no ESL available (assessed in Section 10).

Bold = Analyte retained for further consideration in the next ECOPC selection step.

رى د

Table 7.3

Statistical Distributions and Comparison to Background for SEEU Surface Soil^a (Non-PMJM)

S. A. W. W. P. S. L. C. S. C.	NAME OF TAXABLE PARTY.								
	Maria Caranta		lical Distributi		ults 🔑 💮	66 m (Feb. 1988)	Backgroun	d Comparison Tes	t Results
		Background	Vindelija. V		SEEU SEEU				
Analyte :	Total No.	Distribution	Detects	Total No.	Distribution	Detects	Test	1-p	Retain as
		Recommended	(%)	of		(内容を表現であるとのなどのできる。		er er er	ECOI?
- 10 J- Carl		by ProUCL		Samples	by ProUCL	5 - A - C - C - C - C - C - C - C - C - C	的时间	Comment of the control	7-8-2-10-09-5-5-7
	12 90 - 2 10			Water Funda Licht	A PROPERTY OF STREET		7.00		
Aluminum	20	NORMAL	100	19	NORMAL	100	t-Test	2.09E-04	Yes
Arsenic	20	NORMAL	100	19	GAMMA	100	WRS	0.177	No
Barium	20	NORMAL	100	19	NORMAL	100	t-Test	3.17E-04	Yes
Boron	N/A	N/A	N/A	14	NORMAL	100	N/A	N/A	Yes ^b
Cadmium	20	NONPARAMETRIC	65	19	GAMMA	68.4	WRS	0.997	No
Chromium	20	NORMAL	100	19	NORMAL	100	t-Test	8.45E-05	Yes
Copper	20	NONPARAMETRIC	100	19	NORMAL	100	WRS	0.020	Yes
Lead	20	NORMAL	100	19	NORMAL	100	t-Test	0.999	· No
Lithium	20	NORMAL	100	16	NORMAL	93.8	t-Test	4.11E-05	Yes
Manganese	20	NORMAL	100	19	NONPARAMETRIC	100	WRS	2.10E-04	Yes
Mercury	20	NONPARAMETRIC	40	16	GAMMA	25	WRS	1.000	No
Molybdenum	20	NORMAL	0	18	LOGNORMAL	77.8	N/A	N/A	Yes ^b
Nickel	20	NORMAL	100	19	GAMMA	100	WRS	2.91E-05	Yes
Vanadium	20	NORMAL	100	19	GAMMA	100	WRS	9.28E-05	Yes
Zinc	20	NORMAL	100	19	NONPARAMETRIC	100	WRS	0.089	Yes

^a EU data used for background comparisons do not include data from background locations.

^b Statistical comparisons to background cannot be performed. The analyte is retained as an ECOI for further evaluation.

N/A - Not applicable. Background comparison was not performed because background data were not available or detection frequency of an analyte in EU or background data sets was less than 20 percent.

Bold = Analyte retained for further consideration in the next ECOPC selection step.

Table 7.4 Statistical Concentrations in Surface Soil

	Statistical Concentrations in Surface Son										
Analyte	Number of A Samples of	.Vicin	Median	750 Fair Percentile	Percentile	605.00 ET	951411	Maximum			
Inorganics : A A Section 1	ALCO PER	成為多為的	的問題學的	RESERVED OF C	部。1995年1906年	与19年的证价	经常的重要的	AMERICA			
Aluminum	19	15,362	15,000	18,000	23,200	17,323	24,966	25,000			
Barium	19	141	130	166	201	157	221	210			
Boron	14	5.95	5.70	6.40	8.51	6.64	9.04	8.70			
Chromium	19	17.0	16.0	20.5	26.1	19.1	27.5	27.0			
Copper	19	15.2	15.9	17.5	19.6	16.7	22.7	25.0			
Lithium	16	13.3	15.0	17.3	20.0	15.7	24.1	23.0			
Manganese	19	392	340	399	670	639	1,300	1,300			
Molybdenum	18	1.14	0.940	1.20	2.31	1.39	2.64	2.35			
Nickel	19	16.3	16.0	19.0	23.3	18.7	35.0	35.0			
Vanadium	19	50.5	43.2	62.5	84.2	61.1	140	140			
Zinc	19	53.6	57.0	65.0	70.1	59.6	71.0	71.0			

*Maximum = Maximum proxy result; may be MDC or reporting limit greater than MDC.

UCL = 95% upper confidence limit on the mean, unless the MDC < UCL, then the MDC is used as the UCL.

UTL = 95% upper confidence limit on the 90th percentile value, unless the MDC < UTL, then the MDC is used as the UTL.

Table 7.5
Upper-Bound Exposure Point Concentration Comparison to Limiting ESLs in the SEEU Surface Soil

Срре.	Small Home Range Receptors (4) Small Home Range Receptors (4) Starge Home Range Receptors (4) Small Home Range Receptors (4) Starge Home Range Receptors (4) Small Home Range Receptors (4											
Maria da tempo	Small I	lôme Range Rece	ptorster it with	Large	Home Range Rece	plorst						
was c Analyte	HE LIEPE (95UTL)	Limiting ESL*	EPC>ESL?) EPC (95UCL).	Eimiting ESL	GEPCSESL?						
lnorganics (mg/kg)			GLIPPATTIKA	er en	NAME OF STREET	CALL HERE						
Aluminum	24,966	50	Yes	17,323	N/A	N/A						
Barium	210°	222	No	157	4,770	No						
Boron	8.7°	0.5	Yes	6.64	314	No						
Chromium	27°	0.4	Yes	19.1	68.5	No						
Copper	22.7	8.25	Yes	16.7	3,000	No						
Lithium	23.0	2	Yes	15.7	2,560	No						
Manganese	1,300	486	Yes	639	2,510	No						
Molybdenum	2.35°	1.90	Yes	1.39	8.18	No						
Nickel	35.0	0.431	Yes	18.7	1.86	Yes						
Vanadium	140	2	Yes	61.1	121	No						
Zinc	71	0.646	Yes	59.6	431	No						

^{*}Threshold ESL, if available, for the plant, invertebrate, deer mouse, prairie dog, dove, or kestrel receptors.

If tESL was not available, then the NOAEL ESL was used.

N/A = Not applicable; ESL not available.

Bold = Analyte retained for further consideration in the next ECOPC selection step.

^bThreshold ESL, if available, for the coyote and mule deer receptors.

 $^{^{\}circ}\text{The UTL}$ was greater than the MDC so the MDC was used as the EPC.

Table 7.6
Upper-Bound Exposure Point Concentration Comparison to Receptor-Specific ESLs for Small Home Range Receptors in the SEEU Surface Soil

Орре	r-Bouna Exposure P								
	Small Home Range	336.43	· ***********		Receptor-Sp	ecific ESLS			
A POLYT	Receptor	Terrestrial	Terrectrial sale	A merican	Mourning Days	Mostening Days	Dese Mouse	Deer Monce	Prairie Dog
	95 UTL	Plant	Invertebrate	Kestrel	(herblyore)	(insectivore)	(herbivore)	≭z(insectivore)∠	A PART AND A SECOND
Inorganics (mg/kg)			经过多的	DACE THE DE	MASSES AND AND ASSESSMENT		PENT WINE	2.30 00000000000000000000000000000000000	動が、対け、変数
Aluminum	24,966	50	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Boron	8.70	0.5	N/A	167	30.3	115	62.1	422	237
Chromium	27.0	1	0.4	14.2	24.6	1.34	281	15.9	703
Copper	22.7	100	50.0	164	28.8	8.25	295	605	838
Lithium	23.0	2	N/A	N/A	N/A	N/A	1880	610	3180
Manganese	1,300	500	N/A	9920	1030	2630	486	4080	1519
Molybdenum	2.35	2	N/A	76.7	44.4	6.97	8.68	1.90	27.1
Nickel	35.0	30	200	89.9	320	7.84	16.4	0.431	38.3
Vanadium	140	2	N/A	1510	503	274	63.7	29.9	83.5
Zinc	71	50	200	113	109	0.646	171	5.29	1,174

^{*}Threshold ESL, if available, for that receptor.

Bold = Analyte retained for further consideration in the next ECOPC selection step.

N/A = Not applicable; ESL not available.

Table 7.7

Upper-Bound Exposure Point Concentration Comparison to Receptor-Specific ESLs for Large Home Range Receptors in the SEEU Surface Soil

	Large Home Range		Receptor-Sp	ecific ESLs 💆 🤼	
Analyte	Receptor	Mule Deer	Tak Coyote 2	Coyote 3	Coyolegy
Inorganics (mg/kg)	95-UCL		carnivore)	(generalist)	(insectivore)
Nickel	18.7	124	90.9	6.02	1.86

*Threshold ESL, if available, for that receptor.

Bold = Receptors of potential concern.

Table 7.8
Summary of ECOPC Screening Steps for Surface Soil Non-PMJM Receptors

			and Steps for St		·	is well the state of the state	THE COURT OF SHAPE AND STREET THE COMMON PROPERTY AND SHAPE
Analyte	Exceeds Any NOAEL JESE?	Detection Erequency	Exceeds Background?	1.004年,1509年,1500年	Judgment	ECOPC?	Receptor(s) of Potential Concern
Inorganics Andrews	Harioto V	\$1.00 ALAUS		生成促进的影響。	排放的主动对	表现的发展	STATE OF THE STATE
Aluminum	Yes	Yes	Yes	Yes	No	No	
Antimony	No					No	
Arsenic .	Yes	Yes	No			No	
Barium	Yes	Yes	Yes	No		No	
Beryllium	No					No	
Boron	Yes	Yes	N/A°	Yes	No	No	
Cadmium	Yes	Yes	No			No	
Calcium	UT					No ·	
Cesium	UT					No	
Chromium	Yes	Yes	Yes	Yes	No	No	
Cobalt	No					No	
Copper	Yes	Yes	Yes	Yes	No	No	
Iron	UT					No	
Lead	Yes	Yes	No	·		No	+-
Lithium	Yes	Yes	Yes	Yes	No	No	
Magnesium	UT					No	
Manganese	Yes	Yes	Yes	Yes	No	No	
Mercury	Yes	Yes	No			No	
Molybdenum	Yes	Yes	N/A ^d	Yes	No	No	
Nickel	Yes	Yes	Yes	Yes	No	No	
Potassium	UT					No	
Selenium	No					No	
Silica	UT		•			No	
Silver	No					No	
Sodium	UT					No	
Strontium	No					No	
Titanium	UT					No	
Uranium	No					No	
Vanadium	Yes	Yes	Yes	Yes	No	No	
Zinc	Yes	Yes	Yes	Yes	No	No	
Radionuclides 3.7		27.43.33	ancorrection of a	机压动模拟形式			过的有数数多数3
Americium-241	No		'			No	
Cesium-137	No					No	
Gross Alpha	UT					No	
Gross Beta	UT					No	
Plutonium-239/240	No					No	
Radium-226	No					No	
Radium-228	No					No	
Strontium-89/90	No	 .				No	
Uranium-233/234	No					No	
Uranium-235	No					No	
Uranium-238	No				<u></u>	No	

^a Based on results of statistical analysis at the 0.1 level of significance.

^b If tESL was not available, then the NOAEL ESL was used.

^c Background boron data is not available so the analyte was retained as an ECOI for further evaluation.

^d A statistical comparison to background could not be performed because all backgound data are nondetects. The analyte was retained as an ECOI for further evaluation.

⁻⁻⁻ Screen not performed because analyte was eliminated from further consideration in a previous step.

UT - Uncertain toxicity; no ESL available (assessed in Section 10).

Table 7.9

Comparison of MDCs in SEEU Subsurface Soil to NOAEL

ESLs for Burrowing Receptors

Analyte	MDC		EPC> NOAEL a
Inorganics (mg/kg)		建石材料 加热 机	有效的现在分 数
Aluminum	15,300	N/A	UT
Arsenic	19.1	9.35	Yes
Barium	185	3,224	No
Beryllium	1.10	211	No
Cadmium	0.850	198	No
Calcium	20,000	N/A	UT
Cesium	2.70	N/A	UT
Chromium	17.5	703	No
Cobalt	10.8	2,461	No
Copper	21.2	838	No
Iron	34,600	N/A	UT
Lead	15.7	1,850	No
Lithium	16.1	3,178	No
Magnesium	8,920	N/A	UT
Manganese	699	1519	No
Molybdenum	10.6	27.1	No
Nickel	29.2	38.3	No
Potassium	2,610	N/A	UT
Selenium	2.40	2.80	No
Silicon	147	N/A	UT
Sodium	2,700	N/A	UT
Strontium	172	3,519	No
Vanadium	58.1	83.5	No
Zinc	76.2	1,174	No
Organics (µg/kg)	VIII THE WAY TO SEE THE	Section of the sectio	584888877136
1,1,1-Trichloroethane	44.0	4.85E+07	No
bis(2-Ethylhexyl)phthalate	75.0	2.76E+06	No
Styrene	2.00	1.53E+06	No
Toluene	19.0	1.22E+06	No
Xylene	3.00	111,663	No
Radionuclides (pCl/g)	Printing Park	Karajan, sa	To exemple the second
Americium-241	0.014	3,890	No
Cesium-134	-0.004	N/A	UT
Cesium-137	0.160	20.8	No
Gross Alpha	20.4	N/A	UT
Gross Beta	30.4	N/A	UT
Plutonium-239/240	0.028	6,110	No
Radium-226	1.78	50.6	No
Radium-228	2.01	43.9	No
Strontium-89/90	0.240	22.5	No
Uranium-233/234	1.78	4,980	No
Uranium-235	0.076	2,770	No
Uranium-238	1.83	1,580	No

N/A - No ESL available

UT - Uncertain toxicity; no ESL available (assessed in Section 10).

Bold = Analyte retained for further consideration in the next ECOPC selection step.

Table 7.10
Statistical Distributions and Comparison to Background for SEEU Subsurface Soil

	费金加斯	Stat	stical Distrib	ution Testing	Results #2500 1000 1000			Background	S406-212-3408
	できる。	Background	扩大的发	"是是世现	SEEU'Y SEEU'Y	Marie III de	216 C. 420 C.		ENGAGE TO
Analyte	Total No.	Distribution	Detects	a-Total No. 2	Confidention .	Detects	Test	ik-p	Retain as
	OI Samples	kecommended	FF (%)	Somples	Recommended.	(%) · ·		1	ECOI!
Arsenic	45	NONPARAMETRIC	93	6	NORMAL	100	WRS	0.045	Yes

^{*} SEEU data for background comparison do not include any background locations.

Bold = Analyte retained for further consideration in the next ECOPC selection step.

WRS = Wilcoxon Rate Sum Test.

Table 7.11 Statistical Concentrations in Subsurface Soil in the SEEU

Analyte.	Number of Samples	Mean	. Median	75 th Percentile	95 th Percentile	95UCL ₁ -	95UTL 第50TL 第	Maximum ^a
Inorganics A. Company	的例如例如	認識的開始。		的政治	展。但是因	经 的现在分词	ADMIN THE	成的智慧
Arsenic	6	8.10	7.40	7.48	16.2	12.8	25.3	19.1

^{*}Maximum = Maximum proxy result; may be MDC or reporting limit greater than MDC.

UCL = 95% upper confidence limit on the mean, unless the MDC < UCL, then the MDC is used as the UCL.

UTL = 95% upper confidence limit on the 90th percentile value, unless the MDC < UTL, then the MDC is used as the UTL.

Table 7.12

Upper-Bound Exposure Point Concentration Comparison to Receptor-Specific ESLs for Burrowing Receptors

	Small Home Range Recept	or _	Receptor-Specific	ests, king a
Analyte	16 295 th UTL 113.1	3.0	Práirie Dog	
Inorganics (mg/kg)	"经验公司工作和公司 "	则物理研究		9. 9.70
Arsenic	19.1 ^b		35.9	

^aThreshold ESL, if available, for that receptor.

^b The MDC was used as the EPC because the 95 UTL was greater than the MDC (MDC = maximum detected concentration or in some cases, maximum proxy results).

Table 7.13
Summary of ECOPC Screening Steps for Subsurface Soil


Analyte =	Exceed Any NOAEL ESL?	Frequency of Detection >5%?	A STATE OF THE STA	Upper Bound EPC > 1 Limiting ESL?	Professional # Judgment Retain	Retain as ECORC?
Inorganics		建筑的"水 体"	A SUMMER OF	"神经正生历》 "中语是这个	Later Later	
Aluminum	UT				-	No
Arsenic	Yes	Yes	Yes	No		No
Barium	No					No
Bervllium	No			••		No
Cadmium	No					No
Calcium	UT					No
Cesium	UT .					No
Chromium	No					No
Cobalt	No					No
Copper	No					No
Iron	UT					No
Lead	No					No
Lithium	No					No
Magnesium	. UT					No
Manganese	No					No
Molybdenum	No					No
Nickel	No					No
Potassium	UT				•	No
Selenium	No					No
Silicon	UT					No
Sodium	UT					No
Strontium	No			+		No
Vanadium	No					No
Zinc	No				'	No
Organics	adra stable	为公司进起。 加入		Maint Welliell of	建设备银行的	经验的
1,1,1-Trichoroethane	No			-		No
bis(2-Ethlylhexyl)phthalate	No			-		No
Styrene	No			 .		No
Toluene	No					No
Xylene	No					- No
Radionuclides			世界學	244.09.48 9 6.486.48		
Americium-241	No					No
Cesium-137	No					No
Gross Alpha	UT					No
Gross Beta	UT					No
Plutonium-239/240	No					No
Radium-226	No s					No
Radium-228	No					No
Strontium-89/90	No					No
Uranium-233/234	No					No
Uranium-235	No					No
Uranium-238 * Based on results of statistical:	No					No


^a Based on results of statistical analysis at the 0.1 level of significance.


⁻⁻⁻ Screen not performed because analyte was eliminated from further consideration in a previous step.


UT - Uncertain toxicity; no ESL available (assessed in Section 10).


FIGURES

















COMPREHENSIVE RISK ASSESSMENT

SOUTHEAST BUFFER ZONE AREA EXPOSURE UNIT

VOLUME 13: ATTACHMENT 1

Detection Limit Screen

TABLE OF CONTENTS

ACRONYN	MS AND ABBREVIATIONS	. ii
1.0 EVA	ALUATION OF DETECTION LIMITS FOR NONDETECTED	
ANA	ALYTES IN THE SOUTHEAST BUFFER ZONE EXPOSURE UNIT	. 1
1.1	Comparison of Maximum Detection Limits for Nondetected Analytes to	
	Preliminary Remediation Goals	. 1
	1.1.1 Surface Soil/Surface Sediment	
	1.1.2 Subsurface Soil/Subsurface Sediment	. 2
1.2	Comparison of Maximum Reported Results for Nondetected Analytes to	
	Ecological Screening Levels	
	1.2.1 Surface Soil	. 2
	1.2.2 Subsurface Soil	. 2
-		
	LIST OF TABLES	
Table A1.1	Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection Frequency Less than 5 Percent in Surface Soil/Surface Sediment	
Table A1.2	Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection Frequency Less than 5 Percent in Subsurface Soil/Subsurface Sediment	
Table A1.3	Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection Frequency Less than 5 Percent in Surface Soil	
Table A1.4	Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection Frequency Less than 5 Percent in Subsurface Soil	

ACRONYMS AND ABBREVIATIONS

μg/kg micrograms per kilogram

μg/L micrograms per liter

CD compact disc

CRA Comprehensive Risk Assessment

ERA Ecological Risk Assessment

ESL ecological screening level

EU Exposure Unit

HHRA Human Health Risk Assessment

IHSS Individual Hazardous Substance Site

mg/kg milligrams per kilogram

N/A not available or not applicable

NOAEL no observed adverse effect level

PAC Potential Area of Concern

pCi/g picocuries per gram

PRG preliminary remediation goal

SEEU Southeast Buffer Zone Area Exposure Unit

TIC tentatively identified compound

VOC volatile organic compound

WRW wildlife refuge worker

1.0 EVALUATION OF DETECTION LIMITS FOR NONDETECTED ANALYTES IN THE SOUTHEAST BUFFER ZONE EXPOSURE UNIT

The detection limits for analytes that are either not detected or detected in less than 5 percent of the samples collected from the media used in the Human Health Risk Assessment (HHRA) or the Ecological Risk Assessment (ERA) are reviewed in this attachment. The detection limits for surface soil/surface sediment and subsurface soil/subsurface sediment samples are compared to human health preliminary remediation goals (PRGs) for the wildlife refuge worker (WRW). The detection limits for media evaluated in the ERA are compared to the minimum ecological screening level (ESL) for a variety of ecological receptors (surface soil) and the prairie dog no observed adverse effect level (NOAEL) ESL (subsurface soil). The results of these comparisons are presented in Tables A1.1 through A1.4.

Nondetects and the reported detection limits (referred to as "reported result" in the following sections of this attachment) are listed in these tables for each medium in the Southeast Buffer Zone (BZ) Area Exposure Unit (EU) (SEEU) and compared to medium-specific human health PRGs for the WRW and ESLs for a variety of ecological receptors. Detection limits that exceed the respective PRGs and ESLs are noted and discussed.

Analytes that were not detected in any samples collected in each media are referred to as nondetected analytes. The nondetected chemicals are reported in this attachment at the lowest level at which the chemical may be accurately and reproducibly quantified, taking into account the sample characteristics, sample collection, sample preparation, and analytical adjustments.

1.1 Comparison of Maximum Detection Limits for Nondetected Analytes to Preliminary Remediation Goals

1.1.1 Surface Soil/Surface Sediment

The maximum reported results for three nondetected analytes in surface soil/surface sediment are greater than the PRG (Table A1.1). Therefore, there is some uncertainty associated with the reported results for these analytes in the SEEU.

For benzo(a)pyrene, dibenz(a,h)anthracene and n-nitroso-di-n-propylamine, only one sample was collected and it exceeded the PRG. For each of these analytes, the maximum reported result was less then twice the PRG. The slight exceedance of the maximum reported results for benzo(a)pyrene, dibenz(a,h)anthracene, and n-nitroso-di-n-propylamine compared to the PRGs is not expected to have significant impacts on the results of the risk assessment.

PRGs were not available for several nondetected organic analytes in surface soil/surface sediment (Table A1.1). Because PRGs were available for most of the nondetected organics in surface soil/surface sediment, and the maximum reported results for these analytes were much lower than the PRGs, the lack of PRGs for less than half of the organics is unlikely to have a significant effect on the results of the risk assessment. In addition, the fact that no identified source exists for these analytes in the surface soil/surface sediment at the SEEU suggests there is an acceptable level of uncertainty associated with the reported results for these nondetected analytes.

1.1.2 Subsurface Soil/Subsurface Sediment

No nondetected analytes exceeded the PRG in subsurface soil/subsurface sediment (Table A1.2).

PRGs were not available for several nondetected organic analytes in subsurface soil/subsurface sediment (Table A1.2). Because PRGs were available for most of the nondetected organics in subsurface soil/subsurface sediment, and the maximum reported results for these analytes were much lower than the PRGs, the lack of PRGs for less than half of the organics is unlikely to have a significant effect on the results of the risk assessment. In addition, the fact that no identified source exists for these analytes in the subsurface soil/subsurface sediment at the SEEU suggests there is an acceptable level uncertainty associated with the reported results for these nondetected analytes.

1.2 Comparison of Maximum Reported Results for Nondetected Analytes to Ecological Screening Levels

1.2.1 Surface Soil

The maximum reported results for 25 nondetected analytes in surface soil are greater than the ESL (Table A1.3). Therefore, there is some uncertainty associated with the reported results for these analytes in the SEEU.

The maximum reported result for thallium, tin, 2,4,6-trichlorophenol, 2-chlorophenol, 4,4'-DDE, 4,6-dinitro-2-methylphenol, benzo(a)pyrene, bis(2-ethylhexyl)phthalate, dieldrin, hexachlorobutadiene, hexachloroethane, PCB-1016, PCB-1221, PCB-1232, PCB-1242, PCB-1248, PCB-1254, and PCB-1260 exceeds the ESL by less than 10 times. For 2,4-dinitrotoluene, 4,4'-DDT, endrin, endrin ketone, and pentachlorophenol, the maximum reported result exceeded the ESL by less than 30 times. For dinbutylphthalate, the maximum reported result was 710 micrograms per kilogram (μ g/kg) and the ESL was 15.9 μ g/kg. Hexachlorobenzene had a maximum reported result of 710 μ g/kg and an ESL of 7.73 μ g/kg.

ESLs were not available for several nondetected organic analytes in surface soil (Table A1.3). Because ESLs were available for most of the nondetected organics in surface soil, and the maximum reported results for these analytes were much lower than the ESLs, the lack of ESLs for less than half of the organics is unlikely to have a significant effect on the results of the risk assessment. In addition, the fact that no identified source exists for these analytes in the surface soil at the SEEU suggests there is an acceptable level of uncertainty associated with the reported results for these nondetected analytes.

1.2.2 Subsurface Soil

The minimum and maximum reported results for all nondetected analytes in subsurface soil were below their respective ESLs (Table A1.4).

ESLs were not available for several of the organics and one inorganic in subsurface soil (Table A1.4). Because the maximum reported results for nondetected analytes with ESLs available were much lower than the ESLs, the lack of ESLs for several of the organics

and one inorganic is not likely to have a significant effect on the results of the risk assessment.

TABLES

Table A1.1

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection Frequency less than

5 Percent in Surface Soil/Surface Sediment^a

	5 Percent in Surfac	ce Sou/Surface Sed	iment	
Analyte	Reported Results		PRG	Maximum Reported
ECOLOGICA CANADA C		Section 1997	a version	e de la constitución de la const
Inorganics (mg/kg)	al analysis states.			
Tin	0.86 - 22.4	21	66,652	No
Organics (ug/kg)		CONTRACTOR		
1,2,4-Trichlorobenzene	710	1	151,360	No
1,2-Dichlorobenzene	710	1	2.89E+06	No
1,3-Dichlorobenzene	710	1	3.33E+06	No
1,4-Dichlorobenzene	710	1	91,315	No
2,4,5-Trichlorophenol	3,600	1	8.01E+06	No
2,4,6-Trichlorophenol	710	1	272,055	No
2,4-Dichlorophenol	710	1	240,431	No
2,4-Dimethylphenol	710	1	1.60E+06	No
2,4-Dinitrophenol	3,600	1	160,287	No
2,4-Dinitrotoluene	710	1	160,287	No
2,6-Dinitrotoluene	710	1	80,144	No
2-Chloronaphthalene	710	1	6.41E+06	No
2-Chlorophenol	710	1	555,435	No
2-Methylnaphthalene	710	1	320,574	No
2-Methylphenol	710	1	4.01E+06	No
2-Nitroaniline	3,600	Ī	192,137	No
2-Nitrophenol	710	1	N/A	UT
3,3'-Dichlorobenzidine	1,400	1	6,667	No
3-Nitroaniline	3,600	1	N/A	UT
4,4'-DDD	35	1	15,528	No
4,4'-DDE	35	1	10,961	No
4,4'-DDT	35	1	10,927	No
4,6-Dinitro-2-methylphenol	3,600	1	8,014	No
4-Bromophenyl-phenylether	710	1	N/A	UT
4-Chloro-3-methylphenol	710	1	N/A	UT
4-Chloroaniline	710	1	320,574	No
4-Chlorophenyl-phenyl ether	710	1	N/A	UT
4-Methylphenol	710	1	400,718	No
4-Nitroaniline	3,600	1	207,917	No
4-Nitrophenol	3,600	1	641,148	No
Acenaphthene	710	1	4.44E+06	No
Acenaphthylene	710	1	N/A	UT
Aldrin	17	1	176	No
alpha-BHC	17	1	570	No
alpha-Chlordane	170	1	10,261	No
Anthracene	710	1	2.22E+07	No
Benzo(a)anthracene	710	1	3,793	No
Benzo(a)pyrene	710	1	379	Yes
Benzo(b)fluoranthene	710	1	3,793	No
Benzo(g,h,i)perylene	710	1	N/A	UT
Benzo(k)fluoranthene	710	1	37,927	No
Benzoic Acid	3,600	1	3.21E+08	No
Benzyl Alcohol	710	1	2.40E+07	No
beta-BHC	17	1	1,995	No
bis(2-Chloroethoxy)methane	710	1	N/A	UT
bis(2-Chloroethyl)ether	710	1	3,767	No
bis(2-Chloroisopropyl) ether	710	1	59,301	No
bis(2-Ethylhexyl)phthalate	710	i	213,750	No
		•	=,,,,,,	

Table A1.1

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection Frequency less than

5 Percent in Surface Soil/Surface Sediment²

		Total Number of		Maximum Reported
Analyte	Reported Results		PRG	Result > PRG? ***
	ALCOHOLOGY (C. N. C. N. T. N. S. P. N. S. P. S.	THE CHAIN SALE SALES		Kesut>rkG
			TANK NEW PROPERTY.	A DECEMBER OF THE STATE OF THE
Butylbenzylphthalate	710	1	1.60E+07	No
Chrysene	710	1	379,269	No
delta-BHC	17	1	570	No
Dibenz(a,h)anthracene	710	1	379	Yes
Dibenzofuran	710	1	222,174	No
Dieldrin	35	1	187	No
Diethylphthalate	710	1 .	6.41E+07	No
Dimethylphthalate	710	1	8.01E+08	No
Di-n-butylphthalate	710 710	1	8.01E+06	No
Di-n-octylphthalate			3.21E+06	No
Endosulfan I	17	1	480,861	No No
Endosulfan II Endosulfan sulfate	35 35	1	480,861 480,861	No No
Endosulian suitate Endrin	35	1		No
Endrin ketone	35	1	24,043 33,326	No
Fluoranthene	710	1	2.96E+06	No
Fluorene	710	1.	3.21E+06	No
gamma-BHC (Lindane)	17	1	2,771	No
gamma-Chlordane	170	1	10,261	No
Heptachlor	170	1	665	No
Heptachlor epoxide	17	1	329	No
Hexachlorobenzene	710	1	1,870	No
Hexachlorobutadiene	710	1	22,217	No
Hexachlorocyclopentadiene	710	1	380,452	No
Hexachloroethane	710	1	111,087	No
Indeno(1,2,3-cd)pyrene	710	1	3,793	No
Isophorone	710	1	3.16E+06	No
Methoxychlor	170	1	400,718	No
Naphthalene	710	1	1.40E+06	No
Nitrobenzene	710	1	43,246	No
N-Nitroso-di-n-propylamine	710	1	429	Yes
N-Nitrosodiphenylamine	710	1	612,250	No
PCB-1016	170	1	1,349	No
PCB-1221	170	1	1,349	No
PCB-1232	170	1	1,349	No
PCB-1242	170	1	1,349	No
PCB-1248	170	1	1,349	No
PCB-1254	350	1	1,349	No
PCB-1260	350	1	1,349	No
Pentachlorophenol	3,600	1	17,633	No
Phenanthrene	710	1	N/A	UT
Phenol	710	1	2.40E+07	No
Pyrene	710	1	2.22E+06	No
Toxaphene	350	1	2,720	No

^a No analytes detected in less than 5 percent of samples.

BOLD = Maximum reported result greater than the PRG.

^b Value is the maximum reported result for nondetected analytes.

N/A = Not Available.

UT = Uncertain toxicity.

Table A1.2

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection

Frequency less than 5 Percent in Subsurface Soil/Subsurface Sediment^a

Frequency less than 5 Pe	Range of	558 1778 2 2 N 56 M	CONTROL PROPERTY	Maximum?
	The second of th	Total Number	PRG	Reported Resu
Analyte	Reported	of Results	PKG	THE PARTY OF THE P
以在12年1月15日至12日,1940年194日 1940年195日 1950年195日	Results	1004年中世界161	to the food at a second	© ≥ PRG?
Inorganics (mg/kg)				T
Antimony	0.73 - 9.7	3	511	No
Silver	0.09 - 1.2	7	6,388	No
Tin	2.9 - 31.4	6	766,500	No -
Uranium	1.30	1	3,833	No
Organics (ug/kg)	PLEASURE F	通数的对数型	Aller Wayner	
1,1,2,2-Tetrachloroethane	6-6	5	120,551	No
1,1,2-Trichloroethane	6-6	. 5	322,253	No
1,1-Dichloroethane	6-6	5	3.12E+07	No
1,1-Dichloroethene	6-6	5	199,706	No
1,2,4-Trichlorobenzene	360 - 390	3	1.74E+06	No
1,2-Dichlorobenzene	360 - 390	3	3.32E+07	No
1,2-Dichloroethane	6-6	5	152,603	No
1,2-Dichloroethene	6-6	5	1.15E+07	No
1,2-Dichloropropane	6-6	5	441,907	No
1,3-Dichlorobenzene	360 - 390	3	3.83E+07	No
1,4-Dichlorobenzene	360 - 390 360 - 390	3		No No
<u> </u>			1.05E+06	
2,4,5-Trichlorophenol	1,700 - 1,900	3	9.22E+07	No
2,4,6-Trichlorophenol	360 - 390	3	3.13E+06	No
2,4-Dichlorophenol	360 - 390	3	2.76E+06	No
2,4-Dimethylphenol	360 - 390	3	1.84E+07	No
2,4-Dinitrophenol	1,700 - 1,900	3	1.84E+06	No
2,4-Dinitrotoluene	360 - 390	3	1.84E+06	No
2,6-Dinitrotoluene	360 - 390	3	921,651	No
2-Butanone	11 - 12	5	5.33E+08	No
2-Chloronaphthalene	360 - 390	3	7.37E+07	No
2-Chlorophenol	360 - 390	3	6.39E+06	No
2-Hexanone	11 - 12	5	N/A	UT
2-Methylnaphthalene	360 - 390	3	3.69E+06	No
2-Methylphenol	360 - 390	3	4.61E+07	No
2-Nitroaniline	1,700 - 1,900	3	2.21E+06	No
2-Nitrophenol	360 - 390	3	N/A	UT
3,3'-Dichlorobenzidine	710 - 780	3	76,667	No
3-Nitroaniline	1,700 - 1,900	3	N/A	UT
4,6-Dinitro-2-methylphenol	1,700 - 1,900	3	92,165	No
4-Bromophenyl-phenylether	360 - 390	3	N/A	UT
4-Chloro-3-methylphenol	360 - 390	3	N/A	UT
4-Chloroaniline	360 - 390	3	3.69E+06	No
4-Chlorophenyl-phenyl ether	360 - 390	3	N/A	UT
4-Methyl-2-pentanone	11 - 12	5	9.57E+08	No
4-Methylphenol	360 - 390	3	4.61E+06	No
4-Nitroaniline		3		
	1,700 - 1,900		2.39E+06	No
4-Nitrophenol	1,700 - 1,900	3	7.37E+06	No
Acenaphthene	360 - 390	3	5.10E+07	No
Acenaphthylene	360 - 390	3	N/A	UT
Acetone	11 - 12	5	1.15E+09	No
Anthracene	360 - 390	3	2.55E+08	No
Benzene	6-6	5	270,977	No
Benzo(a)anthracene	360 - 390	3	43,616	No
Benzo(a)pyrene	360 - 390	3	4,357	No
Benzo(b)fluoranthene	360 - 390	3	43,616	No
Benzo(g,h,i)perylene	360 - 390	3	N/A	UT
Benzo(k)fluoranthene	360 - 390	3	436,159	No
Benzoic Acid	1,700 - 1,900	3	3.69E+09	No
Benzyl Alcohol	360 - 390	3	2.76E+08	No
bis(2-Chloroethoxy)methane	360 - 390	3	N/A	UT
	220 270		47/44	<u> </u>

Table A1.2

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection

Frequency less than 5 Percent in Subsurface Soil/Subsurface Sediment^a

rrequency less than 5 re	Range of	Total Number	THE PERSON	Maximum
Analyte	Reported Results	of Results	PRG.	Reported Result
bis(2-Chloroethyl)ether	360 - 390	3	43,315	No
bis(2-Chloroisopropyl)ether	360 - 390	3	681,967	No
Bromodichloromethane	6-6	5	771,304	No
Bromoform	6-6	5	4.83E+06	No
Bromomethane	11 - 12	5	241,033	No
Butylbenzylphthalate	360 - 390	3	1.84E+08	No
Carbon Disulfide	6-6	5	1.88E+07	No
Carbon Tetrachloride	6 - 6	5	97,124	No
Chlorobenzene	6 - 6	5	7.67E+06	No
Chloroethane	11 - 12	5	1.65E+07	No
Chloroform	6 - 6	5	90,270	No
Chloromethane	11 - 12	5	1.32E+06	No
Chrysene	360 - 390	3	4.36E+06	No
cis-1,3-Dichloropropene	6 - 6	5	223,462	No
Dibenz(a,h)anthracene	360 - 390	3	4,362	No
Dibenzofuran	360 - 390	3	2.56E+06	No
Dibromochloromethane	6 - 6	5	569,296	No
Diethylphthalate	360 - 390	3	7.37E+08	No
Dimethylphthalate	360 - 390	3	9.22E+09	No
Di-n-butylphthalate	360 - 390	3	9.22E+07	No
Di-n-octylphthalate	360 - 390	3	3.69E+07	No
Ethylbenzene	6 - 6	5	6.19E+07	No
Fluoranthene	360 - 390	3	3.40E+07	No
Fluorene	360 - 390	3	3.69E+07	No
Hexachlorobenzene	360 - 390	3	21,508	No
Hexachlorobutadiene	360 - 390	3	255,500	No
Hexachlorocyclopentadiene	360 - 390	3	4.38E+06	No
Hexachloroethane	360 - 390	3	1.28E+06	No
Indeno(1,2,3-cd)pyrene	360 - 390	3	43,616	No
Isophorone	360 - 390	3	3.63E+07	No
Methylene Chloride	6-6	5	3.13E+06	No
Naphthalene	360 - 390	3	1.61E+07	No
Nitrobenzene	360 - 390	3	497,333	No
N-Nitroso-di-n-propylamine	360 - 390	3	4,929	No
N-Nitrosodiphenylamine	360 - 390	3	7.04E+06	No
Pentachlorophenol	1,700 - 1,900	3	202,777	No
Phenanthrene	360 - 390	3	N/A	UT
Phenol	360 - 390	3	2.76E+08	No
Pyrene	360 - 390	3_	2.55E+07	No
Tetrachloroethene	6 - 6	5	77,111	No
trans-1,3-Dichloropropene	6-6	5	239,434	No
Trichloroethene	6-6	5	20,354	No
Vinyl acetate	11 - 12	5	3.04E+07	No
Vinyl Chloride	11 - 12	5	24,948	No

^a No analytes detected in less than 5 percent of samples.

^b Value is the maximum reported result for nondetected analytes.

N/A = Not Available.

UT = Uncertain toxicity.

Table A1.3

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection

Frequency less than 5 Percent in Surface Soil^a

7 PAnalyte	Range of Reported	Total Number of	LAWASI ESI	Maximum : Reported Result
Analysis and the second	Results	Results		The same of the sa
Inorganics (mg/kg)	to the water a commence means the second			TATAL PROPERTY AND ADDRESS OF THE PARTY OF T
Thallium	0.21 - 1.1	19	1.00	Yes
Tin	0.86 - 22.4	18	2.90	Yes
Organics (ug/kg)				
1,2,4-Trichlorobenzene	710	1	777	No
1,2-Dichlorobenzene	710	1	N/A	UT
1,3-Dichlorobenzene	710	1	N/A	UT
1,4-Dichlorobenzene	710	1	20,000	No
2,4,5-Trichlorophenol		1	4,000	No
	3,600 710	1	161	Yes
2,4,6-Trichlorophenol	<u> </u>	}		
2,4-Dichlorophenol	710	1	2,744	No
2,4-Dimethylphenol	710	1	N/A	UT
2,4-Dinitrophenol	3,600	1	20,000	No
2,4-Dinitrotoluene	710	1	32.1	Yes
2,6-Dinitrotoluene	710	1	6,186	No
2-Chloronaphthalene	710	1	N/A	UT
2-Chlorophenol	710	1	281	Yes
2-Methylnaphthalene	710	1	2,769	No
2-Methylphenol	710	1	123,842	No
2-Nitroaniline	3,600	1	5,659	No
2-Nitrophenol	710	1	N/A	UT
3,3'-Dichlorobenzidine	1,400	1	N/A	UT
3-Nitroaniline	3,600	1	N/A	UT
4,4'-DDD	35	1	13,726	No
4,4'-DDE	35	1	7.95	Yes
4,4'-DDT	35	1	1.20	Yes
4,6-Dinitro-2-methylphenol	3,600	1	560	Yes
4-Bromophenyl-phenylether	710	1	N/A	UT
4-Chloro-3-methylphenol	710	1	N/A	UT
4-Chloroaniline	710	1	716	No
4-Chlorophenyl-phenyl ether	710	1	N/A	UT
4-Methylphenol	710	1	N/A	UT
4-Nitroaniline	3,600	1	41,050	No
4-Nitrophenol	3,600	1	7,000	No
Acenaphthene	710	1	20,000	No
Acenaphthylene	710	1	N/A	UT
Aldrin	17	1	47.0	No
alpha-BHC	17	1	18,662	No
alpha-Chlordane	170	1	289	No
Anthracene	710	1	N/A	UT
Benzo(a)anthracene	710	1	N/A	UT
Benzo(a)pyrene	710	1	631	Yes
Benzo(b)fluoranthene	710	1	N/A	UT
Benzo(g,h,i)perylene	710	1	N/A	UT
Benzo(k)fluoranthene	710	i	N/A	UT
Benzoic Acid	3,600	1	N/A	UT
Benzyl Alcohol	710	1	4,403	No
	17	1	207	No
beta-BHC				
bis(2-Chloroethoxy)methane	710	1 .	N/A	UT
bis(2-Chloroethyl)ether	710	1	N/A	UT

Table A1.3

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection

Frequency less than 5 Percent in Surface Soil^a

	Range of			Maximum
		Total Number of Results		D VIAXIIIUII
Analyte	Results	Results	LOWELLSL	Keponen Kesun
				€ SESL?b 4
bis(2-Chloroisopropyl)ether	710	1 .	N/A	UT
bis(2-Ethylhexyl)phthalate	710	1	137	Yes
Butylbenzylphthalate	710	1	24,155	No
Chrysene	710	1	N/A	UT
delta-BHC	17	1	25.9	No
Dibenz(a,h)anthracene	710	1	N/A	UT
Dibenzofuran	710	1	21,200	No
Dieldrin	35	1	7.40	Yes
Diethylphthalate	710	1	100,000	No
Dimethylphthalate	710	1	200,000	No
Di-n-butylphthalate	710	1	15.9	Yes
Di-n-octylphthalate	710	1	731,367	No
Endosulfan I	17	1	80.1	No
Endosulfan II	35	1	80.1	No
Endosulfan sulfate	35	1	80.1	No
Endrin	35	1	1.40	Yes
Endrin ketone	35	1	1.40	Yes
Fluoranthene	710	1	N/A	UT
Fluorene	710	1	30,000	No
gamma-BHC (Lindane)	17	1	25.9	No
gamma-Chlordane	170	1	289	No
Heptachlor	17	1	63.3	No
Heptachlor epoxide	17	1	64.0	No
Hexachlorobenzene	710	1	7.73	Yes
Hexachlorobutadiene	710	1	431	Yes
Hexachlorocyclopentadiene	710	1	5,518	No
Hexachloroethane	710	1	366	Yes
Indeno(1,2,3-cd)pyrene	710	1	N/A	UT
Isophorone	710	1	N/A	UT
Methoxychlor	170	1	1,226	No
Naphthalene	710	1	27,048	No
Nitrobenzene	710	1	40,000	No
N-Nitroso-di-n-propylamine	710	1	N/A	UT
N-Nitrosodiphenylamine	-710	1	20,000	No
PCB-1016	170	1	42.3	Yes
PCB-1221	170	1	42.3	Yes
PCB-1232	170	1	42.3	Yes
PCB-1242	170	1	42.3	Yes
PCB-1248	170	1	42.3	Yes
PCB-1254	350	1	42.3	Yes
PCB-1260	350	1	42.3	Yes
Pentachlorophenol	3,600	1	122	Yes
Phenanthrene	710	1	N/A	UT
Phenol	710	1	23,090	No
Pyrene	710	1	N/A	UT
Toxaphene	350	1	3,756	No

^a No analytes detected in less than 5 percent of samples.

DEN\E032005011.XLS

BOLD = Maximum reported result greater than the ESL.

^b Value is the maximum reported result for nondetected analytes.

N/A = Not Available.

UT = Uncertain toxicity.

Table A1.4

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection

Frequency less than 5 Percent in Subsurface Soil² Maximum Range of Analyte Number of . Results Reported 4. Reported Results Results > ESL? 。 10.30%。
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.30%
10.3 Inorganics (mg/kg); 4 1 1 2 2 2 2 2 9.5 - 9.7 Antimony 2 18.7 No Mercury 0.06 - 0.11 6 3.15 No Silver 0.34 - 1.26 N/A UT 0.22 - 0.39 6 204 No Thallium 5 80.6 No Tin 2.9 - 31.4Organics (ug/kg) 1,1,2,2-Tetrachloroethane 6-6 4.70E+06 1,1,2-Trichloroethane 6-6 5 N/A UT 5 215,360 1.1-Dichloroethane 6-6 No 5 1,1-Dichloroethene 6-6 1.28E+06 No 360 - 390 3 94,484 No 1,2,4-Trichlorobenzene 360 - 390 3 N/A UT 1,2-Dichlorobenzene 6-6 5 2.00E+06 No 1,2-Dichloroethane 5 1.87E+06 1,2-Dichloroethene 6 - 6 No 1,2-Dichloropropane 6-6 5 3.92E+06 No 1,3-Dichlorobenzene 360 - 390 3 N/A UT 360 - 390 3 5.93E+06 No 1,4-Dichlorobenzene 3 2,4,5-Trichlorophenol 1,700 - 1,900 N/A UT 360 - 390 3 17.263 No 2,4,6-Trichlorophenol 360 - 390 3 249,324 No 2,4-Dichlorophenol UT 360 - 390 3 2,4-Dimethylphenol N/A 1,700 - 1,900 3 4.90E+06 2,4-Dinitrophenol No 2,4-Dinitrotoluene 360 - 390 3 2,473 No 360 - 390 3 477,309 No 2.6-Dinitrotoluene 2-Butanone 11 - 12 5 4.94E+07 No 360 - 390 3 N/A UT 2-Chloronaphthalene 2-Chlorophenol 360 - 390 3 21,598 No 11 - 12 5 N/A UT 2-Hexanone 3 360 - 390 319,121 2-Methylnaphthalene No 360 - 390 3 2-Methylphenol 9.26E+06 No 3 1,700 - 1,900 418,475 No 2-Nitroaniline 360 - 390 3 N/A UT 2-Nitrophenol 3.3'-Dichlorobenzidine 710 - 780 3 N/A UT 3 3-Nitroaniline. 1,700 - 1,900 N/A UT 1,700 - 1,900 3 44,283 No 4,6-Dinitro-2-methylphenol 360 - 390 3 N/A UT 4-Bromophenyl-phenylether 360 - 390 3 N/A UT 4-Chloro-3-methylphenol 360 - 390 3 48,856 4-Chloroaniline No 4-Chlorophenyl-phenyl ether 360 - 390 3 N/A UT 4-Methyl-2-pentanone 11 - 12 5 859,131 No 360 - 390 3 UT 4-Methylphenol N/A 1,700 - 1,900 3 4-Nitrophenol 1.02E+06 No 1,700 - 1,900 3 2.62E+06 No 4-Nitroaniline 360 - 390 3 N/A UT Acenaphthene 360 - 390 3 N/A UT Acenaphthylene 11 - 12 5 247,687 Acetone No 360 - 390 3 N/A UT Anthracene Benzene 6 - 6 5 1.10E+06 No 360 - 390 3 Benzo(a)anthracene N/A UT 360 - 390 3 502,521 No Benzo(a)pyrene

3

N/A

360 - 390

UT

Benzo(b)fluoranthene

Table A1.4

Evaluation of Maximum Detection Limits for Nondetected Analytes and Analytes with a Detection

Frequency less than 5 Percent in Subsurface Soila

Frequency less than 5 Percent in Subsurface Soil					
Analyte	Range of Reported Results		Lowest ESL	CALL CONTRACTOR AND	
	1 the decision	Results	en en en	Results > ESL?	
Benzo(g,h,i)perylene	360 - 390	3	N/A	UT	
Benzo(k)fluoranthene	360 - 390	3	N/A	UT	
Benzoic Acid	1,700 - 1,900	3	N/A	UT	
Benzyl Alcohol	360 - 390	3	253,015	No	
bis(2-Chloroethoxy)methane	360 - 390	3	N/A	UT	
bis(2-Chloroethyl)ether	360 - 390	3	N/A	UT	
bis(2-Chloroisopropyl)ether	360 - 390	3	N/A	UT	
Bromodichloromethane	6-6	5	381,135	No	
Bromoform	6-6	5	198,571	No	
Bromomethane	11 - 12	5	N/A	UT	
Butylbenzylphthalate	360 - 390	3	3.37E+06	No	
Carbon Disulfide	6-6	5	410,941	No	
Carbon Tetrachloride	6-6	5	736,154	No	
Chlorobenzene	6-6	5	413,812	No	
Chloroethane	11 - 12	5	N/A	UT	
Chloroform	6-6	5	560,030	No	
Chloromethane	11 - 12	5	N/A	UT	
Chrysene	360 - 390	3	N/A	UT	
cis-1,3-Dichloropropene	6-6	5	222,413	No	
Dibenz(a,h)anthracene	360 - 390	3	N/A	UT	
Dibenzofuran	360 - 390	3 .	2.44E+06	No	
Dibromochloromethane	6-6	5	389,064	No	
Diethylphthalate	360 - 390	3	2.21E+08	No	
Dimethylphthalate	360 - 390	3	1.35E+07	No	
Di-n-butylphthalate	360 - 390	3	4.06E+07	No	
Di-n-octylphthalate	360 - 390	3	2.58E+08	No	
Ethylbenzene	6 - 6	5	N/A	UT	
Fluoranthene	360 - 390	3.	N/A	UT	
Fluorene	360 - 390	3	N/A	UT	
Hexachlorobenzene	360 - 390	3	190,142	No	
Hexachlorobutadiene	360 - 390	3	150,894	No	
Hexachlorocyclopentadiene	360 - 390	3	799,679	No	
Hexachloroethane	360 - 390	3	45,656	No	
Indeno(1,2,3-cd)pyrene	360 - 390	3	N/A	UT	
Isophorone	360 - 390	3	N/A	UT	
Methylene Chloride	6-6	5	209,560	No	
Naphthalene	360 - 390	3	1.60E+07	No	
Nitrobenzene	360 - 390	3	N/A	UT	
N-Nitroso-di-n-propylamine	360 - 390	3	N/A	UT	
N-Nitrosodiphenylamine	360 - 390	3	2.15E+06	No	
Pentachlorophenol	1,700 - 1,900	3	18,373	No	
Phenanthrene	360 - 390	3	N/A	UT	
Phenol	360 - 390	3	1.49E+06	No	
Pyrene	360 - 390	3	N/A	UT	
Tetrachloroethene	6-6	5	72,494	No	
trans-1,3-Dichloropropene	6-6	5	222,413	No	
Trichloroethene	6-6	5	32,424	No	
Vinyl acetate	11 - 12	5	730,903	No	
Vinyl Chloride	11 - 12	5	6,494	No	

^a No analytes detected in less than 5 percent of samples.

DEN/E032005011 XLS

^b Value is the maximum reported result for nondetected analytes.

N/A = Not Available.

UT = Uncertain toxicity.

COMPREHENSIVE RISK ASSESSMENT

SOUTHEAST BUFFER ZONE AREA EXPOSURE UNIT

VOLUME 13: ATTACHMENT 2

Data Quality Assessment

TABLE OF CONTENTS

		S AND ABBREVIATIONSII	
1.0		ODUCTION	
2.0		YTICAL DATA	
3.0		INGS	
	3.1	Dioxins and Furans – Water	
	3.2	Herbicides – Water	4
	3.3	Metals – Soil	4
	3.4	Metals – Water	5
	3.5	Polychlorinated Biphenyls (PCBs) – Water	5
	3.6	Pesticides – Water	
	3.7	Radionuclides - Soil	5
	3.8	Radionuclides – Water	
	3.9	Semi-Volatile Organic Compounds (SVOCs) – Water	6
	3.10	Volatile Organic Compounds (VOCs) – Soil	6
	3.11	Volatile Organic Compounds – Water	6
	3.12	Wet Chemistry Parameters – Soil	7
	3.13	Wet Chemistry Parameters – Water	7
4.0	CONC	CLUSIONS	7
5.0	REFE	RENCES	9
		LIST OF TABLES	
Table	A2.1	CRA Data V&V Summary	
Table	A2.2	V&V Qualifier Flag Definitions	
Table	A2.3	V&V Reason Code Definitions	
Table	A2.4	Standardized V&V Reason Code Definitions, QC Categories, and Affected PARCC Parameters	
Table	A2.5	Summary of V&V Observations	
Table	A2.6	Summary of Data Rejected During V&V	
Table	A2.7	Summary of RPDs/DERs of Field Duplicate Analyte Pairs	
Table	A2.8	Summary of Data Estimated or Undetected Due to V&V Determinations	
Table	A2.9	Summary of Data Qualified as Undetected Due to Blank Contamination	

ACRONYMS AND ABBREVIATIONS

AA atomic absorption

AI adequate intake

ASD Analytical Services Division

COC contaminant of concern

CRA Comprehensive Risk Assessment

CRDL contract required detection limit

DER duplicate error ratio

DQA Data Quality Assessment

DQO data quality objective

DRC data review checklist

EDD electronic data deliverable

EPA U.S. Environmental Protection Agency

EPC exposure point concentration

EU Exposure Unit

IAG Interagency Agreement

ICP inductively couple plasma

IDL instrument detection limit

LCS laboratory control sample

MDA minimum detectable activity

MDL method detection limit

MS matrix spike

MSA method of standard additions

MSD matrix spike duplicate

NIST National Institute of Standards Technology

PARCC precision, accuracy, representativeness, completeness, and comparability

PPT Pipette

PCB polychlorinated biphenyl

QC quality control

RDL required detection limit

RFEDS Rocky Flats Environmental Data System

RFETS Rocky Flats Environmental Technology Site

RI/FS Remedial Investigation/Feasibility Study

RL reporting limit

RPD relative percent difference

SEEU Southeast Buffer Zone Exposure Unit

SDP standard data package

SOW Statement of Work

SVOC semi-volatile organic compound

SWD Soil Water Database

TCLP Toxicity Characteristic Leaching Procedure

TIC tentatively identified compound

V&V verification and validation

VOC volatile organic compound

EXECUTIVE SUMMARY

This document provides an assessment of the quality of the data used in the Southeast Buffer Zone (BZ) Area Exposure Unit (EU) (SEEU) Comprehensive Risk Assessment (CRA). This Data Quality Assessment (DQA) focuses on all elements of quality control (QC) including both laboratory and sample-specific QC data.

Depending on the matrix and analyte group, anywhere from 83 to 100 percent of the SEEU data have been verified and/or validated by a validator from the Analytical Services Division (ASD) at the Rocky Flats Environmental Technology Site (RFETS) (or from an outside subcontractor) using verification and validation (V&V) guidelines for each analytical method developed for RFETS. V&V data are identified in the RFETS Soil Water Database (SWD) by a data qualifier flag and reason code(s) that provide an explanation for the qualifier flag. All rejected data have been removed from the data set used in the CRA because the validator has determined the data are unusable. The remaining V&V data have associated qualifier flags indicating that the data are valid, estimated, or undetected, and are used in the CRA. Of the SEEU V&V data, approximately 15 percent was qualified as estimated and/or undetected. Less than 5 percent of the data reported as detected by the laboratory were qualified as undetected due to blank contamination. Data qualified as estimated or undetected are a result of various minor laboratory noncompliance issues that are insufficient to render the data unusable.

A review of the SEEU V&V data indicates that the data meet the data quality objectives (DQOs) outlined in the Final CRA Work Plan and Methodology (K-H 2004) (hereafter referred to as the CRA Methodology). A review of the most common observations found in the V&V data determined that a minimal amount, less than 1 percent, of the non-V&V data may have been qualified if a review had been performed. Based on this DQA, data for the SEEU are of sufficient quality for use in the CRA

1.0 INTRODUCTION

The Southeast Buffer Zone (BZ) Area Exposure Unit (EU) (SEEU) Comprehensive Risk Assessment (CRA) for the Rocky Flats Environmental Technology Site (RFETS) has been prepared in accordance with the CRA Methodology. The CRA Methodology was developed jointly with the regulatory agencies using the consultative process, and was approved by the agencies on September 28, 2004. Consistent with the CRA Methodology, data quality was assessed using a standard precision, accuracy, representativeness, completeness, and comparability (PARCC) parameter analysis (EPA 2002). Both laboratory and field quality control (QC) were evaluated for the SEEU data set.

Although many of the elements of QC that are reviewed in this document affect more than one PARCC parameter, their major impact on data quality is described below:

- Precision, as a measure of agreement among replicate measurements, is determined quantitatively based on the results of replicate laboratory measurements. Precision of the laboratory data was verified through review of:
 - Relative percent differences (RPDs) for laboratory control samples (LCSs)
 and LCS duplicates compared to the acceptable ranges (analytical precision);
 - RPDs (nonradionuclides) and duplicate error ratios (DERs) (radionuclides) for field sample and field duplicates compared to the acceptable ranges¹ (field precision);
 - RPDs for matrix spike (MS) and matrix spike duplicates (MSDs) compared to acceptable control ranges (matrix precision); and
 - RPDs for primary- and second-column analyses (analytical precision).
- Accuracy, as a measure of the distortion of a measurement process that causes error in measuring the true value, is determined quantitatively based on the analysis of samples with a known concentration. Accuracy of the laboratory data was verified through review of:
 - LCS data, calibration verification data, internal standard data, and instrument tune parameters (laboratory accuracy); and
 - Surrogate recoveries, MSs, and sample preparation (sample-specific accuracy).
- Representativeness of the data was verified through review of:



¹ The CRA Methodology states that the overall precision of the data is considered adequate if the RPD between the target and duplicate, at concentrations five times the reporting limit (RL), is less than 35 percent for solids and 20 percent for liquids. The precision adequacy requirement for radiological contaminants is a DER less than 1.96.

- Laboratory blank data;
- Sample preservation/storage;
- Adherence to sample holding times;
- Documentation issues;
- Contract noncompliance issues; and
- Laboratory activities affecting ability to properly identify compounds.
- Completeness is a data adequacy criterion and is addressed in Appendix A, Volume 2 of the Resource Conservation and Recovery Act (RCRA) Facility Investigation-Remedial Investigation/Corrective Measures Study (CMS)-Feasibility Study (RI/FS) Report (hereafter referred to as the RI/FS Report). It refers to the spatial and temporal distribution of the data, and their adequacy for estimating exposure point concentrations (EPCs) for the CRA.
- Comparability of the data was verified through evaluation of:
 - Analytical procedures, and whether they were standard U.S. Environmental Protection Agency (EPA)- and RFETS-approved procedures;
 - Instrument types and maintenance, sample preparation techniques, and standard units for reporting; and
 - MS and surrogate samples, ensuring accuracy within acceptable ranges.

2.0 ANALYTICAL DATA

Approximately 7,600 specific analytical records exist in the SEEU CRA data set, some 92 percent of which (6,991 records) have undergone verification and validation (V&V). The fraction of the data that was verified and/or validated is shown in Table A2.1 by analyte group and matrix. These data were reviewed by validators and their observations and comments are captured in the Soil Water Database (SWD). All of the data that have been flagged due to V&V findings (except "R"-flagged data) and data that have no flags as a result of V&V are used in the SEEU CRA. The small amount of data that has not undergone V&V is used as provided by the laboratories. The most common errors found during V&V such as transcription errors, calculation errors, and excluded records that were later added by the validator were reviewed to determine the possible effect on non-V&V data. Assuming that the percentage of data qualified with these issues is representative of the number of observations that would have been made if a review of the non-V&V data had been performed, less than 1 percent of the entire SEEU data set is at risk for such unacknowledged and, therefore, uncorrected errors.

Data V&V involves an in-depth review of the data packages from the laboratory to assess compliance with contract requirements. In general, data validation includes all of the activities of verification, as well as additional OC checks and review of some raw laboratory instrument data and calculations. After V&V, a data qualifier flag and/or reason code(s) are assigned to the data record (Tables A2.2 and A2.3). The reason codes provide an explanation for the qualifier flag, thereby making it possible to determine which of the PARCC parameters is affected by the observation (Table A2.4). Qualifier flags are discussed in this Data Quality Assessment (DOA) as those V&V flags that note issues in the data. V&V flags "V," "V1," and "1" represent data that were reviewed by validators, but no issues were observed. Eighty-one percent of the V&V data fall into this category. Additional qualifier flags such as "A," "E," and "Z" were also applied. These validation qualifiers are notations that do not indicate estimation or a change in the status of detection. The data are valid and useable as reported by the laboratory. Four percent of the V&V data are represented by these additional qualifier flags. The specific definitions of these additional V&V flags are presented in Table A2.2. Data with noted issues are presented in Table A2.5 and discussed in detail in Section 3.0.

V&V qualifier flags are not specifically addressed in this data assessment, but rather the reason codes associated with the qualifier flags for each analytical record are summarized and evaluated. This approach was chosen because the validator's specific observations (reason codes), and not the qualifier flags, provide the best descriptors of the data quality.

V&V data records contain a field with V&V reason codes (5, 18/52, 200, 99/101/701, and so forth), or the field is null. These reason codes represent observations related to assessment of precision, accuracy, and representativeness. For example, the reason code 110 definition (see Table A2.3) is "LCS recovery criteria were not met," which is an observation related to data accuracy.

Multiple reason codes were routinely applied to a specific sample method/matrix/analyte combination. Therefore, it was necessary to parse out the individual codes to create a table that included a unique record identifier and the associated parsed data V&V reason code (5, 18, 52, 200, 99, 101, 701, and so forth). With this information and the data V&V reason code definitions, the data validator's observations related to this data set can be recreated for each analytical record.

To summarize the reason codes in a logical manner for presentation, it was first necessary to group the reason codes that have slightly different definitions but convey the same meaning. A standardized definition was then applied to the individual reason codes within the group. The grouped reason codes were also assigned a QC category (for example, blanks, calibration, and holding time), and the affected PARCC parameter (Table A2.4). The reason codes were then summarized for each medium and analyte group within each QC category, applying the standardized definition to the summarized codes. The summary is presented in Table A2.5.

Rejected data (data qualifier flag "R"), consisting of approximately 3 percent of all V&V data, have been removed from the data used in the SEEU CRA because the validator has



determined the data to be unusable. The fraction of the data that was rejected during validation and/or verification is shown in Table A2.6 by analyte group and matrix.

Finally, evaluating the RPD (DER for radionuclides) between a target sample and the associated field duplicate is not a QC parameter performed during V&V, but is still an important analysis when determining data precision. Because this analysis was not performed during V&V, the target sample/field duplicate RPD and DER calculations were performed separately and are presented in Table A2.7 as the number of exceedances per analyte group/matrix combination. Only those analyte group/matrix combinations having records that met the criteria for calculating an RPD or DER are presented. RPDs and DERs for target sample/field duplicate analyte pairs where one or both of the results are less than five times the RL are not calculated as outlined in the CRA Methodology.

3.0 FINDINGS

V&V observations affecting the CRA data set are summarized by analyte group/matrix/QC category/V&V observation in Table A2.5. The detected and nondetected results are summarized separately to give the reader a better idea of the impact on data usability. Only those issues observed in notable percentages (generally greater than 5 percent) of the data are discussed below in further detail. RPDs (DERs for radionuclides) presented in Table A2.7 are only discussed below when RPD (DER for radionuclides) exceedances of control criteria are greater than 10 percent for any given analyte group/matrix combination. Instances of elevated rates (greater than 10 percent) of rejected data are also discussed below.

3.1 Dioxins and Furans – Water

Documentation issues resulted in data V&V qualifications related to this analyte group/matrix combination. Although 100 percent of the data were qualified, this was only one record. In addition, validator-added records have no impact on data quality because all issues have previously been evaluated and corrected.

3.2 Herbicides – Water

Calibration resulted in data V&V qualifications related to this analyte group/matrix combination. While the percentage of all qualifications is elevated, it is important to note that all data were qualified as usable, although estimated.

3.3 Metals – Soil

Blank, calibration, documentation, holding time, instrument setup, LCS, matrix, and other observations resulted in data V&V qualifications related to this analyte group/matrix combination. The percentage of observations is low with the exception of those records qualified due to matrix issues and expired instrument detection limit (IDL) studies. While the importance of these QC parameters should not be overlooked, it is also

important to note that the data were qualified as usable, although estimated. Finally, a single sample/field duplicate pair resulted in the elevated percentage of field duplicate qualification, this is more indicative of matrix at a particular location, than a overall precision indication.

3.4 Metals – Water

Blank, calibration, documentation, holding time, instrument setup, LCS, matrix, sample preparation, sensitivity, and other observations resulted in V&V qualifications associated with this analyte group/matrix combination. The percentage of observations is low with the exception of those records qualified due to blank contamination. While the importance of blank analyses should not be overlooked, it is also important to note that the data were qualified as usable.

3.5 Polychlorinated Biphenyls (PCBs) – Water

Documentation and surrogate issues resulted in elevated data V&V observations related to this analyte group/matrix combination. All transcription errors have previously been evaluated and corrected, and while the importance surrogate analyses should not be overlooked, it is also important to note that the data were qualified as usable, although estimated.

3.6 Pesticides – Water

Calibration, documentation, and surrogate observations resulted in data V&V qualifications related to this analyte group/matrix combination. The percentage of records qualified due to issues with continuing calibration verifications and low surrogate recoveries is high. While the importance of continuing calibration verifications and surrogate analyses should not be overlooked, it is also important to note that the data were qualified as usable, although estimated.

3.7 Radionuclides - Soil

Blank, calibration, documentation, instrument setup, LCS, matrix, sensitivity, and other observations resulted in V&V qualifications related to this analyte group/matrix combination. The percentage of observations is low with few exceptions. Insufficient documentation indicates that a complete V&V evaluation may not have been performed, but it is important to note that the data were qualified as usable, although estimated. Transcription errors, validator-added records, and validator-calculated minimum detectable activities (MDAs) have no effect on data quality as all issues have previously been evaluated and corrected. While the importance of blank and other QC analyses including LCSs should not be overlooked, it is important to note that these records were also qualified as usable, although estimated. Finally, although 20 percent of the V&V data for this analyte group/matrix combination was rejected, 96 percent of all associated

data underwent V&V. This leaves less than 1 percent of the data related to this analyte group/matrix combination that may have been rejected if a review had been performed.

3.8 Radionuclides – Water

Blank, calculation error, calibration, documentation, holding time, instrument setup, LCS, matrix, sensitivity, and other observations resulted in V&V qualifications related to this analyte group/matrix combination. The percentage of observations is low with few exceptions. Insufficient documentation indicates that a complete V&V evaluation may not have been performed, but it is important to note that the data were qualified as usable, although estimated. Transcription errors and validator-calculated MDAs have no effect on data quality as all issues have previously been evaluated and corrected. While the importance continuing calibration verifications and MS/MSD analyses should not be overlooked, it is important to note that these records were also qualified as usable. Most of those records qualified as directing the data user to the hard copy validation report for further explanation of the observation were also qualified as estimated. The CRA is performed with this uncertainty in mind, and no further effort was made to identify the issues. Finally, although almost 10 percent of the V&V data for this analyte group/matrix combination was rejected, 83 percent of all associated data underwent V&V. This leaves only less than 2 percent of the data for this analyte group/matrix combination that may have been rejected if a review had been performed.

3.9 Semi-Volatile Organic Compounds (SVOCs) – Water

Blank, calibration, documentation, holding time, instrument setup, LCS, and other observations resulted in V&V qualifications related to this analyte group/matrix combination. The percentage of all observations is low and within method expectations.

3.10 Volatile Organic Compounds (VOCs) - Soil

Blank, documentation, and holding time issues resulted in V&V observations related to this analyte group/matrix combination. The percentage of observations is low with the exception of those records qualified because the allowed sample holding time was exceeded. While the importance of observing allowed sample holding times should not be overlooked, it is important to note that the results were not qualified indicating a gross exceedances of the holding time, as was the practice if appropriate, and the data were qualified as usable, although estimated.

3.11 Volatile Organic Compounds – Water

Blank, calibration, confirmation, documentation, holding time, instrument setup, LCS, and other issues resulted in V&V observations related to this analyte group/matrix combination. The percentage of observations is low with the exception of those records qualified because the allowed sample holding time was exceeded and because the instrument tune criteria were not met. While the importance of these QC criteria should

not be overlooked, it is also important to note that the data were qualified as usable, although estimated.

3.12 Wet Chemistry Parameters – Soil

Matrix and other issues resulted in V&V observations related to this analyte group/matrix combination. While the percentage of all observations is high, it is important to note that this analyte group contains numerous general chemistry parameters having little or no impact on site characterization.

3.13 Wet Chemistry Parameters – Water

Calibration, documentation, holding time, matrix, and other issues resulted in V&V observations related to this analyte group/matrix combination. The percentage of all observations is low and within method expectations.

4.0 CONCLUSIONS

The quality of the laboratory results were evaluated for compliance with the CRA Methodology data quality objectives (DQOs) through an overall review of PARCC parameters.

Of the data used in the SEEU CRA, approximately 92 percent underwent the V&V process. Of that 92 percent, 81 percent was qualified as having no QC issues and approximately 15 percent was qualified as estimated or undetected (Table A2.8). The remaining 4 percent of the V&V data are made up of records qualified with additional flags indicating acceptable data such as "A," "E," or "P". Approximately 5 percent of the data reported as detected by the laboratory were flagged as undetected by the validators due to blank contamination (Table A2.9). Data qualified as estimated or undetected indicate some issues with PARCC parameters, but not to a degree sufficient to mark the data unusable. Approximately 3 percent of the entire data set was rejected during the V&V process (Table A2.6).

Although many of the elements of QC that are reviewed in this document affect more than one PARCC parameter, the general discussion below summarizes the data quality per the validation reason codes affecting each specific PARCC parameter. Several V&V reason codes have no real impact on data quality because they represent issues that were noted but corrected, or represent observations related to missing documentation that was not required for data assessment. Approximately 12 percent of the SEEU V&V data were flagged with these "Other" V&V observations.

 Precision, as a measure of agreement among replicate measurements, is determined quantitatively based on the results of replicate laboratory measurements. Of the V&V data, approximately 2 percent was noted for observations related to precision. Of that 2 percent, 95 percent was qualified for issues related to sample matrices and the remaining 5 percent was qualified for issues related to result confirmation. No LCS or instrument setup or sensitivity issues related to precision were noted.

RPDs and DERs for target sample/field duplicate pairs were found to be acceptable for all analyte group/matrix combinations. Overall, the method precision was found to be generally acceptable.

• Accuracy is a measure of the distortion of a measurement process that causes error in the true value.

Of the V&V data, 42 percent was noted for accuracy-related observations. Of that 42 percent, 78 percent was noted for laboratory practice-related observations, while sample-specific accuracy observations make up the other 22 percent. Although the percentage of data with noted accuracy issues is slightly elevated, it is important to note that the majority of the data qualified for these accuracy-related observations are flagged as estimated and the CRA is performed with this uncertainty in mind.

Accuracy was generally acceptable with infrequent performance outside QC limits.

• Representativeness of the data was verified.

Of the V&V data, approximately 40 percent was noted for observations related to representativeness. Of that 40 percent, 68 percent was qualified for blank observations, 23 percent for failure to observe allowed holding times, 2 percent for sensitivity issues, and 3 percent for documentation issues. Instrument setup, LCS, matrix, sample preparation, and other observations make up the other 4 percent of the data qualified for observations related to sample representativeness.

Reportable levels of target analytes were not routinely detected in the laboratory blanks greater than the laboratory RLs except for relatively isolated incidences. Samples were generally stored and preserved properly. Overall, these elements of QC exceedances are indicative of normal laboratory operations and have little impact the sample data as reported.

Sample data are representative of the site conditions at the time of sample collection.

- Comparability of the data was reviewed and no systematic errors were noted.
 - The use of standard EPA- and RFETS-approved analytical procedures;
 - Instrument types and maintenance, sample preparation techniques, and standard units for reporting; and

Evaluation of MS and surrogate samples, ensuring accuracy within acceptable ranges.

Examination of these parameters did not show any systematic issues with comparability.

• Completeness, as defined in the CRA Methodology, is addressed in Appendix A, Volume 2 of the RI/FS Report.

Another indication of completeness that is sometimes used is a measure of the number of valid measurements obtained in relation to the total number of measurements planned.

Because only 3 percent of the overall data were rejected, the use of non-V&V data for the SEEU CRA does not contribute to any completeness issues.

This review concludes that the PARCC of the data are generally acceptable and the CRA objectives have been met.

5.0 REFERENCES

K-H, 2004. Final Comprehensive Risk Assessment Work Plan and Methodology, Environmental Restoration, Rocky Flats Environmental Technology Site, Golden, Colorado. September.

EPA, 2002. Guidance for Quality Assurance Project Plans. EPA QA/G-5, EPA/240/R-02/009. Office of Environmental Information, Washington, D.C. December.

TABLES

Table A2.1 CRA Data V&V Summary

Analyte Group	Matrix	Total No. of V&V Records	Total No. of CRAS	Percent V&V
Fig. 1. Sec. 1. Mar.		V&V Records **	Records	(%)X
Dioxins and Furans	WATER	1	1	100.00
Herbicide	SOIL	4	4	100.00
Herbicide	WATER	7	7	100.00
Metal	SOIL	831	831	100.00
Metal	WATER	1,647	1,857	88.69
PCB	SOIL	7	7	100.00
PCB	WATER	35	35	100.00
Pesticide	SOIL	24	24	100.00
Pesticide	WATER	115	115	100.00
Radionuclide	SOIL	291	303	96.04
Radionuclide	WATER	395	477	82.81
SVOC	SOIL	236	236	100.00
SVOC	WATER	308	330	93.33
VOC	SOIL	186	186	100.00
VOC	WATER	2,629	2,878	91.35
Wet Chemistry	SOIL	18	18	100.00
Wet Chemistry	WATER	257	287	89.55
,	Total	6,991	7,596	92.04%

Table A2.2 V&V Qualifier Flag Definitions

Validation Qualifier Cod	e Description
1	QC data from a data package – Verification
Α	Data acceptable with qualifications
В	Compound was found in BLK and sample
С	Calibration
Е	Associated value exceeds calibration range; dilute and reanalyze
J	Estimated quantity - Validation
J1	Estimated quantity - Verification
JB	Organic method blank contamination - Validation
JB1	Organic method blank contamination – Verification
N	Historical - Validators asked not to validate this
NJ	Associated value is presumptively estimated
NJ1	Value presumptively estimated – Verification
P	Systematic error
R	Data unusable – Validation
R1	Data unusable – Verification
S	Matrix spike
U	Analyzed, not detected at/above method detection limit
U1	Analyzed, not detect at/above method detection limit - Verification
UJ	Associated value is considered estimated at an elevated detection
UJ1	Estimated at elevated level – Verification
V	No problems with the data – Validation
V1	No problems with the data – Verification
Y	Analytical results in validation process
Z	Validation was not requested or could not be performed

Table A2.3 V&V Reason Code Definitions

Unknown code from RFEDS 1 Holding times were exceeded 2 Holding times were exceeded 3 Initial calibration correlation coefficient <0.995 4 Calibration verification criteria were not met 5 CRDL check sample recovery criteria were not met 6 Incorrect calibration of instrument 7 Analyte values > DDL were found in the blanks 8 Negative bias was indicated in the ICP interference check sample 10 Laboratory control sample recovery criteria were not met 11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (+/- 25 percent) 13 Predigestion matrix spike criteria were not met (-/- 25 percent) 14 Post-digestion matrix spike criteria were not met (-/- 30 percent) 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 34 Sample exceeded deficiency curve weight limit	AND DESCRIPTION OF THE PROPERTY OF THE PROPERT	V&V Reason Code Definitions
Holding times were exceeded Holding times were grossly exceeded Calibration correlation coefficient <0.995 CRDL check sample recovery criteria were not met CRDL check sample recovery criteria were not met Incorrect calibration of instrument Analyte values > DL were found in the blanks Negative bias was indicated in the lCP interference check sample Laboratory control sample recovery criteria were not met Laboratory control sample recovery criteria were not met Predigestion matrix spike criteria were not met Predigestion matrix spike criteria were not met (+/- 25 percent) Predigestion matrix spike criteria were not met (<30 percent) Predigestion matrix spike criteria were not met (<30 percent) MSA was required but not performed MSA calibration correlation coefficient <0.995 Serial dilution criteria not met Calibration verification criteria not met Aduplicate injection precision criteria were not met Reagent blanks exceeded MDA Tracer contamination Improper aliquot size Ample aliquot not taken quantitatively Primary standard had exceeded expiration date No raw data submitted by the laboratory Recovery criteria were not met Replicate precision criteria were not met Replicate precision criteria were not met Replicate analysis was not performed Pupilicate analysis was not performed Replicate precision criteria were not met Supplicate analysis was not performed Laboratory control samples >+/- 3 sigma Laboratory control samples >+/- 2 sigma and <+/- 3 sigma MDA exceeded the RDL	Validation Reason Gode	Description Description Description
1 Holding times were grossly exceeded 3 Initial calibration correlation coefficient <0.995 4 Calibration verification criteria were not met 5 CRDL check sample recovery criteria were not met 6 Incorrect calibration of instrument 7 Analyte values > IDL were found in the blanks 8 Negative bias was indicated in the blanks 9 Interference indicated in the ICP interference check sample 10 Laboratory control sample recovery criteria were not met 11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (+ℓ-25 percent) 13 Predigestion matrix spike criteria were not met (+ℓ-25 percent) 14 Post-digestion matrix spike criteria were not met (×ℓ-25 percent) 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 30 Replicate analysis was not performed 31 Replicate analysis was not performed 32 Laboratory control samples >+ℓ-3 sigma 33 Laboratory control samples >+ℓ-3 sigma 34 Laboratory control samples >+ℓ-3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit		Unknown code from RFEDS
Initial calibration correlation coefficient <0.995 4 Calibration verification criteria were not met 5 CRDL check sample recovery criteria were not met 6 Incorrect calibration of instrument 7 Analyte values > IDL were found in the blanks 8 Negative bias was indicated in the blanks 10 Laboratory control sample recovery criteria were not met 11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (<30 percent) 13 Predigestion matrix spike criteria were not met (<30 percent) 14 Post-digestion matrix spike criteria were not met (<30 percent) 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 22 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 3 sigma 34 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	1	Holding times were exceeded
4 Calibration verification criteria were not met 5 CRDL check sample recovery criteria were not met 6 Incorrect calibration of instrument 7 Analyte values > IDL were found in the blanks 8 Negative bias was indicated in the blanks 9 Interference indicated in the ICP interference check sample 10 Laboratory control sample recovery criteria were not met 11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (+4- 25 percent) 13 Predigestion matrix spike criteria were not met (<30 percent) 14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate precision criteria were not met 32 Laboratory control samples >++- 2 sigma and <++- 3 sigma 33 Laboratory control samples >++- 2 sigma and <++- 3 sigma 34 MDA exceeded efficiency curve weight limit	2	Holding times were grossly exceeded
S CRDL check sample recovery criteria were not met Incorrect calibration of instrument Analyte values > IDL were found in the blanks Negative bias was indicated in the blanks Interference indicated in the ICP interference check sample Laboratory control sample recovery criteria were not met Laboratory control sample recovery criteria were not met Predigestion matrix spike criteria were not met (+ℓ-25 percent) Predigestion matrix spike criteria were not met (-ℓ-25 percent) MSA was required but not performed MSA calibration correlation coefficient <0.995 Serial dilution criteria not met Documentation was not provided Calibration verification precision criteria were not met Reagent blanks exceeded MDA Tracer contamination Reagent blanks exceeded MDA Tracer contamination No raw data submitted by the laboratory Recovery criteria were not met Replicate analysis was not performed No raw data submitted by the laboratory Replicate analysis was not performed Replicate precision criteria were not met Replicate analysis was not performed Laboratory control samples >+ℓ-2 sigma and <+ℓ-3 sigma Transformed spectral index exceeded sfficiency curve weight limit Sample exceeded efficiency curve weight limit	3	Initial calibration correlation coefficient < 0.995
Incorrect calibration of instrument Analyte values > IDL were found in the blanks Negative bias was indicated in the blanks Interference indicated in the ICP interference check sample Laboratory control sample recovery criteria were not met Duplicate sample precision criteria were not met Predigestion matrix spike criteria were not met (+/- 25 percent) Predigestion matrix spike criteria were not met (<30 percent) Post-digestion matrix spike recovery criteria were not met MSA was required but not performed MSA calibration correlation coefficient <0.995 Serial dilution criteria not met Documentation was not provided Calibration verification criteria not met Reagent blanks exceeded MDA Tracer contamination Tracer contamination Tracer contamination Duplicate analysis was not performed No raw data submitted by the laboratory Recovery criteria were not met Replicate precision criteria were not met Replicate precision criteria were not met Replicate precision criteria were not met Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Transformed spectral index external ST criteria were not met MDA exceeded the RDL Sample exceeded efficiency curve weight limit	4	Calibration verification criteria were not met
Analyte values > IDL were found in the blanks Negative bias was indicated in the blanks Interference indicated in the ICP interference check sample Laboratory control sample recovery criteria were not met Duplicate sample precision criteria were not met Predigestion matrix spike criteria were not met (+/- 25 percent) Predigestion matrix spike criteria were not met (-/- 25 percent) Predigestion matrix spike criteria were not met (-/- 25 percent) MSA was required but not performed MSA calibration correlation coefficient <0.995 Serial dilution criteria not met Documentation was not provided Post-digestion verification criteria not met Ad Aduplicate injection precision criteria were not met Reagent blanks exceeded MDA Tracer contamination Improper aliquot size Sample aliquot not taken quantitatively Sample aliquot not taken quantitatively Primary standard had exceeded expiration date No raw data submitted by the laboratory Recovery criteria were not met Replicate precision criteria were not met Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Transformed spectral index external ST criteria were not met MDA exceeded the RDL Sample exceeded efficiency curve weight limit	5	CRDL check sample recovery criteria were not met
8 Negative bias was indicated in the blanks 9 Interference indicated in the ICP interference check sample 10 Laboratory control sample recovery criteria were not met 11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (+/- 25 percent) 13 Predigestion matrix spike criteria were not met (+/- 25 percent) 14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 2 sigma 33 Laboratory control samples >+/- 3 sigma 34 Transformed spectral index external ST criteria were not met 36 MDA exceeded efficiency curve weight limit	6	Incorrect calibration of instrument
Interference indicated in the ICP interference check sample Laboratory control sample recovery criteria were not met Duplicate sample precision criteria were not met Predigestion matrix spike criteria were not met (+/- 25 percent) Predigestion matrix spike criteria were not met (<30 percent) Predigestion matrix spike recovery criteria were not met MSA was required but not performed MSA calibration correlation coefficient <0.995 Serial dilution criteria not met Documentation was not provided Calibration verification criteria not met Reagent blanks exceeded MDA Tracer contamination Reagent blanks exceeded MDA Tracer contamination Improper aliquot size Sample aliquot not taken quantitatively Primary standard had exceeded expiration date No raw data submitted by the laboratory Recovery criteria were not met Replicate analysis was not performed Verification criteria were not met Replicate precision criteria were not met Replicate precision criteria were not met Laboratory control samples >+/- 3 sigma Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Transformed spectral index external ST criteria were not met MDA exceeded the RDL Sample exceeded efficiency curve weight limit	7	Analyte values > IDL were found in the blanks
Laboratory control sample recovery criteria were not met 11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (+/- 25 percent) 13 Predigestion matrix spike criteria were not met (<30 percent) 14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 22 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded efficiency curve weight limit	8	Negative bias was indicated in the blanks
11 Duplicate sample precision criteria were not met 12 Predigestion matrix spike criteria were not met (+/- 25 percent) 13 Predigestion matrix spike criteria were not met (<30 percent) 14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded efficiency curve weight limit	9	Interference indicated in the ICP interference check sample
12 Predigestion matrix spike criteria were not met (+/- 25 percent) 13 Predigestion matrix spike criteria were not met (<30 percent) 14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 22 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	10	Laboratory control sample recovery criteria were not met
Predigestion matrix spike criteria were not met (<30 percent) 14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 22 Laboratory control samples >+t/- 3 sigma 33 Laboratory control samples >+t/- 2 sigma and <+t/- 3 sigma 35 Transformed spectral index external ST criteria were not met MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	11	Duplicate sample precision criteria were not met
14 Post-digestion matrix spike recovery criteria were not met 15 MSA was required but not performed 16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	12	Predigestion matrix spike criteria were not met (+/- 25 percent)
MSA was required but not performed MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	13	Predigestion matrix spike criteria were not met (<30 percent)
16 MSA calibration correlation coefficient <0.995 17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded efficiency curve weight limit	14	Post-digestion matrix spike recovery criteria were not met
17 Serial dilution criteria not met 18 Documentation was not provided 19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded efficiency curve weight limit	15	MSA was required but not performed
Documentation was not provided Calibration verification criteria not met AA duplicate injection precision criteria were not met Reagent blanks exceeded MDA Tracer contamination Improper aliquot size Sample aliquot not taken quantitatively Primary standard had exceeded expiration date No raw data submitted by the laboratory Recovery criteria were not met Duplicate analysis was not performed Verification criteria were not met Replicate precision criteria were not met Replicate analysis was not performed Laboratory control samples >+/- 3 sigma Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Transformed spectral index external ST criteria were not met MDA exceeded the RDL Sample exceeded efficiency curve weight limit	16	MSA calibration correlation coefficient <0.995
19 Calibration verification criteria not met 20 AA duplicate injection precision criteria were not met 21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	17	Serial dilution criteria not met
AA duplicate injection precision criteria were not met Reagent blanks exceeded MDA Tracer contamination Improper aliquot size Sample aliquot not taken quantitatively Primary standard had exceeded expiration date No raw data submitted by the laboratory Recovery criteria were not met Duplicate analysis was not performed Verification criteria were not met Replicate precision criteria were not met Replicate analysis was not performed Laboratory control samples >+/- 3 sigma Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Transformed spectral index external ST criteria were not met MDA exceeded the RDL Sample exceeded efficiency curve weight limit	. 18	Documentation was not provided
21 Reagent blanks exceeded MDA 22 Tracer contamination 23 Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	19	Calibration verification criteria not met
Improper aliquot size 24 Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	20	AA duplicate injection precision criteria were not met
Improper aliquot size	21	Reagent blanks exceeded MDA
Sample aliquot not taken quantitatively 25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	22	Tracer contamination
25 Primary standard had exceeded expiration date 26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	23	Improper aliquot size
26 No raw data submitted by the laboratory 27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	24	Sample aliquot not taken quantitatively
27 Recovery criteria were not met 28 Duplicate analysis was not performed 29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	25	Primary standard had exceeded expiration date
Duplicate analysis was not performed Verification criteria were not met Replicate precision criteria were not met Replicate analysis was not performed Laboratory control samples >+/- 3 sigma Laboratory control samples >+/- 2 sigma and <+/- 3 sigma Transformed spectral index external ST criteria were not met MDA exceeded the RDL Sample exceeded efficiency curve weight limit	26	No raw data submitted by the laboratory
29 Verification criteria were not met 30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	27	Recovery criteria were not met
30 Replicate precision criteria were not met 31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	28	Duplicate analysis was not performed
31 Replicate analysis was not performed 32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	29	Verification criteria were not met
32 Laboratory control samples >+/- 3 sigma 33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	30	Replicate precision criteria were not met
33 Laboratory control samples >+/- 2 sigma and <+/- 3 sigma 35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	31	Replicate analysis was not performed
35 Transformed spectral index external ST criteria were not met 36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	32	Laboratory control samples >+/- 3 sigma
36 MDA exceeded the RDL 37 Sample exceeded efficiency curve weight limit	33	Laboratory control samples >+/- 2 sigma and <+/- 3 sigma
37 Sample exceeded efficiency curve weight limit	35	Transformed spectral index external ST criteria were not met
	36	MDA exceeded the RDL
20	37	Sample exceeded efficiency curve weight limit
28 Excessive solids on planchet	38	Excessive solids on planchet
Tune criteria not met	39	Tune criteria not met
40 Organics initial calibration criteria were not met	40	Organics initial calibration criteria were not met
41 Organics continuing calibration criteria were not met	41	Organics continuing calibration criteria were not met
42 Surrogates were outside criteria	42	Surrogates were outside criteria
43 Internal standards outside criteria	43	Internal standards outside criteria
44 No mass spectra were provided	44	No mass spectra were provided
45 Results were not confirmed	45	Results were not confirmed
47 Percent breakdown exceeded 20 percent	47	Percent breakdown exceeded 20 percent
48 Linear range of instrument was exceeded	48	Linear range of instrument was exceeded

Table A2.3 V&V Reason Code Definitions

Validation Reason Code	Description
49	Method blank contamination
51	Nonverifiable laboratory results and/or unsubmitted data
52	Transcription error
53 .	Calculation error
54	Incorrect reported activity or MDA
55	Result exceeds linear range; serial dilution value reported
56	IDL changed due to significant figure discrepancy
57	Percent solids < 30 percent
58	Percent solids < 10 percent
59	Blank activity exceeded RDL
60	Blank recovery criteria were not met
61	Replicate recovery criteria were not met
62	LCS relative percent error criteria not met
63	LCS expected value not submitted/verifiable
. 64	Nontraceable/noncertified standard was used
67	Sample results not submitted/verifiable
68	Frequency of quality control samples not met
69	Samples not distilled
70	Resolution criteria not met
71	Unit conversion of results
72	Calibration counting statistics not met
. 73	Daily instrument performance assessment not performed
74	LCS data not submitted
75	Blank data not submitted
76	Instrument gain and/or efficiency not submitted
77	Detector efficiency criteria not met
78	MDAs were calculated by reviewer
. 79	Result obtained through dilution
80	Spurious counts of unknown origin
81	Repeat count outside of 3 sigma counting error
82	Sample results were not corrected for decay
83	Sample results were not included on Data Summary Table
84	Key fields wrong
85	Record added by QLI
86	Results considered qualitative not quantitative
87	Laboratory did no analysis for this record
88	Blank corrected results
89	Sample analysis was not requested
90	Sample result was not validated due to reanalysis
91	Unit conversion; QC sample activity/uncertainty/MDA
99	See hard copy for further explanation
101	Holding times were exceeded (attributed to laboratory problem)
102	Holding times were grossly exceeded (attribute to laboratory problem)
103	Calibration correlation coefficient does not meet requirement
104	Calibration verification recovery criteria were not met
105	Low-level check sample recovery criteria were not met

Table A2.3 V&V Reason Code Definitions

V&V Reason Code Definitions				
Validation Reason - Code	Description Description			
107	Analyte detected but < RDL in calibration blank verification			
109	Interference indicated in the ICP interference check sample			
110	Laboratory control sample recovery criteria were not met			
111	Laboratory duplicate sample precision criteria were not met			
112	Predigestion matrix spike criteria were not met (+/- 25 percent)			
113	Predigestion matrix spike recovery is <30 percent			
114	Post-digestion matrix spike criteria were not met			
. 115	MSA was required but not performed			
116	MSA calibration correlation coefficient < 0.995			
117	Serial dilution percent D criteria not met			
123	Improper aliquot size			
128	Laboratory duplicate was not analyzed			
129	Verification criteria for frequency or sequence were not met			
130	Replicate precision criteria were not met			
131	Confirmation percent difference criteria not met			
132	Laboratory control samples >+/- 3 sigma			
136	MDA exceeded the RDL			
139	Tune criteria not met			
140	Requirements for independent calibration verification were not met			
141	Continuing calibration verification criteria were not met			
142	Surrogates were outside criteria			
143	Internal standards outside criteria			
145	Results were not confirmed			
147	Percent breakdown exceeded 20 percent			
148	Linear range of measurement system was exceeded			
149	Method, preparation, or reagent blank contamination > RDL			
150	Unknown carrier volume			
152	Reported data do not agree with raw data			
153	Calculation error			
155	Original result exceeds linear range; serial dilution value reported			
159	Magnitude of calibration verification blank result exceeded the RDL			
164	Standard traceability or certification requirements not met			
166	Carrier aliquot nonverifiable			
168	QC sample frequency does not meet requirements			
170	Resolution criteria not met			
172	Calibration counting statistics not met			
174	LCS data not submitted			
175	Blank data not submitted			
177	Detector efficiency criteria not met			
188	Blank corrected results			
199	See hard copy for further explanation			
201	Preservation requirements not met by the laboratory			
205	Unobtainable omissions or errors on SDP (required for databases)			
206	Analyses were not requested according to the SOW			
207	Sample pretreatment or sample preparation method is incorrect			
211	Poor cleanup recovery			
212	Instrument detection limit was not provided			

Table A2.3
V&V Reason Code Definitions

V&V Reason Code Definitions					
Validation Reason Code	Description at the second of t				
213	Instrument detection limit is > the associated RDL				
214	IDL is older than 3 months from date of analysis				
215	Blank results were not reported to the IDL/MDL				
216	Post-digestion spike recoveries outside of 85-115 percent criteria				
217	Post-digestion spike recoveries were < 10 percent				
218	Sample COC was not verifiable (attributed to laboratory)				
219	Standards have expired or are not valid				
220	TCLP sample percent solids < 0.5 percent				
222	TCLP particle size was not performed				
224	Incomplete TCLP extraction data				
225	Insufficient TCLP extraction time				
226	TIC misidentification				
227	No documentation regarding deviations from methods or SOW				
228	Calibration recoveries affecting data quality have not been met				
229	Element not analyzed in ICP interference check sample				
230	QC sample/analyte (e.g., spike, duplicate, LCS) not analyzed				
231	MS/MSD criteria not met				
232	Control limits not assigned correctly				
233	Sample matrix QC does not represent samples analyzed				
234	QC sample does not meet method requirement				
235	Duplicate sample control limits do not pass				
236	LCS control limits do not pass				
237	Preparation blank control limits do not pass				
238	Blank correction was not performed				
239	Winsorized mean plus standard deviation of the same not calculated or calculated wrong				
240	Sample preparations for soil/sludge/sediment were not homog/aliq properly				
241	No micro PPT or electroplating data available				
242	Tracer requirements were not met				
243	Standard values were not calculated correctly (LCS, tracer, standards)				
244	Standard or tracer is not NIST traceable				
245	Energy calibration criteria not met				
246	Background calibration criteria were not met				
247	Sample or control analysis not chemically separated from each other				
248	Single combined TCLP result was not repeated for sample with both mis+nonm				
249	Result qualified due to blank contamination				
250	Incorrect analysis sequence				
251	Misidentified target compounds				
252	Result is suspect DU				
701	Holding times were exceeded (not attributed to laboratory)				
702	Holding times were grossly exceeded (not attributed to laboratory)				
703	Samples were not preserved properly in the field (not attributed to laboratory)				
801	Missing deliverables (required for data assessment)				
802	Missing deliverables (not required for data assessment)				
803	Omissions or errors on SDP deliverables (required for data assessment)				
804	Omissions or errors on SDP deliverables (not required for data assessment				
805	Information missing from case narrative				
806	Site samples not used for sample matrix QC				
807	Original documentation not provided				

Table A2.3 V&V Reason Code Definitions

Validation Reason Code	Description 3. Descri				
808	Incorrect or incomplete DRC				
809	Non-site samples reported with site samples				
810	EDD does not match hard copy; EDD may be resubmitted				

5 of 5

Table A2.4
Standardized V&V Reason Code Definitions, QC Categories, and Affected PARCC Parameters

	rdized V&V Reason Code Definitions, QC Categori	ies, and Affected PARCC	
Validation Reason Codes	Standardized Description	ि QC Category: ह	Affected PARCC
188, 88	Blank corrected results	Blanks	Representativeness
238	Blank correction was not performed	Blanks	Representativeness
175, 75	Blank data not submitted	Blanks	Representativeness
60	Blank recovery criteria were not met	Blanks	Representativeness
215	Blank results were not reported to the IDL/MDL	Blanks	Representativeness
107, 159	Calibration verification blank contamination	Blanks	Representativeness
149, 21, 237, 249,	Method, preparation, or reagent blank	Blanks	Representativeness
49, 59, 7	contamination		
8	Negative bias indicated in the blanks	Blanks	Representativeness
153, 53	Calculation error	Calculation Errors	Other
232	Control limits not assigned correctly	Calculation Errors	Other
246	Background calibration criteria were not met	Calibration	Accuracy
103, 3	Calibration correlation coefficient did not meet requirements	Calibration	Accuracy .
172, 72	Calibration counting statistics did not meet criteria	Calibration	Accuracy
106	Calibration did not contain minimum number of standards	Calibration	Ассигасу
228	Calibration requirements affecting data quality have not been met	Calibration	Accuracy
104, 141, 19, 29, 4, 40, 41		Calibration	Accuracy
245	Energy calibration criteria not met	Calibration	Ассигасу
6	Incorrect calibration of instrument	Calibration	Ассигасу
148, 48	Result exceeded linear range of measurement	Calibration	Accuracy
140, 40	system	Curoration	recuracy
155, 55	Original result exceeded linear range, serial dilution value reported	Calibration	Accuracy
140	Requirements for independent calibration verification were not met	Calibration	Accuracy
129	Frequency or sequencing verification criteria not met	Calibration	Accuracy
131	Confirmation percent difference criteria not met	Confirmation	Precision
145, 45	Results were not confirmed	Confirmation	Precision
18	Sufficient documentation not provided by the laboratory	Documentation issues	Representativeness
705	Electronic qualifiers were applied from validation report by hand	Documentation issues	Other
805	Information missing from case narrative	Documentation issues	Other
84	Key data field incorrect	Documentation issues	Other
802	Missing deliverables (not required for validation)	Documentation issues	Other
801	Missing deliverables (required for validation)	Documentation issues	Representativeness
227	No documentation regarding deviations from	Documentation issues	Other
	methods or SOW		·
44	No mass spectra were provided	Documentation issues	Representativeness
241	No micro pipette or electroplating data available	Documentation issues	Other
26	No raw data submitted by the laboratory	Documentation issues	Representativeness
804	Omissions or errors in SDP (not required for	Documentation issues	Other
803	validation) Omissions or errors in SDP (required for validation)	Documentation issues	Representativeness
807	Original documentation not provided	Documentation issues	Other
85	Record added by the validator	Documentation issues	Other

Table A2.4
Standardized V&V Reason Code Definitions, OC Categories, and Affected PARCC Parameters

	rdized V&V Reason Code Definitions, QC Categor	ies, and Affected PARCC	Parameters
Validation Reason Codes		OC Category is	Affected PARCC Parameter
152	Reported data do not agree with raw data	Documentation issues	Other
89	Sample analysis was not requested	Documentation issues	Other
218	Sample COC was not verifiable (attributed to laboratory)	Documentation issues	Representativeness
704	Sample COC was not verifiable (not attributed to laboratory)	Documentation issues	Representativeness
83	Sample results were not included on Data Summary Table	Documentation issues	Other
52	Transcription error	Documentation issues	Other
205	Unobtainable omissions or errors on SDP (required for data assessment)	Documentation issues	Representativeness
1, 101, 701	Holding times were exceeded	Holding times	Representativeness
2, 102, 702	Holding times were grossly exceeded	Holding times	Representativeness
251	Misidentified target compounds	Identification errors	Representativeness
70	Resolution criteria not met	Identification errors	Representativeness
226	TIC misidentification	Identification errors	Representativeness
143, 43	Internal standards did not meet criteria	Internal standards	Accuracy
5	CRDL check sample recovery criteria were not met	LCS	Accuracy
33	LCS > ± 2 sigma and < ± 3 sigma	LCS	Accuracy
10, 110, 236	LCS recovery criteria were not met	LCS	Accuracy
132, 32	Laboratory control samples > ± 3 sigma	LCS	Accuracy
174, 74	LCS data not submitted	LCS	Representativeness
63	Expected LCS value not submitted/verifiable	LCS	Representativeness
62	LCS relative percent error criteria not met	LCS	Accuracy
105	Low-level check sample recovery criteria were not met	LCS	Accuracy
230	QC sample/analyte (e.g., spike, duplicate, LCS) not analyzed	LCS	Representativeness
28	Duplicate analysis was not performed	Matrices	Precision
11, 235	Duplicate sample precision criteria were not met	Matrices	Precision
111	LCS/LCSD precision criteria were not met	Matrices	Precision
128	Laboratory duplicate was not analyzed	Matrices	Precision
231	MS/MSD criteria not met	Matrices	Precision
116, 16	MSA calibration correlation coefficient <0.995	Matrices	Accuracy
115, 15	MSA was required but not performed	Matrices	Representativeness
58	Sample contained < 10 percent solid material	Matrices	Representativeness
57	Sample contained < 30 percent solid material	Matrices	Representativeness
217	Post-digestion spike recoveries were < 10%	Matrices	Accuracy
14, 114, 216	Post-digestion matrix spike criteria were not met	Matrices	Accuracy
113, 13	Predigestion matrix spike recovery is <30%	Matrices	Accuracy
112, 12	Predigestion matrix spike recovery criteria were not met		Accuracy
27	Recovery criteria were not met	Matrices	Accuracy
31	Replicate analysis was not performed	Matrices	Precision
130, 30	Replicate precision criteria were not met	Matrices	Precision
61	Replicate recovery criteria were not met	Matrices	Accuracy
233	Sample matrix QC does not represent samples analyzed	Matrices	Representativeness
117, 17	Serial dilution criteria not met	Matrices	Accuracy
806	Site samples not used for sample matrix QC	Matrices	Representativeness
810	EDD does not match hard copy; EDD may be	Other	Other
1	resubmitted	l	1

Table A2.4
Standardized V&V Reason Code Definitions, QC Categories, and Affected PARCC Parameters

	rdized V&V Reason Code Definitions, QC Categor	ies, and Affected PARCC	
Validation Reason Codes	Standardized Description	QC Category	Affected PARCC Parameter
214	IDL is older than 3 months from date of analysis	Other	Accuracy
250	Incorrect analysis sequence	Other	Representativeness
808	Incorrect or incomplete DRC	Other	Representativeness
212	Instrument detection limit was not provided	Other	Other
87	Laboratory did no analysis for this record	Other	Other
809	Nonsite samples reported with Site samples	Other	Other
64	Nontraceable/noncertified standard was used	Other	Accuracy
51	Nonverifiable laboratory results and/or unsubmitted data	Other	Representativeness
211	Poor cleanup recovery	Other	Accuracy
25	Primary standard had exceeded expiration date	Other	Accuracy
234	QC sample does not meet method requirement	Other	Representativeness
168, 68	QC sample frequency does not meet requirements	Other	Representativeness
252	Result is suspect due to dilution	Other	Other
79	Result obtained through dilution	Other	Other
37	Sample exceeded efficiency curve weight limit	Other	Accuracy
247	Sample or control analyses not chemically separated from each other	Other	Representativeness
90	Sample result was not validated due to re-analysis	Other	Other
67	Sample results not submitted/verifiable	Other	Representativeness
199, 99	See hard copy for further explanation	Other	Other
248	Single combined TCLP results was not reported for sample with both mis+nonm	Other	Accuracy
80	Spurious counts of unknown origin	Other	Representativeness
244	Standard or tracer is not NIST traceable	Other	Accuracy
164	Standard traceability or certification requirements not met	Other	Accuracy
219	Standards have expired or are not valid	Other	Accuracy
243	Standard values were not calculated correctly (LCS, tracer, standards)	Other	Other
22 .	Tracer contamination	Other	Accuracy
242	Tracer requirements were not met	Other	Accuracy
71	Unit conversion of results	Other	Other
239	Winsorized mean+standard deviation of the same not calculated or calculated wrong	Other	Other
38	Excessive solids on planchet	Sample preparation	Accuracy
123, 23	Improper aliquot size	Sample preparation	Accuracy
224	Incomplete TCLP extraction data	Sample preparation	Representativeness
225	Insufficient TCLP extraction time	Sample preparation	Representativeness
201	Preservation requirements not met by the laboratory	Sample preparation	Representativeness
24	Sample aliquot not taken quantitatively	Sample preparation	Accuracy
240	Sample preparation for soil/sludge/ sediment were not homog/aliq properly	Sample preparation	Representativeness
207	Sample pretreatment or preparation method is incorrect	Sample preparation	Representativeness
69	Samples not distilled	Sample preparation	Representativeness
703	Samples were not preserved properly in the field	Sample preparation	Representativeness
222	TCLP particle size was not performed	Sample preparation	Representativeness
220	TCLP sample percent solids < 0.5 percent	Sample preparation	Representativeness

3 of 4

Table A2.4
Standardized V&V Reason Code Definitions, QC Categories, and Affected PARCC Parameters

other entativeness Other entativeness entativeness Other recision ccuracy Other
entativeness entativeness Other recision ccuracy Other
entativeness Other recision ccuracy Other
Other ecision ccuracy Other
ecision ecuracy Other
ccuracy Other
Other
entativeness
ccuracy
ecision
ccuracy
ccuracy
entativeness
entativeness
ccuracy
entativeness
entativeness
entativeness entativeness
entativeness
entativeness ccuracy

Table A2.5 Summary of V&V Observations

1075 25 25 25 27			Summary of V&V Observations	Property Management St.	Maria Carrier and Live		
Analyte Group	Matrix	OC Category	V&V Observation (1984)	Detect.?	No. of Qualified Results	Total No. of V&V Records	Percent Qualified (%)
Dioxins and Furans	WATER	Documentation Issues	Record added by the validator	No	1	1	100.00
Herbicide \	WATER	Calibration	Continuing calibration verification criteria were not met	No	1	7	14.29
Metal	SOIL	Blanks	Calibration verification blank contamination	No	48	831	5.78
Metal S	SOIL	Blanks	Calibration verification blank contamination	Yes	4	831	0.48
	SOIL	Blanks	Method, preparation, or reagent blank contamination	No	10	831	1.20
	SOIL	Blanks	Negative bias indicated in the blanks	No	1	831	0.12
Metal	SOIL	Blanks	Negative bias indicated in the blanks	Yes	4	831	0.48
Metal S	SOIL	Calibration	Calibration correlation coefficient did not meet requirements	No	2	831	0.24
	SOIL	Documentation Issues	Transcription error	No	11	831	1.32
	SOIL	Documentation Issues	Transcription error	Yes	46	831	5.54
Metal S	SOIL	Holding Times	Holding times were exceeded	No	1	831	0.12
			Interference was indicated in the interference check		_		
	SOIL	Instrument Set-up	sample	Yes	5	831	0.60
	SOIL	LCS	CRDL check sample recovery criteria were not met	No	4	831	0.48
	SOIL	LCS	CRDL check sample recovery criteria were not met	Yes	1 .	831	0.12
	SOIL	LCS	LCS recovery criteria were not met	No	7	831	0.84
	SOIL	LCS LCS	LCS recovery criteria were not met	Yes No	12	831 831	1.44
		LCS	Low level check sample recovery criteria were not met Low level check sample recovery criteria were not met	Yes	1	831	0.12
	SOIL	Matrices	Duplicate sample precision criteria were not met	Yes	6.	831	0.72
	SOIL	Matrices	LCS/LCSD precision criteria were not met	Yes	1	831	0.72
	SOIL	Matrices	Post-digestion MS did not meet control criteria	No	6	831	0.72
	SOIL	Matrices	Post-digestion MS did not meet control criteria	Yes	5	831	0.60
	SOIL	Matrices	Predigestion MS recovery criteria were not met	No	18	831	2.17
	SOIL	Matrices	Predigestion MS recovery criteria were not met	Yes	58	831	6.98
	SOIL	Matrices	Serial dilution criteria were not met	Yes	52	831	6.26
	SOIL	Other	IDL is older than 3 months from date of analysis	No	90	831	10.83
Metal	SOIL	Other	IDL is older than 3 months from date of analysis	Yes	298	831	35.86
Metal S	SOIL	Other	Result obtained through dilution	Yes	1	831	0.12
Metal	WATER	Blanks	Calibration verification blank contamination	No	57_	1,647	3.46
Metal	WATER	Blanks	Calibration verification blank contamination	Yes	12	1,647	0.73
		Blanks	Method, preparation, or reagent blank contamination	No	148	1,647	8.99
		Blanks	Method, preparation, or reagent blank contamination	Yes	11	1,647	0.67
		Blanks	Negative bias indicated in the blanks	No	16	1,647	0.97
Metal \	WATER	Blanks	Negative bias indicated in the blanks	Yes	7	1,647	0.43
Metal V	WATER	Calibration	Calibration correlation coefficient did not meet requirements	No	4	1,647	0.24
Metal	WATER	Calibration	Calibration correlation coefficient did not meet requirements	Yes	5	1,647	0.30
		Calibration	Continuing calibration verification criteria were not met	Yes	1	1,647	0.06
	WATER	Documentation Issues	Key data fields incorrect	No	5	1,647	0.30
Metal	WATER	Documentation Issues	Missing deliverables (not required for validation)	No	1	1,647	0.06
		Documentation Issues	Missing deliverables (not required for validation)	Yes	1	1,647	0.06
		Documentation Issues	Missing deliverables (required for validation)	No	10	1,647	0.61
Metal	WATER	Documentation Issues	Missing deliverables (required for validation)	Yes	18	1,647	1.09
			Omissions or errors in data package (not required for	l			
	WATER	Documentation Issues	validation)	No	22	1,647	1.34
Metal V			validation) Omissions or errors in data package (not required for				
Metal \(\frac{1}{2}\)	WATER	Documentation Issues	validation) Omissions or errors in data package (not required for validation)	Yes	31	1,647	1.88
Metal Metal Metal	WATER WATER	Documentation Issues Documentation Issues	validation) Omissions or errors in data package (not required for validation) Transcription error	Yes No	31 68	1,647 1,647	1.88 4.13
Metal Metal Metal Metal	WATER WATER WATER	Documentation Issues	validation) Omissions or errors in data package (not required for validation)	Yes	31	1,647 1,647 1,647	1.88
Metal Metal Metal Metal Metal Metal Metal	WATER WATER WATER	Documentation Issues Documentation Issues Holding Times Instrument Set-up	validation) Omissions or errors in data package (not required for validation) Transcription error Holding times were exceeded Interference was indicated in the interference check sample Interference was indicated in the interference check	Yes No No	31 68 2	1,647 1,647 1,647	1.88 4.13 0.12 0.06
Metal	WATER WATER WATER WATER	Documentation Issues Documentation Issues Holding Times Instrument Set-up	validation) Omissions or errors in data package (not required for validation) Transcription error Holding times were exceeded Interference was indicated in the interference check sample Interference was indicated in the interference check sample	Yes No No No	31 68 2 1	1,647 1,647 1,647 1,647	1.88 4.13 0.12 0.06
Metal	WATER WATER WATER WATER WATER WATER	Documentation Issues Documentation Issues Holding Times Instrument Set-up LCS	validation) Omissions or errors in data package (not required for validation) Transcription error Holding times were exceeded Interference was indicated in the interference check sample Interference was indicated in the interference check sample CRDL check sample recovery criteria were not met	Yes No No No Yes	31 68 2 1	1,647 1,647 1,647 1,647 1,647	1.88 4.13 0.12 0.06 0.18 0.24
Metal	WATER WATER WATER WATER WATER WATER WATER	Documentation Issues Documentation Issues Holding Times Instrument Set-up LCS LCS	validation) Omissions or errors in data package (not required for validation) Transcription error Holding times were exceeded Interference was indicated in the interference check sample Interference was indicated in the interference check sample CRDL check sample recovery criteria were not met CRDL check sample recovery criteria were not met	Yes No No No Yes No Yes	31 68 2 1 3 4 6	1,647 1,647 1,647 1,647 1,647 1,647	1.88 4.13 0.12 0.06 0.18 0.24 0.36
Metal	WATER WATER WATER WATER WATER WATER	Documentation Issues Documentation Issues Holding Times Instrument Set-up LCS LCS LCS	validation) Omissions or errors in data package (not required for validation) Transcription error Holding times were exceeded Interference was indicated in the interference check sample Interference was indicated in the interference check sample CRDL check sample recovery criteria were not met	Yes No No No Yes	31 68 2 1	1,647 1,647 1,647 1,647 1,647	1.88 4.13 0.12 0.06 0.18 0.24

DEN/E032005011.XLS

Table A2.5 pary of V&V Observations

	Summary of V&V Observations						
Analyte Group	Matrix	QC Category.	V&VObservation s 2/35: 44 _{cres}	Detect ?	A CONTRACTOR OF THE CONTRACTOR	Total No. of V&V Records	Percent Qualified (%)
Metal	WATER		Low level check sample recovery criteria were not met	Yes	22	1,647	1.34
Metal	WATER	Matrices	Duplicate sample precision criteria were not met	No	2	1,647	0.12
Metal	WATER	Matrices	Duplicate sample precision criteria were not met	Yes	3	1,647	0.18
Metal		Matrices	LCS/LCSD precision criteria were not met	No	2	1,647	0.12
Metal		Matrices	LCS/LCSD precision criteria were not met	Yes	2	1,647	0.12
Metal		Matrices	MSA calibration correlation coefficient < 0.995	Yes	1	1,647	0.06
Metal		Matrices	Post-digestion MS did not meet control criteria	No	14	1,647	0.85
Metal		Matrices	Post-digestion MS did not meet control criteria	Yes	7	1,647	0.43
Metal		Matrices	Predigestion MS recovery criteria were not met	No	23	1,647	1.40
Metal		Matrices	Predigestion MS recovery criteria were not met Predigestion MS recovery was < 30 percent	Yes Yes	22	1,647	0.12
Metal		Matrices Matrices	Serial dilution criteria were not met	No	1	1,647 1,647	0.12
Metal		Matrices	Serial dilution criteria were not met	Yes	41	1,647	2.49
Metal Metal	WATER		IDL is older than 3 months from date of analysis	No	61	1,647	3.70
Metal	WATER		IDL is older than 3 months from date of analysis	Yes	55	1,647	3.34
Metal	WATER		See hard copy for further explanation	No	2	1,647	0.12
Metal	WATER		See hard copy for further explanation	Yes	7	1,647	0.43
Metal		Sample Preparation	Samples were not properly preserved in the field	No	12	1,647	0.73
Metal		Sample Preparation	Samples were not properly preserved in the field	Yes	15	1,647	0.91
Metal		Sensitivity	IDL changed due to a significant figure discrepancy	No	7	1,647	0.43
PCB		Documentation Issues	Transcription error	No	8	35	22.86
PCB		Surrogates	Surrogate recovery criteria were not met	No	7	35	20.00
Pesticide		Calibration	Continuing calibration verification criteria were not met	No	8	115	6.96
Pesticide	WATER	Documentation Issues	Transcription error	No	2	115	1.74
Pesticide	WATER	Surrogates	Surrogate recovery criteria were not met	No	21	115	18.26
Radionuclide	SOIL	Blanks	Method, preparation, or reagent blank contamination	Yes	18	291	6.19
Radionuclide	SOIL	Calibration	Continuing calibration verification criteria were not met	Yes	2	291	0.69
Radionuclide	SOIL	Documentation Issues	Record added by the validator	Yes	32	- 291	11.00
		D	0.00		20	201	
Radionuclide	SOIL SOIL	Documentation Issues	Sufficient documentation not provided by the laboratory	Yes Yes	32 19	291 291	11.00 6.53
Radionuclide Radionuclide	SOIL	Documentation Issues	Transcription error Resolution criteria were not met	Yes	19	291	0.34
Radionuclide	SOIL	Instrument Set-up LCS	LCS recovery > +/- 3 sigma	Yes	7	291	2.41
Radionuclide	SOIL	LCS	LCS recovery criteria were not met	Yes	4	291	1.37
Radionuclide	SOIL	LCS	LCS relative percent error criteria not met	No	1	291	0.34
Radionuclide	SOIL	LCS	LCS relative percent error criteria not met	Yes	39	291	13.40
Radionuclide	SOIL	Matrices	Recovery criteria were not met	Yes	3	291	1.03
Radionuclide	SOIL	Matrices	Replicate precision criteria were not met	Yes	9	291	3.09
Radionuclide	SOIL	Matrices	Replicate recovery criteria were not met	Yes	2	291	0.69
Radionuclide	SOIL	Other	Lab results not verified due to unsubmitted data	Yes	1	291	0.34
Radionuclide	SOIL	Other	QC sample does not meet method requirements	No	27	291	9.28
Radionuclide	SOIL	Other	QC sample does not meet method requirements	Yes	23	291	· 7.90
Radionuclide	SOIL	Sensitivity	MDA exceeded the RDL	Yes	1	291	0.34
Radionuclide	SOIL	Sensitivity	MDA was calculated by reviewer	Yes	50	291	17.18
Radionuclide	WATER	Blanks	Method, preparation, or reagent blank contamination	No	3	395	0.76
Radionuclide		Blanks	Method, preparation, or reagent blank contamination	Yes	16	395	4.05
Radionuclide	WATER	Calculation Errors	Calculation error	Yes	2	395	0.51
Radionuclide	WATER	Calibration	Calibration counting statistics did not meet criteria	No	3	395	0.76
Radionuclide	WATER	Calibration	Continuing calibration verification criteria were not met	No	6	395	1.52
	WATER	California's and	Continuing calibration verification criteria were not met	Yes	63	395	15.95
Radionuclide	WATER	Calibration		-			
			Omissions or errors in data package (not required for		,	205	0.76
Radionuclide Radionuclide	WATER	Documentation Issues	Omissions or errors in data package (not required for validation)	No	3	395	0.76
Radionuclide	WATER	Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for	No			
Radionuclide Radionuclide	WATER WATER	Documentation Issues Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for validation)	No Yes	3	395	0.76
Radionuclide	WATER WATER	Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for	No			
Radionuclide Radionuclide	WATER WATER WATER	Documentation Issues Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for validation)	No Yes	3	395	0.76
Radionuclide Radionuclide Radionuclide	WATER WATER WATER	Documentation Issues Documentation Issues Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for validation) Record added by the validator	No Yes Yes	3	39 <u>5</u> 395	0.76 2.03
Radionuclide Radionuclide Radionuclide Radionuclide	WATER WATER WATER WATER WATER	Documentation Issues Documentation Issues Documentation Issues Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for validation) Record added by the validator Sufficient documentation not provided by the laboratory	No Yes Yes	3 8 34	395 395 395	0.76 2.03 8.61
Radionuclide Radionuclide Radionuclide Radionuclide Radionuclide	WATER WATER WATER WATER WATER WATER	Documentation Issues Documentation Issues Documentation Issues Documentation Issues Documentation Issues	Omissions or errors in data package (not required for validation) Omissions or errors in data package (not required for validation) Record added by the validator Sufficient documentation not provided by the laboratory Transcription error	No Yes Yes Yes No	3 8 34 24	395 395 395 395	0.76 2.03 8.61 6.08

2 of 4

()a/

Table A2.5
Summary of V&V Observations

			Summary of V&V Observations				
Analyte Group	Matrix	QC Category	V&V/Observation	Detect.?		Total No. of V&V Records	
			Transformed spectral index external site criteria were not				
Radionuclide		Instrument Set-up	met	No	3	395	0.76
Radionuclide	WATER		Expected LCS value not submitted/verifiable	No	1	395	0.25
Radionuclide	WATER		Expected LCS value not submitted/verifiable	Yes	5	395	1.27
Radionuclide	WATER WATER		LCS data not submitted by the laboratory LCS recovery > +/- 3 sigma	Yes No	9	395 395	0.76 2.28
Radionuclide Radionuclide	WATER		LCS recovery > +/- 3 sigma	Yes	11	395	2.78
Radionuclide	WATER		LCS recovery criteria were not met	No	1	395	0.25
Radionuclide	WATER		LCS recovery criteria were not met	Yes	2	395	0.51
Radionuclide	WATER		LCS relative percent error criteria not met	No	4	395	1.01
Radionuclide	WATER		LCS relative percent error criteria not met	Yes	18	395	4.56,
Radionuclide	WATER	Matrices	Recovery criteria were not met	No	1	395	0.25
Radionuclide	WATER	Matrices	Recovery criteria were not met	Yes	6	395	1.52
Radionuclide	WATER	Matrices	Replicate analysis was not performed	No	7	395	1.77
Radionuclide	WATER	Matrices	Replicate analysis was not performed	Yes	6	395	1.52
Radionuclide	WATER		Replicate precision criteria were not met	No	1	395	0.25
Radionuclide	WATER		Replicate precision criteria were not met	Yes	26	395	6.58
Radionuclide		Matrices	Replicate recovery criteria were not met	No	1	395	0.25
Radionuclide	WATER		Replicate recovery criteria were not met	Yes	2	395	0.51
Radionuclide	WATER		QC sample does not meet method requirements	No	3	395	0.76
Radionuclide	WATER		See hard copy for further explanation	Yes	21	395	5.32
Radionuclide	WATER		Tracer requirements were not met	No Yes	9	395 395	0.25 2.28
Radionuclide		Other	Tracer requirements were not met	No	7	395	1.77
Radionuclide		Sensitivity Sensitivity	MDA exceeded the RDL MDA exceeded the RDL	Yes	16	395	4.05
Radionuclide			MDA was calculated by reviewer	Yes	111	395	28.10
Radionuclide SVOC	WATER	Sensitivity	Method, preparation, or reagent blank contamination	No	3	308	0.97
SVOC		Calibration	Continuing calibration verification criteria were not met	No	9	308	2.92
SVOC		Calibration	Independent calibration verification criteria not met	No	1	308	0.32
3100	WAILK	Canbration	Omissions or errors in data package (not required for				0.02
svoc	WATER	Documentation Issues	validation)	No	6	308	1.95
SVOC		Documentation Issues	Transcription error	No	11	308	3.57
SVOC	WATER	Documentation Issues	Transcription error	Yes	1	308	0.32
SVOC	WATER	Holding Times	Holding times were exceeded	No	13	308	4.22
SVOC	WATER	Instrument Set-up	Instrument tune criteria were not met	No	9	308	2.92
SVOC	WATER	LCS	LCS recovery criteria were not met	No	3	308	0.97
SVOC	WATER	Other	Sample results were not validated due to re-analysis	No	9	308	2.92
SVOC	WATER	Other	Sample results were not validated due to re-analysis	Yes	1	308	0.32
SVOC	WATER	Other	See hard copy for further explanation	No	8	308	2.60
VOC	SOIL	Blanks	Method, preparation, or reagent blank contamination	No	3	186	1.61
VOC	SOIL	Documentation Issues	Transcription error	No	1	186	0.54
VOC	SOIL	Holding Times	Holding times were exceeded	No No	34 17	186 2,629	18.28 0.65
VOC	WATER		Method, preparation, or reagent blank contamination Method, preparation, or reagent blank contamination	Yes	2	2,629	0.65
VOC	WATER	Calibration	Continuing calibration verification criteria were not met	No	29	2,629	/1.10
VOC		Calibration	Independent calibration verification criteria were not met	No	2	2,629	0.08
VOC		Confirmation	Results were not confirmed	No	2	2,629	0.08
voc		Confirmation	Results were not confirmed	Yes	1	2,629	0.04
voc		Documentation Issues	Omissions or errors in data package (not required for validation)	No	109	2,629	4.15
VOC		Documentation Issues	Record added by the validator	No	2	2,629	0.08
VOC		Documentation Issues	Transcription error	No	87	2,629	3.31
voc		Holding Times	Holding times were exceeded	No	155	2,629	5.90
VOC		Instrument Set-up	Instrument tune criteria were not met	No	162	2,629	6.16
VOC		Instrument Set-up	Instrument tune criteria were not met	Yes	2	2,629	0.08
VOC	WATER		LCS recovery criteria were not met	No	74	2,629	2.81
VOC	WATER		LCS recovery criteria were not met	Yes	1	2,629	0.04
VOC		Other	Sample results were not validated due to re-analysis	No	34	2,629	1.29
VOC	WATER	Other	See hard copy for further explanation	No	1	2,629	0.04
Wet Chemistry	SOIL	Matrices	Predigestion MS recovery was < 30 percent	Yes	15	18	83.33
Wet Chemistry	SOIL	Other	IDL is older than 3 months from date of analysis	Yes	17	18	94.44
		•	<u>. </u>				

Table A2.5 Summary of V&V Observations

	Cara Service		International arm in the six is to the characteristic by the trace Control of Salary	Laurie au a h	The world failed	and the same of the same	Street Control and All
Analyte Group	神神科			MAL H	Land the same of	Total No. of	A DOMESTIC OF THE LOCAL PROPERTY.
Analyte Group	Matrix	QC Category	V&V Observation & 42			TV&V	
	经证明数	AND LINE THE REAL AND IN	Call and an analysis and did not made	AND THE	A Kesuits	Records	Single Se Jake
	l	L	Calibration correlation coefficient did not meet	١.,		255	0.00
Wet Chemistry		Calibration	requirements	Yes	1	257	0.39
Wet Chemistry	WATER	Calibration	Continuing calibration verification criteria were not met	Yes	1	257	0.39
Wet Chemistry	WATER	Documentation Issues	Missing deliverables (not required for validation)	No	. 1	257	0.39
Wet Chemistry	WATER	Documentation Issues	Missing deliverables (not required for validation)	Yes	2	257	0.78
			Omissions or errors in data package (not required for				
Wet Chemistry	WATER	Documentation Issues	validation)	No	3	257	1.17
			Omissions or errors in data package (not required for				
Wet Chemistry	WATER	Documentation Issues	validation)	Yes	6	257	2.33
Wet Chemistry	WATER	Documentation Issues	Transcription error	No	4	257	1.56
Wet Chemistry	WATER	Documentation Issues	Transcription error	Yes	9	257	3.50
Wet Chemistry	WATER	Holding Times	Holding times were exceeded	No	2	257	0.78
Wet Chemistry	WATER	Holding Times	Holding times were exceeded	Yes	5	257	1.95
Wet Chemistry	WATER	Holding Times	Holding times were grossly exceeded	No	1	257	0.39
Wet Chemistry	WATER	Matrices	Predigestion MS recovery criteria were not met	Yes	2	257	0.78
Wet Chemistry	WATER	Matrices	Site samples were not used for sample matrix QC	No ·	1	257	0.39
Wet Chemistry	WATER	Matrices	Site samples were not used for sample matrix QC	Yes	2	257	0.78
Wet Chemistry	WATER	Other	IDL is older than 3 months from date of analysis	Yes	3	257	1.17
Wet Chemistry	WATER	Other	Lab results not verified due to unsubmitted data	Yes	2	257	0.78
Wet Chemistry	WATER	Other	See hard copy for further explanation	No	1	257	0.39
Wet Chemistry	WATER	Other	See hard copy for further explanation	Yes	2	257	0.78

Table A2.6 Summary of Data Rejected During V&V

Analyte Group	Matrix 87	Total No. of Rejected Records	/Total No. of Records	Percent Rejected
Dioxins and Furans	WATER	0	1	0.00
Herbicide	SOIL	. 0	5	0.00
Herbicide	WATER	0	7	0.00
Metal	SOIL	15	988	1.52
Metal	WATER	46	2,233	2.06
PCB	SOIL	0	7	0.00
PCB	WATER	0	35	0.00
Pesticide	SOIL	0	25	0.00
Pesticide	WATER	0	115	0.00
Radionuclide	SOIL	81	408	19.85
Radionuclide	WATER	57	591	9.64
SVOC	SOIL	0	295	0.00
SVOC	WATER	9	349	2.58
VOC	SOIL	11	496	2.22
VOC	WATER	62	3,280	1.89
Wet Chemistry	SOIL	0	18	0.00
Wet Chemistry	WATER	7	397	1.76
	Total	288	9,250	3.11%

Table A2.7
Summary of RPDs/DERs of Field Duplicate Analyte Pairs

Analyte Group	Matrix		Total No. of Duplicate Pairs	Percent Failure	Field Duplicates Frequency (%)
Metal	SOIL	12	60	20.00	7.22
Metal	WATER	18	221	8.14	11.90
Radionuclide	SOIL	2	23	8.70	7.59
Radionuclide	WATER	0	52	0.00	10.90
SVOC	WATER	0	21	0.00	6.36
VOC	WATER	0	395	0.00	13.72
Wet Chemistry	SOIL	0	2	0.00	11.11
Wet Chemistry	WATER	0	24	0.00	8.36

Table A2.8
Summary of Data Estimated or Undetected Due to V&V Determinations

Analyte Group	Contract Street	No. of CRA Data Records	Total No. of V&V	Detect?	Percent Qualified
Herbicide	WATER	Qualified-	<u> </u>	No	(%) 14.29
Metal	SOIL	101	831	No	12.15
Metal	SOIL	130	831	Yes	15.64
Metal	WATER	273	1,647	No	16.58
Metal	WATER	138	1,647	Yes	8.38
PCB	WATER	7	35	No	20.00
Pesticide	WATER	28	115	No	24.35
Radionuclide	SOIL	1	291	Yes	0.34
Radionuclide	WATER	6	395	No	1.52
Radionuclide	WATER	15	395	Yes	3.80
SVOC	WATER	33	308	No	10.71
VOC	SOIL	37	186	No	19.89
VOC	WATER	264	2,629	No	10.04
VOC	WATER	2	2,629	Yes	0.08
Wet Chemistry	SOIL	15	18	Yes	83.33
Wet Chemistry	WATER	3	257	No	1.17
Wet Chemistry	WATER	11	257	Yes	4.28
	Total	1,065	6,991		15.23%

Table A2.9
Summary of Data Qualified as Undetected Due to Blank Contamination

Analyte Group	Matrixi	No. of CRA Records Qualified as Undetected:	Total No. of CRA Records with Detected Results	Percent Qualified as Undetected
Metal	SOIL	34	633	5.37
Metal	WATER	29	735	3.95
Metal VOC	WATER	1	15	6.67
	Total	64	1383	4.63%

^a As determined by the laboratory prior to V&V.

COMPREHENSIVE RISK ASSESSMENT

SOUTHEAST BUFFER ZONE AREA EXPOSURE UNIT

VOLUME 13: ATTACHMENT 3

Statistical Analyses and Professional Judgment

TABLE OF CONTENTS

ACR	ONYM	IS AND	ABBREVIATIONS	viii
1.0			TION	
2.0	RES	ULTS O	OF STATISTICAL COMPARISONS TO BACKGROUND F	OR
	THE	SOUTI	HEAST BUFFER ZONE AREA EXPOSURE UNIT	1
	2.1	Surfac	ce Soil/Surface Sediment Data Used in the HHRA	2
•	2.2	Subsu	rface Soil/Subsurface Sediment Data Used in the HHRA	2
	2.3	Surfac	ce Soil Data Used in the ERA (Non-PMJM Receptors)	3
	2.4		ce Soil Data used in the ERA (PMJM Receptors)	
	2.5	Subsu	rface Soil Data used in the ERA	4
3.0	UPP1	ER-BOU	UND EXPOSURE POINT CONCENTRATION COMPARIS	SON
			NG ECOLOGICAL SCREENING LEVELS	
	3.1	ECOI	s in Surface Soil	5
	3.2	ECOI	s in Subsurface Soil	5
4.0	PRO	FESSIC	ONAL JUDGMENT	5
	4.1	Alum	inum	7
		4.1.1	Summary of Process Knowledge	7
		4.1.2	Evaluation of Spatial Trends	7
		4.1.3	Pattern Recognition	
•		4.1.4	Comparison to RFETS Background and Other Background Da	ıta
			Sets	
		4.1.5	Risk Potential for Plants and Wildlife	8
		4.1.6	Conclusion	8
	4.2	Arsen	ic	8
		4.2.1	Summary of Process Knowledge	9
		4.2.2	Evaluation of Spatial Trends	9
		4.2.3	Pattern Recognition	9
		4.2.4	Comparison to RFETS Background and Other Background Da	ıta
			Sets	9
	•	4.2.5	Risk Potential for HHRA	9
		4.2.6	Conclusion	10
	4.3	Boron	l	10
		4.3.1	Summary of Process Knowledge	10
		4.3.2	Evaluation of Spatial Trends	10
		4.3.3	Pattern Recognition	
		4.3.4	Comparison to RFETS Background and Other Background Da	ıta
			Sets	11
		4.3.5	Risk Potential for Plants and Wildlife	11
		4.3.6	Conclusion	11
	4.4	Cesiu	m-137	11
		4.4.1	Summary of Process Knowledge	12
		4.4.2	Evaluation of Spatial Trends	
		4.4.3	Pattern Recognition	

	4.4.4	· 1	
		Sets	
	4.4.5	Risk Potential for HHRA	
	4.4.6	Conclusion	13
4.5	Chron	nium	13
	4.5.1	Summary of Process Knowledge	13
	4.5.2	Evaluation of Spatial Trends	13
	4.5.3	Pattern Recognition	13
	4.5.4	Comparison to RFETS Background and Other Background Dat	a
		Sets	
	4.5.5	Risk Potential for Plants and Wildlife	14
	4.5.6	Conclusion	14
4.6	Coppe	er	14
	4.6.1	Summary of Process Knowledge	14
	4.6.2	Evaluation of Spatial Trends	
	4.6.3	Pattern Recognition	
	4.6.4	Comparison to RFETS Background and Other Background Dat	
		Sets	
	4.6.5	Risk Potential for Plants and Wildlife	
	4.6.6	Conclusion	16
4.7	Lithiu	m	16
	4.7.1	Summary of Process Knowledge	16
	4.7.2	Evaluation of Spatial Trends	
	4.7.3	Pattern Recognition	
	4.7.4	Comparison to RFETS Background and Other Background Dat	
		Sets	
	4.7.5	Risk Potential for Plants and Wildlife	
	4.7.6	Conclusion	17
4.8	Mang	anese	
	4.8.1	Summary of Process Knowledge	
	4.8.2	Evaluation of Spatial Trends	
	4.8.3	Pattern Recognition	
	4.8.4	Comparison to RFETS Background and Other Background Dat	
		Sets	
	4.8.5	Risk Potential for HHRA	
	4.8.6	Risk Potential for Plants and Wildlife	
	4.8.7	Conclusion	
4.9	Molvl	odenum	
	4.9.1	Summary of Process Knowledge	
	4.9.2	Evaluation of Spatial Trends	
	4.9.3	Pattern Recognition	
	4.9.4	Comparison to RFETS Background and Other Background Dat	
		Sets	
	4.9.5	Risk Potential for Plants and Wildlife	
		Conclusion	21

4.10	Nickel	2
	4.10.1 Summary of Process Knowledge	
	4.10.2 Evaluation of Spatial Trends	2
	4.10.3 Pattern Recognition	
	4.10.4 Comparison to RFETS Background and Other Background Da	
	Sets	22
	4.10.5 Risk Potential for Plants and Wildlife	22
	4.10.6 Conclusion	
4.11	Radium-228	
	4.11.1 Summary of Process Knowledge	
	4.11.2 Evaluation of Spatial Trends	23
	4.11.3 Pattern Recognition	23
•	4.11.4 Comparison to RFETS Background and Other Background Da	
	Sets	
•	4.11.5 Risk Potential for HHRA	
	4.11.6 Conclusion	
4.12	Vanadium	
	4.12.1 Summary of Process Knowledge	
•	4.12.2 Evaluation of Spatial Trends	24
	4.12.3 Pattern Recognition	24
	4.12.4 Comparison to RFETS Background and Other Background Da	
	Sets	
	4.12.5 Risk Potential for Plants and Wildlife	
	4.12.6 Conclusion	
4.13	Zinc	
	4.13.1 Summary of Process Knowledge	
	4.13.2 Evaluation of Spatial Trends	
	4.13.3 Pattern Recognition.	
	4.13.4 Comparison to RFETS Background and Other Background Da	
	Sets	
	4.13.5 Risk Potential for Plants and Wildlife	
	4.13.6 Conclusion	
5.0 REFE	RENCES	
	LIST OF TABLES	
T-11- A221	Caratinated Distribution and Committee to Destruct of CERT	
Table A3.2.1	Statistical Distribution and Comparison to Background for SEEU Surface Soil/Surface Sediment	
Table A3.2.2	Summary Statistics for SEEU Surface Soil/Surface Sediment	
Table A3.2.3	Statistical Distribution and Comparison to Background for SEEU	
14010 113.2.3	Subsurface Soil/Subsurface Sediment	
Table A3.2.4	Summary Statistics for SEEU Subsurface Soil/Subsurface Sediment	nt
1 4010 1 13.2T	Juliana j Statistics for Select Supportation Solling accountation Southern	

DEN/E032005011.DOC

Table A3.2.5	Statistical Distribution and Comparison to Background for SEEU Surface Soil			
Table A3.2.6	Summary Statistics for SEEU Surface Soil			
Table A3.2.7	Statistical Distribution and Comparison to Background for SEEU Subsurface Soil			
Table A3.2.8	Summary Statistics for SEEU Subsurface Soil			
Table A3.4.1	Summary of Element Concentrations in Colorado and Bordering States Soil			
LIST OF FIGURES				
Figure A3.2.1	SEEU Surface Soil Box Plots for Aluminum			
Figure A3.2.2	SEEU Surface Soil/Surface Sediment Box Plots for Arsenic			
Figure A3.2.3	SEEU Surface Soil Box Plots for Arsenic			
Figure A3.2.4	SEEU Subsurface Soil Box Plots for Arsenic			
Figure A3.2.5	SEEU Surface Soil Box Plots for Barium			
Figure A3.2.6	SEEU Surface Soil Box Plots for Cadmium			
Figure A3.2.7	SEEU Surface Soil Box Plots for Chromium			
Figure A3.2.8	SEEU Surface Soil Box Plots for Copper			
Figure A3.2.9	SEEU Surface Soil Box Plots for Lead			
Figure A3.2.10	SEEU Surface Soil Box Plots for Lithium			
Figure A3.2.11	SEEU Surface Soil/Surface Sediment Box Plots for Manganese			
Figure A3.2.12	SEEU Surface Soil Box Plots for Manganese			
Figure A3.2.13	SEEU Surface Soil Box Plots for Mercury			
Figure A3.2.14	SEEU Surface Soil Box Plots for Nickel			

Figure A3.2.15	SEEU Surface Soil/Surface Sediment Box Plots for Radium-228
Figure A3.2.16	SEEU Surface Soil Box Plots for Vanadium
Figure A3.2.17	SEEU Surface Soil Box Plots for Zinc
Figure A3.4.1	Probability Plot of Aluminum Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.2	Probability Plot of Arsenic Concentrations (Natural Logarithm) in SEEU Surface Soil/Surface Sediment
Figure A3.4.3	Probability Plot of Boron Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.4	Cesium-137 Activity in Sitewide Surface Soil/Surface Sediment
Figure A3.4.5	Probability Plot of Chromium Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.6	Probability Plot of Copper Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.7	Probability Plot of Lithium Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.8	Probability Plot of Manganese Concentrations (Natural Logarithm) in SEEU Surface Soil/Surface Sediment
Figure A3.4.9	Probability Plot of Manganese Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.10	Probability Plot of Molybdenum Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.11	Probability Plot of Nickel Concentrations (Natural Logarithm) in SEEU Surface Soil
Figure A3.4.12	Radium-228 Activity in Sitewide Surface Soil/Surface Sediment
Figure A3.4.13	Probability Plot of Vanadium Concentrations (Natural Logarithm) in SEEU Surface Soil

Figure A3.4.14 Probability Plot of Zinc Concentrations (Natural Logarithm) in SEEU Surface Soil

ACRONYMS AND ABBREVIATIONS

BZ Buffer Zone

COC contaminant of concern

CRA Comprehensive Risk Assessment

DOE U.S. Department of Energy

ECOI ecological contaminant of interest

EcoSSL Ecological Soil Screening Level

ECOPC ecological contaminant of potential concern

EPA U.S. Environmental Protection Agency

EPC exposure point concentration

ERA Ecological Risk Assessment

ESL ecological screening level

EU Exposure Unit

HHRA Human Health Risk Assessment

IHSS Individual Hazardous Substance Site

MDC maximum detected concentration

mg/kg milligrams per kilogram

NCP National Contingency Plan

NOAEL no observed adverse effect level

PCOC potential contaminant of concern

PMJM Preble's meadow jumping mouse

PRG preliminary remediation goal

RFETS Rocky Flats Environmental Technology Site

RI/FS Remedial Investigation/Feasibility Study

SEEU Southeast Buffer Zone Area Exposure Unit

tESL threshold ESL

UCL upper confidence limit

UTL upper tolerance limit

WRW wildlife refuge worker

1.0 INTRODUCTION

This attachment presents the results for the statistical analyses and professional judgment evaluation used to select human health contaminants of concern (COCs) as part of the Human Health Risk Assessment (HHRA) and ecological contaminants of potential concern (ECOPCs) as part of the Ecological Risk Assessment (ERA) for the Southeast Buffer Zone (BZ) Area Exposure Unit (EU) (SEEU) at the Rocky Flats Environmental Technology Site (RFETS). The methods used to perform the statistical analysis and to develop the professional judgment sections are described in Appendix A, Volume 2, Section 2.0 of the Resource Conservation and Recovery Act (RCRA) Facility Investigation-Remedial Investigation/Corrective Measures Study (CMS)-Feasibility Study (RI/FS) Report (hereafter referred to as the RI/FS Report) and follow the Final Comprehensive Risk Assessment (CRA) Work Plan and Methodology (DOE 2005).

2.0 RESULTS OF STATISTICAL COMPARISONS TO BACKGROUND FOR THE SOUTHEAST BUFFER ZONE AREA EXPOSURE UNIT

The results of the statistical background comparisons for inorganic and radionuclide potential contaminants of concern (PCOCs) and ecological contaminants of interest (ECOIs) in surface soil/surface sediment, subsurface soil/subsurface sediment, surface soil, and subsurface soil samples collected from the SEEU are presented in this section. Box plots are provided for analytes that were carried forward into the statistical comparison step and are presented in Figures A3.2.1 to A3.2.17. The box plots display several reference points: 1) the line inside the box is the median; 2) the lower edge of the box is the 25th percentile; 3) the upper edge of the box is the 75th percentile; 4) the upper lines (called whiskers) are drawn to the greatest value that is less than or equal to 1.5 times the inter-quartile range (the inter-quartile range is between the 75th and 25th percentiles); 5) the lower whiskers are drawn to the lowest value that is greater than or equal to 1.5 times the inter-quartile range; and 6) solid circles are data points greater or less than the whiskers.

ECOIs for surface soil (Preble's meadow jumping mouse [PMJM] receptor) and PCOCs with concentrations in the SEEU that are statistically greater than background (or those where background comparisons were not performed) are carried through to the professional judgment step of the COC/ECOPC selection processes. ECOIs (for non-PMJM receptors) with concentrations in the SEEU that are statistically greater than

¹ Statistical background comparisons are not performed for analytes if: (1) the background concentrations are nondetections; (2) background data are unavailable; (3) the analyte has low detection frequency in the SEEU or background data set (< 20 percent); or (4) the analyte is an organic compound. Box plots are not provided for these analytes. However, these analytes are carried forward into the professional judgment evaluation.

background (or those where background comparisons were not performed) are carried through to the exposure point concentration (EPC) – threshold Ecological Screening Level (tESL) comparison step of the ECOPC selection processes.

PCOCs and ECOIs with concentrations that are not statistically greater than background are not identified as COCs/ECOPCs and are not evaluated further.

2.1 Surface Soil/Surface Sediment Data Used in the HHRA

For the SEEU surface soil/surface sediment data set, the maximum detected concentrations (MDCs) and upper confidence limits on the mean (UCLs) for arsenic, manganese, cesium-137, and radium-228 exceed the wildlife refuge worker (WRW) preliminary remediation goals (PRGs) for the SEEU data set, and these PCOCs were carried forward into the statistical background comparison step. The results of the statistical comparison of the SEEU surface soil/surface sediment data to background data for these PCOCs are presented in Table A3.2.1 and the summary statistics for background and SEEU surface soil/surface sediment data are shown in Table A3.2.2. The SEEU data set shows that the background analysis for cesium-137 and radium-228 could not be conducted because only one sample was collected for these analytes at the SEEU.

The MDCs for aluminum, iron and vanadium exceeded their respective PRGs, but the UCLs for the SEEU data set for these analytes did not exceed the PRG. Consequently, these analytes were not evaluated further. The SEEU MDCs for all other PCOCs do not exceed the PRGs and were not evaluated further.

The results of the statistical comparisons of the SEEU surface soil/surface sediment data to background data indicate the following:

Analytes Statistically Greater than Background at the 0.1 Significance Level

- Arsenic
- Manganese

Analytes Not Statistically Greater than Background at the 0.1 Significance Level

None

Background Comparison Not Performed

- Cesium-137
- Radium-228

2.2 Subsurface Soil/Subsurface Sediment Data Used in the HHRA

For the SEEU PCOCs in subsurface soil/subsurface sediment, the MDC and UCL for radium-228 exceeded the PRG; therefore, radium-228 was carried forward into the statistical background comparison step. The results of the statistical comparison of the

SEEU subsurface soil/subsurface sediment data to background data for radium-228 are presented in Table A3.2.3 and the summary statistics for background and SEEU subsurface soil/subsurface sediment radium-228 data are shown in Table A3.2.4.

The results of the statistical comparison of the SEEU subsurface soil/subsurface sediment data to background data indicate the following:

Analytes Statistically Greater than Background at the 0.1 Significance Level

None

Analytes Not Statistically Greater than Background at the 0.1 Significance Level

Radium-228

Background Comparison Not Performed

None

2.3 Surface Soil Data Used in the ERA (Non-PMJM Receptors)

For the ECOIs in surface soil at SEEU, the MDCs for aluminum, arsenic, barium, boron, cadmium, chromium, copper, lead, lithium, manganese, mercury, molybdenum, nickel, vanadium, and zinc exceed a non-PMJM ESL, and these ECOIs were carried forward into the statistical background comparison step. The results of the statistical comparison of the SEEU surface soil data to background data are presented in Table A3.2.5 and the summary statistics for background and SEEU surface soil data are shown in Table A3.2.6.

The results of the statistical comparisons of the SEEU surface soil to background data indicate the following:

Analytes Statistically Greater than Background at the 0.1 Significance Level

- Aluminum
- Barium
- Chromium
- Copper
- Lithium
- Manganese
- Nickel
- Vanadium
- Zinc

Analytes Not Statistically Greater than Background at the 0.1 Significance Level

- Arsenic
- Cadmium
- Lead
- Mercury

Background Comparison not Performed

- Boron
- Molybdenum

2.4 Surface Soil Data used in the ERA (PMJM Receptors)

Because viable habitat for PMJM within the SEEU is a small subset of two larger PMJM habitat patches in adjacent EUs, the assessment of risk to the PMJM receptors is addressed in the Lower Woman Drainage EU (LWOEU) and the Southwest Buffer Zone Area EU (SWEU). Therefore, any discussions of risks to PMJM receptors that are associated with the small PMJM habitat within the SEEU are presented in Volume 11 (LWOEU) and Volume 12 (SWEU) of Appendix A of the RI/FS Report.

2.5 Subsurface Soil Data used in the ERA

For the ECOIs in subsurface soil, the MDC for arsenic exceeds the prairie dog ESL, thus arsenic was carried forward into the statistical background comparison step. The MDCs for all other ECOIs did not exceed the prairie dog ESL. The results of the statistical comparison of the SEEU subsurface soil data to background data are presented in Table A3.2.7 and the summary statistics for background and SEEU subsurface soil data are shown in Table A3.2.8.

The results of the statistical comparisons of the surface soil data to background data indicate the following:

Analyte Statistically Greater than Background at the 0.1 Significance Level

Arsenic

Analyte Not Statistically Greater than Background at the 0.1 Significance Level

None

Background Comparison not Performed

None

3.0 UPPER-BOUND EXPOSURE POINT CONCENTRATION COMPARISON TO LIMITING ECOLOGICAL SCREENING LEVELS

ECOIs in surface soil and subsurface soil with concentrations that are statistically greater than background, or background comparisons were not performed, are evaluated further by comparing the SEEU upper-bound exposure point concentrations (EPCs) to the limiting threshold (tESLs). The EPCs are the 95 percent UCLs of the 90th percentile [upper tolerance limit (UTL)] for small home-range receptors, the UCL for large home-range receptors, or the MDC in the event that the UCL or UTL is greater than the MDC.

3.1 ECOIs in Surface Soil

Barium in surface soil (non-PMJM receptors) was eliminated from further consideration because its upper-bound EPC was not greater than the tESLs.

Aluminum, boron, chromium, copper, lithium, manganese, molybdenum, nickel, vanadium and zinc for soil surface (non-PMJM receptors) have upper-bound EPCs greater than the tESLs and are evaluated in the professional judgment evaluation screening step (Section 4.0).

3.2 ECOIs in Subsurface Soil

Arsenic in subsurface soil was eliminated from further consideration because its upperbound EPC was not greater than the tESLs.

4.0 PROFESSIONAL JUDGMENT

This section presents the results of the professional judgment step of the COC and ECOPC selection processes for the HHRA and ERA, respectively. Based on the weight of evidence evaluated in the professional judgment step, PCOCs and ECOIs are either included for further evaluation as COCs/ECOPCs in the risk characterization step, or excluded from further evaluation.

The professional judgment evaluation takes into account the following lines of evidence: process knowledge, spatial trends, pattern recognition², comparison to RFETS



² The pattern recognition evaluation includes the use of probability plots. If two or more distinct populations are evident in the probability plot, this suggests that one or more local releases may have occurred. Conversely, if only one distinct low-concentration population is defined, likely representing a background population, a local release may or may not have occurred. Similar to all statistical methods, the probability plot has limitations in cases where there is inadequate sampling and the magnitude of the release is relatively small. Thus, absence of two clear populations in the probability plots is consistent with, but not definitive proof of, the hypothesis that no releases have occurred. However, if a release has occurred within the sampled area and has been included in the samples, then the elemental concentrations

background and regional background data sets (see Table A3.4.1 for a summary of regional background data)³, and risk potential. For PCOCs or ECOIs where the process knowledge and/or spatial trends indicate that the presence of the analyte in the EU may be a result of historical site-related activities, the professional judgment discussion includes only two of the lines of evidence listed above, and it is concluded that these analytes are COCs/ECOPCs and are carried forward into risk characterization. For the other PCOCs and ECOIs that are evaluated in the professional judgment step, each of the lines of evidence listed above are included in the discussion.

For metals, Appendix A, Volume 2, Attachment 8 of the RI/FS Report provides the details of the process knowledge and spatial trend evaluations. The conclusions from these evaluations are noted in this attachment.

The following PCOCs/ECOIs are evaluated further in the professional judgment step for SEEU:

- Surface soil/surface sediment (HHRA)
 - Arsenic
 - Manganese
 - Cesium-137
 - Radium-228
- Subsurface soil/subsurface sediment (HHRA)
 - No PCOCs in subsurface soil/subsurface sediment were carried into the professional judgment step.
- Surface soil for non-PMJM receptors (ERA)
 - Aluminum
 - Boron
 - Chromium
 - Copper
 - Lithium

associated with that release are either within the background concentration range or the entire sampled population represents a release, a highly unlikely probability.

³ The regional background data set for Colorado and the bordering states was extracted from data for the western United States (Shacklette and Boerngen 1984), and is composed of data from Colorado as well as Arizona, Kansas, Nebraska, New Mexico, Oklahoma, Utah, and Wyoming. Although the Colorado and bordering states background data set is not specific to Colorado's Front Range, it is useful for the professional judgment evaluation in the absence of a robust data set for the Front Range. Colorado's Front Range has highly variable terrain that changes elevation over short distances. Consequently, numerous soil types and geologic materials are present at RFETS, and the data set for Colorado and bordering states may be more representative of these variable soil types.

- Manganese
- Molybdenum
- Nickel
- Vanadium
- Zinc
- Subsurface soil (ERA)
- No ECOIs in subsurface soil were carried into the professional judgment evaluation step.

The following sections provide the professional judgment evaluations, by analyte and by medium, for the PCOCs/ECOIs listed above.

4.1 Aluminum

Aluminum has an EPC in surface soil (for non-PMJM receptors) greater than the tESL and, therefore, was carried forward to the professional judgment step. The lines of evidence used to determine if aluminum should be retained for risk characterization are summarized below.

4.1.1 Summary of Process Knowledge

As discussed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, process knowledge indicates a potential to have been released into RFETS soil because of the aluminum metal inventory ad presence of aluminum in waste generated during former operations. However, there are no Individual Hazardous Substance Sites (IHSSs) in SEEU. Therefore, aluminum is unlikely to be present in SEEU soil as a result of historical site-related activities.

4.1.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

As discussed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, the spatial trend analysis indicates that aluminum concentrations in SEEU surface soil reflect variations in naturally occurring aluminum.

4.1.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for aluminum in surface soil within SEEU (Figure A3.4.1) suggests a single background population.

4.1.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Aluminum concentrations in SEEU surface soil range from 5,860 to 25,000 mg/kg with a mean concentration of 15,362 mg/kg and a standard deviation of 4,928 mg/kg. Aluminum concentrations in the background data set range from 4,050 to 17,100 mg/kg with a mean concentration of 10,203 mg/kg and a standard deviation of 3,256 mg/kg (Table A3.2.6). The maximum concentrations of aluminum in surface soil samples at the SEEU are elevated compared to background but the data populations overlap considerably.

Aluminum concentrations SEEU surface soil are well within the range for aluminum in soils of Colorado and the bordering states (5,000 to 100,000 mg/kg, with a mean concentration of 50,800 mg/kg and a standard deviation of 23,500 mg/kg) (Table A3.4.1).

4.1.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The MDC for aluminum in the SEEU (25,000 mg/kg) exceeds the NOAEL ESL for only one receptor group, terrestrial plants (50 mg/kg). However, EPA Ecological Soil Screening Level (EcoSSL) guidance (EPA 2003) for aluminum recommends that aluminum should not be considered an ECOPC for soils at sites where the soil pH exceeds 5.5 due to its limited bioavailability in non-acidic soils. The average pH value for RFETS surface soils is 8.2. Therefore, aluminum concentrations in SEEU surface soil are unlikely to result in risk concerns for wildlife populations.

4.1.6 Conclusion

The weight of evidence presented above shows that aluminum concentrations in SEEU surface soil (non-PMJM receptors) are not likely to be a result of historical site-related activities based on process knowledge, spatial distribution trend, and single data population indicative of naturally occurring aluminum. In addition, the aluminum concentrations within SEEU are well within regional background levels, and are unlikely to result in risk concerns for wildlife populations. Aluminum is not considered an ECOPC in surface soil for the SEEU and, therefore, is not further evaluated quantitatively.

4.2 Arsenic

Arsenic has concentrations statistically greater than background in surface soil/surface sediment and, therefore, was carried forward to the professional judgment step. The lines of evidence used to determine if arsenic should be retained for risk characterization are summarized below.

4.2.1 Summary of Process Knowledge

As discussed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, process knowledge indicates arsenic is unlikely to be present in SEEU soil as a result of historical site-related activities.

4.2.2 Evaluation of Spatial Trends

Surface Soil/Surface Sediment

As discussed in Appendix A, Volume 2 Attachment 8 of the RI/FS Report, the spatial trend analysis indicates that arsenic concentrations in SEEU surface soil/surface sediment reflect variations in naturally occurring arsenic.

4.2.3 Pattern Recognition

Surface Soil/Surface Sediment

The probability plot for the natural log transformed data set for arsenic in surface soil/surface sediment within SEEU (Figure A3.4.2) suggests a single background population ranging from 2.5 to about 9.3 mg/kg but with two samples (04F0810-005 and 04F0810-003) with anomalously elevated concentrations (12 and 23 mg/kg). The sample with the highest arsenic concentration also contains anomalous copper, manganese, molybdenum, nickel, and vanadium suggesting that it may or may not be part of the natural arsenic concentrations in this EU.

4.2.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil/Surface Sediment

Arsenic concentrations in SEEU surface soil/surface sediment range from 2.5 to 23.0 mg/kg with a mean concentration of 7.40 mg/kg and a standard deviation of 4.15 mg/kg. Arsenic concentrations in the background data set range from 0.27 to 9.6 mg/kg with a mean concentration of 3.42 mg/kg and a standard deviation of 2.55 mg/kg (Table A3.2.2). With the exception of two anomalous sample results (12.0 and 23.0 kg/mg), the range of concentrations of arsenic in the SEEU and background data set shows significant overlapping.

Arsenic concentrations SEEU surface soil/surface sediment are well within the range for arsenic in soils in Colorado and the bordering states (1.22 to 97 mg/kg, with a mean concentration of 6.9 mg/kg and a standard deviation of 7.64 mg/kg) (Table A3.4.1).

4.2.5 Risk Potential for HHRA

Surface Soil/Surface Sediment

The arsenic MDC for surface soil/surface sediment is 23.0 mg/kg and the UCL for surface soil/surface sediment is 8.9 mg/kg, which is only three to four times greater than the PRG (2.41 mg/kg). Because the PRG is based on an excess carcinogenic risk of 1E-06, the cancer risk based on the UCL concentration is less than 4E-06, and is well

within the National Contingency Plan (NCP) risk range of 1E-06 to 1E-04. The background UCL for arsenic in surface soil/surface sediment is 4.03 mg/kg (Appendix A, Volume 2, Attachment 9 of the RI/FS Report), which equates to a cancer risk of 2E-06. Therefore, the excess cancer risks to the WRW from exposure to arsenic in surface soil/surface sediment in the SEEU is similar to background risk.

4.2.6 Conclusion

The weight of evidence presented above shows that arsenic concentrations in SEEU surface soil/surface sediment are not likely to be a result of historical site-related activities based on process knowledge, the spatial distribution trend and a single data population suggesting naturally occurring arsenic. The concentrations of arsenic within SEEU are well within regional background levels, and are unlikely to result in risks to humans significantly above background risks. Arsenic is not considered a COC in surface soil/surface sediment for the SEEU and, therefore, is not further evaluated quantitatively.

4.3 Boron

Boron has an EPC in surface soil (for non-PMJM receptors) greater than the tESL and, therefore, was carried forward to the professional judgment step. The lines of evidence used to determine if boron should be retained for risk characterization are summarized below.

4.3.1 Summary of Process Knowledge

As discussed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, process knowledge indicates boron is unlikely to be present in RFETS soil as a result of historical site-related activities.

4.3.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

As discussed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, the spatial trend analysis indicates that boron concentrations in SEEU surface soil reflect variations in naturally occurring boron.

4.3.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for boron in surface soil within SEEU (Figure A3.4.3) indicates a single background population. The 14 sample points are probably not sufficient to document the true range of natural boron concentrations in this EU.

4.3.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

The reported range for boron in surface soil within Colorado and the bordering states is 20 to 150 mg/kg, with a mean concentration of 27.9 mg/kg and a standard deviation of 19.7 mg/kg (Table A3.4.1). Boron concentrations reported in surface soil samples at the SEEU range from 3.70 to 8.70 mg/kg with a mean concentration of 5.95 mg/kg and a standard deviation of 1.47 mg/kg (Table A3.2.6). The range of concentrations of boron in surface soil is well within the range for boron in soils of Colorado and the bordering states.

4.3.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The MDC for boron in the SEEU (8.70 mg/kg) exceeds the NOAEL ESL for only one receptor group, terrestrial plants (0.5 mg/kg). All other NOAEL ESLs were considerably greater than the MDC and ranged from 30 to 6,070 mg/kg. Site-specific background data for boron were not available, but the MDC did not exceed the low end of the range (20 mg/kg) of the background range presented in Shacklette and Boerngen (1984). This indicates the terrestrial plant NOAEL ESL (0.5 mg/kg) is well below expected background concentrations, and MDCs above the NOAEL ESL are not likely to be indicative of site-related risk to the terrestrial plant community in the SEEU. Kabata-Pendias and Pendias (1992) indicate soil with boron concentrations equal to 0.3 mg/kg is critically deficient in boron, and effects on plant reproduction would be expected. Additionally, the summary of boron toxicity in Efroymson et al. (1997) notes that the source of the 0.5-mg/kg NOAEL ESL indicates boron was toxic when added at 0.5 mg/kg to soil, but gives no indication of the boron concentration in the baseline soil before addition. The confidence placed by Efroymson et al. (1997) was low. Because no NOAEL ESLs other than the terrestrial plant NOAEL ESL are exceeded by the MDC, boron is highly unlikely to present a risk to terrestrial receptor populations in the SEEU.

4.3.6 Conclusion

The weight of evidence presented above shows that boron concentrations in SEEU surface soil (non-PMJM receptors) are not likely to be a result of historical site-related activities based on process knowledge, the spatial distribution trend, and a single data population indicative of naturally occurring boron. In addition, boron concentrations in surface soil at SEEU are well within regional background levels, and are unlikely to result in risk concerns for wildlife populations. Boron is not considered an ECOPC in surface soil for the SEEU and, therefore, is not further evaluated quantitatively.

4.4 Cesium-137

Statistical background comparisons could not be performed for cesium-137 because there was a single sample result within the SEEU. Therefore, this analyte is carried forward

into the professional judgment step. The lines of evidence used to determine if cesium-137 should be retained for risk characterization are summarized below.

4.4.1 Summary of Process Knowledge

The ChemRisk Task 1 Report did not identify cesium-137 as a radionuclide used at RFETS (CDPH 1991) and no cesium-137 waste was reported to have been generated. It is unlikely that cesium-137 is present in soil at RFETS as a result of historical site-related activities.

4.4.2 Evaluation of Spatial Trends

Surface Soil/Surface Sediment

Figure A3.4.4 shows the location within SEEU where cesium-137 was sampled in surface soil/surface sediment. The cesium-137 activity was detected at 0.661 pCi/g and exceeded the cesium-137 PRG of 0.221 pCi/g. However, this activity does not exceed the background MDC of 1.80 pCi/g.

4.4.3 Pattern Recognition

Surface Soil/Surface Sediment

A probability plot for cesium-137 activity could not be generated because there was only a single sample result for the SEEU data set.

4.4.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil/Surface Sediment

There was a single sample result for cesium-137 in surface soil/surface sediment at SEEU and, therefore, a statistical background comparison could not be performed. However, the cesium-137 activity of 0.661 pCi/g did not exceed the background MDC of 1.80 pCi/g. Cesium-137 activity in the background data set range from -0.027 to 1.80 pCi/g with a mean activity of 0.692 pCi/g and a standard deviation of 0.492 pCi/g (Table A3.2.2).

4.4.5 Risk Potential for HHRA

The cesium-137 MDC for surface soil/surface sediment is 0.661 pCi/g, which is approximately one third of the background MDC of 1.8 pCi/g, but about 3 times greater than the PRG of 0.221 pCi/g. However, the PRG is based on an excess carcinogenic risk of 1E-06; therefore, the risk to human health is well within the NCP risk range of 1E-06 to 1E-04. Furthermore, because cesium-137 activity in the SEEU appear to represent naturally occurring levels and because cesium-137 was not used at the site, this risk is not likely associated with any releases from RFETS.

4.4.6 Conclusion

The weight of evidence presented above shows that the single cesium-137 activity in surface soil/surface sediment in the SEEU is not a result of RFETS activities. There is no evidence of a release from potential sources inside or outside the SEEU that would impact cesium-137 activity in surface soil/surface sediment. Cesium-137 was not used or generated at RFETS and is, therefore, not considered a COC in surface soil/ surface sediment for the SEEU and not further evaluated quantitatively.

4.5 Chromium

Chromium had an EPC in surface soil (for non-PMJM receptors) greater than the tESL and, therefore, was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if chromium should be retained as an ECOPC are summarized below.

4.5.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, chromium may be present in RFETS soil as a result of historical site-related activities.

4.5.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, chromium concentrations in the SEEU appear to be variations of naturally occurring conditions. However, in order to determine if chromium should be retained as an ECOPC in SEEU, chromium is further evaluated by the other professional judgment lines of evidence, as presented below.

4.5.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for chromium in surface soil within SEEU (Figure A3.4.5) suggests a single background population. The 19 sample points are probably not sufficient to document the true range of natural chromium concentrations in this EU. However, the samples with the highest concentrations indicate that, at least, the upper part of the distribution may be approaching an asymptotic chromium concentration of the background population.

4.5.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Chromium was detected in each of the 19 surface soil samples collected in the SEEU. Chromium concentrations in surface soil samples at the SEEU range from 7.30 to 27.0

mg/kg, with a mean concentration of 17.0 mg/kg and a standard deviation of 5.43 mg/kg. Chromium concentrations in the background data set range from 5.50 to 16.9 mg/kg with a mean concentration of 11.2 mg/kg and a standard deviation of 2.78 mg/kg (Table A3.2.6).

Chromium concentrations reported in surface soil samples at the SEEU are well within background chromium concentrations in soils in Colorado and the bordering states, which range from 3 to 500 mg/kg, with mean concentration of 48.2 mg/kg and a standard deviation of 41 mg/kg (Table A3.4.1).

4.5.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The UTL for chromium in the SEEU (27.5 mg/kg) exceeds the NOAEL ESLs for six receptor groups, the terrestrial invertebrate (0.4 mg/kg), terrestrial plant (1 mg/kg), insectivorous mourning dove (1.34 mg/kg), herbivorous mourning dove (24.6 mg/kg), American kestrel (13.96 mg/kg), and the insectivorous deer mouse (15.9 mg/kg). With the exception of the herbivorous mourning dove ESL of 24.6 mg/kg, all of the ESLs are less than the MDC in background soils (16.9 mg/kg), indicating that they may be overly conservative because risks are not typically expected at background concentrations. The ESLs for all other non-PMJM receptors were greater than the UTL (27.5 mg/kg) and range from 281.3 to 4,173 mg/kg.

4.5.6 Conclusion

The weight of evidence presented above shows that chromium concentrations in surface soil in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations. There is no evidence of a release from potential sources inside or outside the EU that would impact chromium concentrations in surface soil. In addition, the MDC for chromium is below the lowest reported value of the Colorado and the bordering states data set. Chromium is not considered an ECOPC in surface soil for the SEEU and is not further evaluated quantitatively.

4.6 Copper

Copper had an EPC in surface soil (for non-PMJM receptors) greater than the tESL so was carried forward to the professional judgment step in accordance with the CRA Methodology. The lines of evidence used to determine if copper should be retained as an ECOPC are summarized below.

4.6.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, the potential for copper to be an ECOPC in the SEEU is low due to an exceedingly small inventory, and limited identification as a constituent in wastes

generated at RFETS and localized documented historical source areas remote from the SEEU.

4.6.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, copper concentrations in the SEEU appear to be variations of naturally occurring conditions.

4.6.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for copper in surface soil within SEEU (Figure A3.4.6) indicates a single background population ranging from 7.8 to about 19 mg/kg but with one sample (04F0810-003) containing a higher copper concentration of 25 mg/kg. This sample is also anomalously high for manganese, molybdenum, nickel, vanadium and arsenic. Therefore it may or may not be part of the natural copper concentrations in this EU.

4.6.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Copper was detected in each of the 19 surface soil samples collected in the SEEU. Copper concentrations in surface soil samples at the SEEU range from 7.80 to 25.0 mg/kg, with a mean concentration of 15.2 mg/kg and a standard deviation of 3.83 mg/kg. Copper concentrations in the background data set range from 5.20 to 16.0 mg/kg, with a mean concentration of 13.0 mg/kg and a standard deviation of 2.58 mg/kg (Table A3.2.6). Concentrations of copper in SEEU surface soil are higher than RFETS background concentrations, but lie within the copper background concentrations in surface soils in Colorado and bordering states, which range from 2 to 200 mg/kg, with a mean of 23.1 mg/kg and a standard deviation of 17.7 mg/kg (Table A3.4.1).

4.6.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The UTL for copper in SEEU (22.7 mg/kg) exceeds the NOAEL ESL for only one receptor, the insectivorous mourning dove (8.25 mg/kg). The mean background concentration also exceeds the NOAEL ESL for the insectivorous mourning dove. Because the ESL is within the range of background concentrations, risk is not expected to be at a level of concern. This indicates that this ESL may be overly conservative for use in the ECOPC identification process. Given the conservative nature of this ESL and the similarity between the SEEU and background data sets, it is highly unlikely that there would be population risks associated with these relatively low levels of copper.



4.6.6 Conclusion

The weight of evidence presented above shows that copper concentrations in surface soil in the SEEU are not a result of RFETS activities, but are representative of naturally occurring concentrations. Copper is not considered an ECOPC in surface soil for the SEEU; therefore, is not further evaluated quantitatively.

4.7 Lithium

Lithium had an EPC in surface soil (for non-PMJM receptors) greater than the tESL so was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if lithium should be retained as an ECOPC are summarized below.

4.7.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, lithium may be present in RFETS soil as a result of historical site-related activities.

4.7.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, lithium concentrations in the SEEU appear to be variations of naturally occurring conditions.

4.7.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for lithium in surface soil within SEEU (Figure A3.4.7) indicates a single background population.

4.7.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Lithium was detected in 15 of the 16 surface soil samples collected at the SEEU. Lithium concentrations in surface soil samples at the SEEU range from 5.20 to 23.0 mg/kg, with a mean concentration of 13.3 mg/kg and a standard deviation of 5.29 mg/kg. Lithium concentrations in the background data set range from 4.80 to 11.6 mg/kg with a mean concentration of 7.66 mg/kg and a standard deviation of 1.89 mg/kg (Table A3.2.6). The maximum concentrations of lithium in surface soil samples at the SEEU are elevated compared to background but the data populations do overlap.

Lithium concentrations reported in surface soil samples at the SEEU are well within the lithium background concentrations in surface soils in Colorado and the bordering states,

which range from 5 to 130 mg/kg with mean concentration of 25.3 mg/kg and a standard deviation of 14.4 mg/kg (Table A3.4.1).

4.7.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The MDC for lithium in the SEEU (23 mg/kg) exceeds the NOAEL ESL for only one receptor, terrestrial plants (2 mg/kg), which is lower than the minimum detection of lithium in background surface soils (4.8 mg/kg). None of the NOAEL ESLs for mammalian receptors are exceeded by the MDC. The authors of the document from which the lithium NOAEL ESL was selected (Efroymson et al. 1997) placed a low confidence rating on the value. Lithium concentrations greater than the background in the SEEU are likely due to spatial variations of naturally occurring lithium in alluvial materials and are below available ESLs for vertebrate receptors. Therefore, concentrations of lithium are highly unlikely to present risks to wildlife populations in the SEEU.

4.7.6 Conclusion

The weight of evidence presented above shows that lithium concentrations in surface soil in the SEEU are not a result of RFETS activities, but are representative of naturally occurring concentrations. Concentrations of lithium detected in SEEU surface soils appear to be somewhat skewed versus RFETS background concentrations, but are well within the low end of the range in soils within Colorado and the bordering states. Lithium is not considered an ECOPC in surface soil for the SEEU; therefore, it is not further evaluated quantitatively.

4.8 Manganese

Manganese had concentrations statistically greater than background in surface soil/surface sediment and also had an EPC in surface soil (for non-PMJM receptors) greater than the tESL. Consequently, manganese was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if manganese should be retained as a COC in surface soil/surface sediment and an ECOPC in surface soil are summarized below.

4.8.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, manganese is unlikely to be present in RFETS soil as a result of historical site-related activities.

4.8.2 Evaluation of Spatial Trends

Surface Soil/Surface Sediment

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, manganese concentrations in surface soil/surface sediment in the SEEU appear to be variations of naturally occurring conditions.

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, manganese concentrations in surface soil in the SEEU appear to be variations of naturally occurring conditions.

4.8.3 Pattern Recognition

Surface Soil/Surface Sediment and Surface Soil

The probability plot for the natural log transformed data set for manganese in surface soil/surface sediment in SEEU (Figure A3.4.8) indicates a background population ranging from about 220 to 600 mg/kg but with a single sample representing an anomalously elevated concentration (04F0810-003) of 1,300 mg/kg. However this highest sample concentration is also anomalously elevated in copper, molybdenum, nickel, vanadium and arsenic suggesting that it may or may be not part of the natural manganese concentrations in this EU.

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for manganese in surface soil in SEEU (Figure A3.4.9) indicates a background population ranging from about 220 to 600 mg/kg but with a single sample representing an anomalously elevated concentration (04F0810-003) of 1,300 mg/kg and an anomalously low concentration (04F1269-005) of 55 mg/kg. The 17 samples forming the background population probably do not represent the full concentration range of the background population. However the highest sample concentration is also anomalously elevated in copper, molybdenum, nickel, vanadium and arsenic suggesting that it may or may be not part of the natural manganese concentrations in this EU.

4.8.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil/Surface Sediment

Manganese was detected in each of the 22 surface soil/surface sediment samples collected in the SEEU. Manganese concentrations in surface soil/surface sediment samples at the SEEU range from 55.0 to 1,300 mg/kg, with a mean concentration of 386 mg/kg and a standard deviation of 237 mg/kg. Background manganese concentrations range from 9.0 to 1,280 mg/kg, with a mean concentration of 241 mg/kg and a standard deviation of 189 mg/kg (Table A3.2.2). Concentrations of manganese in the SEEU surface soil/surface sediment are higher than RFETS background concentrations, but within the range of surface soils in Colorado and the bordering states background

concentrations, which range from 70 to 2,000 mg/kg, with a mean concentration of 414 mg/kg and a standard deviation of 272 mg/kg (Table A3.4.1).

Surface Soil (Non-PMJM)

Manganese was detected in each of the 19 surface soil samples collected in the SEEU. Manganese concentrations in surface soil samples at the SEEU range from 55 to 1,300 mg/kg, with a mean concentration of 392 mg/kg and a standard deviation of 247 mg/kg. Manganese concentrations in the background range from 129 to 357 mg/kg, with a mean concentration of 237 mg/kg and a standard deviation of 63.9 mg/kg (Table A3.2.6). 8 of the 19 surface soil samples are higher than RFETS background concentrations.

Manganese concentrations reported in surface soil samples at the SEEU are well within background manganese concentrations in soils of Colorado and the bordering states, which range from 70 to 2,000 mg/kg with mean concentration of 414 mg/kg and a standard deviation of 272 mg/kg (Table A3.4.1).

4.8.5 Risk Potential for HHRA

Surface Soil/Surface Sediment

The manganese MDC for surface soil/surface sediment is 1,300 mg/kg and the UCL for surface soil/surface sediment is 607 mg/kg, which is only approximately 50 percent greater than the PRG (419 mg/kg). The PRG is based on a Hazard Quotient (HQ) of 0.1, therefore, the risk to human health is well below the EPA guideline of an HQ of 1. Furthermore, because manganese concentrations in the SEEU appear to represent naturally occurring manganese, this risk is unassociated with manganese releases from RFETS.

4.8.6 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The UTL for manganese in the SEEU (1,300 mg/kg) exceeds the NOAEL ESLs for three group receptors: terrestrial plants (500 mg/kg), herbivorous mourning dove (1,032 mg/kg), and herbivorous deer mouse (486 mg/kg). NOAEL ESLs for all other non-PMJM receptors were greater than the MDC and range from 1,519 to 19,115 mg/kg.

4.8.7 Conclusion

The weight of evidence presented above shows that manganese concentrations in surface soil/surface sediment and in surface soil in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations. There is no evidence of a release from potential sources inside or outside the EU that would impact manganese concentrations in the soil. Manganese is not considered a COC or an ECOPC for the SEEU and, therefore, is not further evaluated quantitatively.



4.9 Molybdenum

Molybdenum had an upper-bound EPC in surface soil (for non-PMJM receptors) greater than the tESL so was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if molybdenum should be retained as a ECOPC are summarized below.

4.9.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, molybdenum is unlikely to be present in RFETS soil as a result of historical site-related activities.

4.9.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, molybdenum concentrations in the SEEU appear to be variations of naturally occurring conditions.

4.9.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for molybdenum in surface soil in SEEU (Figure A3.4.10) indicate a background population ranging from 0.43 to about 1.20 mg/kg but with four anomalously high concentrations ranging from 1.9 to 2.35 mg/kg. These four samples are 04F0810-003 (1.90 mg/kg), SS01164ST (2.15 mg/kg), SS01110ST (2.30 mg/kg) and SS01109ST (2.35 mg/kg). Given the limited total number of molybdenum analyses (18) and limited range of these molybdenum concentrations, the background population may well include these four samples if more samples were collected and analyzed.

4.9.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Molybdenum was detected in 78 percent of the 18 surface soil samples collected in the SEEU. Molybdenum concentrations in surface soil samples at the SEEU range from 0.610 to 1.90 mg/kg, with a mean concentration of 1.14 mg/kg and a standard deviation of 0.605 mg/kg (Table A3.2.6). Molybdenum concentrations in the RFETS background data set were not available, but the SEEU molybdenum concentrations were within the range of Colorado and bordering states background concentrations, which range from 3 to 7 mg/kg with a mean concentration of 1.59 mg/kg and a standard deviation of 0.522 mg/kg (Table A3.4.1).

4.9.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The molybdenum UTL in the SEEU (2.64 mg/kg) exceeded the NOAEL ESL for two receptor groups, the insectivorous deer mouse receptor (1.90 mg/kg) and terrestrial plant receptors (2.0 mg/kg). The NOAEL ESLs for all other non-PMJM receptors were greater than the MDC and range from 8.68 to 275 mg/kg. The molybdenum UTL of 2.64 mg/kg is greater than the MDC of 1.90 mg/kg because the UTL calculation takes into consideration half of the nondetected concentrations, some of which may have had high detection limits. Molybdenum background concentrations in Colorado and bordering states range from 3 to 7 mg/kg, suggesting that the ESL for insectivorous deer mouse receptor (1.90 mg/kg) and terrestrial plant receptors (2.0 mg/kg) may be overly conservative for screening purposes.

4.9.6 Conclusion

The weight of evidence presented above shows that molybdenum concentrations in surface soil in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations. There is no evidence of a release from potential sources inside or outside the EU that would impact molybdenum concentrations in surface soil. In addition, the MDC for molybdenum is below the lowest reported value of the Colorado and the bordering states data set. Molybdenum is not considered an ECOPC in surface soil for the SEEU and is not further evaluated quantitatively.

4.10 Nickel

Nickel had an EPC in surface soil (for non-PMJM receptors) greater than the tESL so was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if nickel should be retained as an ECOPC are summarized below.

4.10.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, nickel may be present in RFETS soil as a result of historical site-related activities.

4.10.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, nickel concentrations in the SEEU appear to be variations of naturally occurring conditions.



4.10.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for nickel in surface soil in SEEU (Figure A3.4.11) indicates a background population ranging from about 9.3 to 22 mg/kg but with a single sample (04F0810-003) with a elevated concentration of 35 mg/kg. The 18 samples forming the background population probably do not represent the full concentration range of the background population. However the highest sample concentration is also anomalously elevated in copper, manganese, molybdenum, vanadium and arsenic suggesting that it may or may not be part of the natural nickel concentrations in this EU.

4.10.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Nickel was detected in each of the 19 surface soil samples collected in the SEEU. Nickel concentrations in surface soil samples at the SEEU range from 9.30 to 35.0 mg/kg, with a mean concentration of 16.3 mg/kg and a standard deviation of 6.03 mg/kg. Nickel concentrations in the background data set range from 3.80 to 14.0 mg/kg, with a mean of 9.60 mg/kg and a standard deviation of 2.59 mg/kg (Table A3.2.6). The reported range for nickel in surface soil within Colorado and the bordering states is 5 to 700 mg/kg with a mean concentration of 18.8 mg/kg and a standard deviation of 39.8 mg/kg (Table A3.4.1). The range of concentrations of nickel in surface soil within SEEU is at the low end of the range for nickel in soils of Colorado and the bordering states.

4.10.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The UTL for nickel (35 mg/kg) exceeds NOAEL ESLs for seven receptor groups: the insectivorous mourning dove (1.24 mg/kg), insectivorous deer mouse (0.43 mg/kg), herbivorous deer mouse (16.4 mg/kg), insectivorous coyote (1.9 mg/kg), the generalist coyote (6.0 mg/kg), and the terrestrial plants. All of these ESLs except the herbivorous deer mouse and terrestrial plants, are less than the MDC in background soils (14 mg/kg), indicating that they may be overly conservative because risks are not typically expected at background concentrations.

4.10.6 Conclusion

The weight of evidence presented above shows that nickel concentrations in surface soil in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations. There is no evidence of a release from potential sources inside or outside the EU that would impact nickel concentrations in surface soil. In addition, the range of concentrations of nickel in surface soil is within the range for nickel in soils of

Colorado and the bordering states. Nickel is not considered an ECOPC in surface soil for the SEEU and is not further evaluated quantitatively.

4.11 Radium-228

A background comparison analysis could not be performed for radium-228 in surface soil/surface sediment in the SEEU because there was a single sample location within the EU. However, because the single radium activity (considered MDC) and its UCL exceeded the PRG, radium-228 was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if radium-228 should be retained as a COC in surface soil/surface sediment are summarized below.

4.11.1 Summary of Process Knowledge

The potential for radium-228 to be a COC in the SEEU is very low because it was not used at RFETS. The ChemRisk Task 1 Report did not identify radium-228 as a radionuclide used at RFETS (CDPH 1991a) and no radium-228 waste was reported to have been generated.

4.11.2 Evaluation of Spatial Trends

Surface Soil/Surface Sediment

Figure A3.4.12 shows the single location where radium-228 was sampled within SEEU. The single radium-228 concentration of 1.59 pCi/g exceeded the PRG of 0.111 pCi/g. This radium-228 concentration is similar to activities throughout the site and is less than that site background MDC of 4.10 pCi/g.

4.11.3 Pattern Recognition

Surface Soil/Surface Sediment

A probability plot for radium-228 activities in surface soil/surface sediment could not be generated because there was a single sample result for the SEEU data set.

4.11.4 Comparison to RFETS Background and Other Background Data Sets

There was a single sample result for radium-228 in surface soil/surface sediment at SEEU and, therefore, a statistical background comparison could not be performed. The radium-228 surface soil/surface sediment of 1.59 pCi/g does not exceed the site background MDC of 4.10 pCi/g. The site background activities for radium-228 in surface soil/surface sediment range from 0.200 pCi/g to 4.10 pCi/g, with a mean of 1.60 pCi/g (Table A3.2.2). Therefore, the concentration of radium-228 in surface soil/surface sediment at SEEU is well within site background activities.

4.11.5 Risk Potential for HHRA

Surface Soil/Surface Sediment

The radium-228 MDC for surface soil/surface sediment is 1.59 pCi/g and the PRG is 0.111 pCi/g. Site background activities range from 0.200 to 4.10 pCi/g, which indicates that all site background concentrations for radium-228 exceed the PRG. Since the PRG is based on a IE-06 risk, the risk to human health in the SEEU from radium-228 is within the NCP risk range of IE-06 to IE-04. Furthermore, because radium-228 activities in the SEEU appear to represent naturally occurring and because radium-228 was not used at the site, this risk is not likely associated with any releases from RFETS.

4.11.6 Conclusion

The weight of evidence presented above shows that the single radium-228 activity in surface soil/surface sediment in the SEEU is not a result of RFETS activities. There is no evidence of a source or release from areas inside or outside the SEEU that would impact radium-228 activities in surface soil/surface sediment. In addition, the radium-228 activities in surface soil/surface. In addition, the radium-228 concentration in surface soil/surface sediment sample at the SEEU is much lower than the site background MDC. Radium-228 was not used or generated at RFETS and is, therefore, not considered a COC in surface soil/ surface sediment for the SEEU and not further evaluated quantitatively.

4.12 Vanadium

Vanadium had an EPC in surface soil (for non-PMJM receptors) greater than the tESL so was carried forward to the professional judgment step. The lines of evidence used to determine if vanadium should be retained as an ECOPC are summarized below.

4.12.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, vanadium is unlikely to be present in RFETS soil as a result of historical site-related activities.

4.12.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, vanadium concentrations in the SEEU appear to be variations of naturally occurring conditions.

4.12.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for vanadium in surface soil in SEEU (Figure A3.4.13) indicates a background population ranging from about 22.5 to

78 mg/kg but with a single sample (04F0810-003) with a high concentration of 140 mg/kg. The 18 samples forming the background population probably do not represent the full concentration range of the background population. However, the highest sample concentration is also anomalously high in copper, manganese, molybdenum, nickel and arsenic suggesting that it may or may not be part of the natural manganese concentrations in this EU.

4.12.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

Vanadium was detected in each of the 19 surface soil samples collected in the SEEU. Vanadium concentrations in surface soil samples at the SEEU range from 22.5 to 140 mg/kg, with a mean concentration of 50.5 mg/kg and a standard deviation of 26.7 mg/kg. Vanadium concentrations in the RFETS background data set range from 10.8 to 45.8 mg/kg, with a mean of 27.7 mg/kg and a standard deviation of 7.68 mg/kg (Table A3.2.6). The reported range for vanadium in surface soil within Colorado and the bordering states is 7 to 300 mg/kg with a mean concentration of 73 mg/kg and a standard deviation of 41.7 mg/kg (Table A3.4.1). Vanadium concentrations reported in surface soil samples in the SEEU are well within the range for vanadium in soils of Colorado and the bordering states.

4.12.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The UTL for vanadium in the SEEU (140 mg/kg) exceeded the NOAEL ESLs for five receptor groups: terrestrial plants (2 mg/kg), the herbivorous deer mouse (63.7 mg/kg), the insectivorous deer mouse receptor (29.9 mg/kg), the prairie dog (83.5 mg/kg), and the insectivorous coyote (121 mg/kg). The plant NOAEL ESL is lower than all background concentrations of vanadium, indicating that they may be overly conservative because risks are not typically expected at background concentrations. The ESL for the insectivorous deer mouse is also less than the MDC in background soils (45.8 mg/kg) and approximately equal to the mean background concentration (27.7 mg/kg).

4.12.6 Conclusion

The weight of evidence presented above shows that vanadium concentrations in surface soil in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations. There is no evidence of a release from potential sources inside or outside the EU that would impact vanadium concentrations in surface soil. Vanadium is not considered an ECOPC in surface soil for the SEEU and, therefore, is not further evaluated quantitatively.



4.13 Zinc

Zinc had an EPC in surface soil (for non-PMJM receptors) greater than the tESL so was carried forward to the professional judgment step per the CRA Methodology. The lines of evidence used to determine if zinc should be retained as an ECOPC are summarized below.

4.13.1 Summary of Process Knowledge

Based on process knowledge as detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, zinc is unlikely to be present in RFETS soil as a result of historical site-related activities..

4.13.2 Evaluation of Spatial Trends

Surface Soil (Non-PMJM)

Based on the spatial trend evaluation detailed in Appendix A, Volume 2, Attachment 8 of the RI/FS Report, zinc concentrations in the SEEU appear to be variations of naturally occurring conditions.

4.13.3 Pattern Recognition

Surface Soil (Non-PMJM)

The probability plot for the natural log transformed data set for zinc in surface soil in SEEU (Figure A3.4.14) indicates a single background population ranging from about 46 to 71 mg/kg but with three anomalously low zinc concentrations. The four anomalously low concentration samples (and their zinc concentrations) include 04F1269-005 (18 mg/kg), SS50082.AS (23.1 mg/kg) and 04F1269-006 (37 mg/kg). These four samples may represent part of the background population but more samples would need to be collected and analyzed to confirm this supposition.

4.13.4 Comparison to RFETS Background and Other Background Data Sets

Surface Soil (Non-PMJM)

The reported range for zinc in surface soil within Colorado and the bordering states is 10 to 2,080 mg/kg with a mean concentration of 72.4 mg/kg and a standard deviation of 159 mg/kg (Table 3.4.1). Zinc concentrations reported in surface soil samples at the SEEU are 18.0 to 71 mg/kg with a mean concentration of 53.6 mg/kg and a standard deviation of 15.1 mg/kg (Table A3.2.6). Zinc concentrations in the RFETS background data set range from 21.1 to 75.9 mg/kg, with a mean of 49.8 mg/kg and a standard deviation of 12.2 mg/kg (Table A3.2.6). The range of concentrations of zinc in surface soil within SEEU overlaps with the site background data set and fall within the lower range for zinc in soils of Colorado and the bordering states.

4.13.5 Risk Potential for Plants and Wildlife

Surface Soil (Non-PMJM)

The UTL for zinc in the SEEU (71.0 mg/kg) exceeds the NOAEL ESL for three receptor groups, terrestrial plants (50 mg/kg), mourning dove insectivore (0.65 mg/kg) and deer mouse insectivore (5.29 mg/kg). All other NOAEL ESLs were greater than the MDC and ranged from 171 to 16,489 mg/kg. All of these ESLs are less than the MDC in background soils (75.9 mg/kg), indicating that they may be overly conservative because risks are not typically expected at background concentrations.

4.13.6 Conclusion

The weight of evidence presented above shows that zinc concentrations in surface soil in the SEEU are not a result of RFETS activities, but rather are representative of naturally occurring concentrations. There is no evidence of a release from potential sources inside or outside the EU that would impact zinc concentrations in surface soil. In addition, the zinc MDC in surface soil at SEEU does not exceed the site background MDC and is within the lower range for zinc in soils of Colorado and the bordering states. Zinc is not considered an ECOPC in surface soil for the SEEU and is not further evaluated quantitatively.

5.0 REFERENCES

DOE, 2005. Final Comprehensive Risk Assessment Work Plan and Methodology, Rocky Flats Environmental Technology Site, Golden, Colorado. Revision 1.September.

Efroymson, R.A., M.E. Will, G.W. Suter II, and A.C. Wooten, 1997. Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Terrestrial Plants. 1997 Revision, ES/ER/TM-85/R3. Oak Ridge National Laboratory, Oak Ridge, Tennessee.

EPA, 2003. Guidance for Developing Ecological Soil Screening Levels (Eco-SSLs). OSWER 9285.7-55. Office of Solid Waste and Emergency Response. December.

EPA, 2005. Guidance for Developing Ecological Soil Screening Levels (Eco-SSLs). Attachment 4-1 Update. Office of Solid Waste and Emergency Response, February.

Kabata-Pendias, A., and H. Pendias, 1992. Trace Elements in Soils and Plants. Second Edition. CRC Press, Boca Raton, Florida. 365 pp

Shacklette, H.T., and J.G. Boerngen, 1984. Element Concentrations in Soils and Other Surface Materials of the Contiguous United States. Professional Paper 1270. U.S. Geological Survey, Washington, D.C.

TABLES

6

Table A3.2.1
Statistical Distribution and Comparison to Background for SEEU Surface Soil/Surface Sediment

			Background	tical Distributi		ults SEEU			Background Comparison	
Analyte	Unit	Total No.	Distribution Recommended:	Detects (%)	Total No.	cluding Background Sampl Distribution Recommended by ProUCL	Detects	The property of the property of the same	15p s	Greater than Background?
Arsenic	mg/kg	73	GAMMA	91.8	22	GAMMA	100.00	WRS	1.28E-06	Yes
Manganese	mg/kg	73	GAMMA	100.0	22	NONPARAMETRIC	100.00	WRS	5.28E-05	Yes
Cesium-137	pCi/g	105	NONPARAMETRIC	100.0	1	0	100.00	WRS	N/A	N/A
Radium-228	pCi/g	40	GAMMA	100.0	1	0	100.00	WRS	N/A	N/A

Test: WRS - Wilcoxon Rank Sum, t-Test_N - Student's t-test using normal data, t-Test-LN - Student's t-test using log-transformed data,

Bold = Analyte retained for further consideration in the next COC selection step.

N/A = not applicable; site and/or background detection frequency less than 20 percent.

Table A3.2.2 Summary Statistics for SEEU Surface Soil/Surface Sediment*

				Dunamar, Otal							
		**************************************		Background	a Theodor		100	(Exclud	SEEU ing Background S	samples)	
-Analyte	Unit	Total No of Samples	Minimum Detected Concentration	have stated at the Principal state of the	Mean Concentration	Standard Deviation	AND THE RESERVE OF THE PARTY OF	Minimum :: Detected Concentration	School Street Street Street Street	Mean Concentration	Standard. Deviation
Arsenic	mg/kg	73	0.270	9.60	3.42	2.55	22	2.50	23.0	7.40	4.15
Manganese	mg/kg	73	9.00	1,280	241	189	22	55.0	1,300	386	237
Cesium-137	pCi/g	105	-0.027	1.80	0.692	0.492	l	0.661	0.661	0.661	N/A
Radium-228	pCi/g	40	0.200	4.10	1.60	0.799	1	1.59	1.59	1.59	N/A

^a Statistics are computed using one-half the reported value for nondetects. N/A = Not applicable or not available.

Table A3.2.3
Statistical Distribution and Comparison to Background for SEEU Subsurface Soil/Subsurface Sediment

			Statis	tical Distributio	n Testing Resu	ilts 97.			Backgrou Comparis	nd On
Analyte	Units		Background :		Exc	SEEU SEEU	es)			Statistically
		Total No.	Distribution	Detects:	Total No.	Distribution	Detects	Test][p	Greater than Background?
Radium-228	pCi/g	Samples 31	by ProUCL GAMMA	100.0	Samples	by ProUCL NORMAL	100.00	WRS	0.767	No

Test: WRS - Wilcoxon Rank Sum, t-Test_N - Student's t-test using normal data, t-Test-LN - Student's t-test using log-transformed data

Table A3.2.4
Summary Statistics for SEEU Suburface Soil/Subsurface Sediment^a

				Backgroun	d .			(Exclud	ng Background	Samples)	
Analyte	Unit	Total No.	Minimum Detected	Maximum Detected	Mean Concentration	Standard Deviation	Total No:	Minimum Detected	Maximum Detected	Mean Concentration	Standard Deviation
		Samples	Concentration	Concentration			-Samples-	Concentration	Concentration	Mary State	
Radium-228	pCi/g	31	1.00	2.10	1.45	0.320	4	0.191	2.01	0.999	0.897

^a Statistics are computed using one-half the reported value for nondetects.

्रि

Table A3.2.5

Statistical Distribution and Comparison to Background for SEEU Surface Soil^a

AND THE STATE OF THE	6种趋势6					esults: 💝 🔭 💆		增益的特殊的存在	Background 🥞	
医对外 基金体的			Background 🔄 🗓 🥦	的自然是不是对	007.66	送来。 「学SEEU man de la company de la compan			and the latest	Statistically 3
. L ⊕Analyte p	Unit	Total No.	Distribution		Total No.	Distribution Recommended Aby ProUCL	"你们就是	Test	and the second	Greater than
海发生		of	Recommended	Detects	of	Recommended **	Detects/	4.44.18k	1. P	Background?
をおから、水本の	当的经验	🐫 Samples 🗈	by ProUCL 🚁 😓		Samples	Recommended by ProUCL	20 May 1			- Dackground
Inorganics:	""的光影视图	36.7000000	erani yanar 7453 era			CASTAMINENE DEL PRE	18世界 對於	REAL DISCHMENT OF A	以此外哲学的对	的中華時代的地方
Aluminum	mg/kg	20	NORMAL	100	19	NORMAL	100	t-Test	2.09E-04	Yes
Arsenic	mg/kg	20	NORMAL	100	19	GAMMA	100	WRS	0.177	No
Barium	mg/kg	20	NORMAL	100	19	NORMAL	100	t-Test	3.17E-04	Yes
Boron	mg/kg	N/A	N/A	N/A	14	NORMAL	100	N/A	N/A	N/A
Cadmium	mg/kg	20	NONPARAMETRIC	65	19	GAMMA	68.4	WRS	0.997	No
Chromium	mg/kg	20	NORMAL	100	19	NORMAL	100	t-Test	8.45E-05	Yes
Copper	mg/kg	20	NONPARAMETRIC	100	19	NORMAL	100	WRS	0.020	Yes
Lead	mg/kg	20	NORMAL	100	19	NORMAL	100	t-Test	0.999	No
Lithium	mg/kg	20	NORMAL	100	16	NORMAL	93.8	t-Test	4.11E-05	Yes
Manganese	mg/kg	20	NORMAL	100	19	NONPARAMETRIC	100	WRS	2.10E-04	Yes
Mercury	mg/kg	20	NONPARAMETRIC	40	16	GAMMA	25	WRS	1.000	No
Molybdenum	mg/kg	20	NORMAL	0	18	LOGNORMAL	77.8	N/A	N/A	N/A
Nickel	mg/kg	20	NORMAL	100	19	GAMMA	100	WRS	2.91E-05	Yes
Vanadium	mg/kg	20	NORMAL	100	19	GAMMA	100	WRS	9.28E-05	Yes
Zinc	mg/kg	20	NORMAL	100	19	NONPARAMETRIC	100	WRS	0.089	Yes

^{*} EU data used for background comparisons do not include data from background locations.

N/A - not applicable; background data not available or not detected. (Statistical comparisons to background cannot be performed. The analyte is retained as an ECOI for further evaluation). **Bold = Analyte retained for further consideration in the next COC selection step.**

Table A3.2.6 Summary Statistics For SEEU Surface Soil*

				Background				/M	SEEU ling background s	amples)	
A STATE OF THE STA		17-2					Parties and the		公共公共 经营营营业		THE STREET
Analyte	Units	Total	Minimum Detected	Maximum Detected	Mean	Standard 6	S. Total	Detected	Maximum Detected	Mean N	Standard Deviation ±
36年20年2月16日本	OF THE REAL PROPERTY.	WY THAT	Concentration	*Concentration		Her benefit	Samples	LATE THE RESIDENCE	Concentration		
Aluminum	mg/kg	20	4,050	17,100	10,203	3,256	19	5,860	25,000	15,362	4,928
Arsenic	mg/kg	20	2.30	9.60	6.09	2.00	19	2.50	23.0	7.43	4.41
Barium	mg/kg	20	45.7	134	102	19.4	19	57.0	210	141	41.4
Boron	mg/kg	N/A	N/A	N/A	N/A	N/A	14	3.70	8.70	5.95	1.47
Cadmium	mg/kg	20	0.670	2.30	0.708	0.455	19	0.120	1.00	0.356	0.207
Chromium	mg/kg	20	5.50	16.9	11.2	2.78	. 19	7.30	27.0	17.0	5.43
Copper	mg/kg	20	5.20	16.0	13.0	2.58	19	7.80	25.0	15.2	3.83
Lead	mg/kg	20	8.60	53.3	33.5	10.5	19	4.80	37.0	23.9	6.63
Lithium	mg/kg	20	4.80	11.6	7.66	1.89	16	5.20	23.0	13.3	5.29
Manganese	mg/kg	20	129	357	237	63.9	19	55.0	1,300	392	247
Mercury	mg/kg	20	0.090	0.120	0.072	0.031	16	0.014	0.021	0.014	0.012
Molybdenum	mg/kg	20	N/A	N/A	0.573	0.184	18	0.610	1.90	1.14	0.605
Nickel	mg/kg	20	3.80	14.0	9.60	2.59	19	9.30	35.0	16.3	6.03
Vanadium	mg/kg	20	10.8	45.8	27.7	7.68	19	22.5	140	50.5	26.7
Zinc	mg/kg	20	21,1	75.9	49.8	12.2	19	18.0	71.0	53.6	15.1

^a Statistics are computed using one-half the reported value for nondetects. N/A - not applicable; background data not available or not detected.

Table A3.2.7 Statistical Distribution and Comparison to Background for SEEU Subsurface Soil

		47.7777	Stat	istical Distrib	ution Testing	Results			Background:	X 74 (20)
		Managara (1944)	Background		100 (4) (4)	SEEU!				Statistically
Analyte	Unit	, Total No.	Distribution	Detects	Total No.	Distribution	Detects	Test	1 - p	Greater than 4
	1704	of	Recommended	(%)	of	Recommended by ProUCI	(%)			Background?
Arsenic	mg/kg	35. Samples 35 45	NONPARAMETRIC	03	Samples	NORMAL	100	WRS	0.045	Ves

^{*} SEEU data for background comparison do not include any background locations.

Bold = Analyte retained for further consideration in the next COC selection step.

Table A3.2.8
Summary Statistics For SEEU Suburface Soil*

				Background				(exclud	SEEU ing background's	amples)	
Analyte	Units	Total Samples	Minimum Detected Concentration	Maximum Detected Concentration	Mean	Standard Deviation	Total Samples	Minimum Detected Concentration	Maximum Detected Concentration	Mean	Standard Deviation
Arsenic	mg/kg	45	1.70	41.8	5.48	6.02	6	2.70	19.1	8.10	5.74

^{*} Statistics are computed using one-half the reported value for nondetects.

Table A3.4.1
Summary of Element Concentration in Colorado and Bordering States Soil

			LIMITY OF ETCHIC	nt Concentration	ii Colorado and	Dor der mg ettit			
	Total	Number of 'G"	10000000000000000000000000000000000000	作 经营业 加工的	Minimum	Maximum	E Range of	Averagea	Standard
基本企业 的	Number of	Qualified	Number of	Detection		MATERIAL	Detected Values	Detected	Deviation
Analyte	Results	Results	Nondetects	Frequency (%)				Value	
	Kesuis	Kesuits			(mg/kg)	(mg/kg) 👉	, (mg/kg)	(mg/kg)	(mg/kg) t
Aluminum	335	32		100%	10.0	100,000	10 - 100,000	45,900	26,900
Antimony	84		71	15%	1.04	2.53	1.038 - 2.531	0.647	0.378
Arsenic	307		2	99%	1.22	97.0	1.224 - 97	6.90	7.64
Barium	342			100%	100	3,000	100 - 3,000	642	330
Beryllium	342		219	36%	1.00	7.00	1 - 7	0.991	0.876
Boron	342		114	67%	20.0	150	20 - 150	27.9	19.7
Bromine	85		42	51%	0.504	3.52	0.5038 - 3.522	0.681	0.599
Calcium	342			100%	0.055	32.0	0.055 - 32	3.09	4.13
Carbon	85	•		100%	0.300	10.0	0.3 - 10	2.18	1.92
Cerium	291		244	16%	150	300	150 - 300	90.0	38.4
Chromium	342			100%	3.00	500	3 - 500	48.2	41.0
Cobalt	342		39	89%	3.00	30.0	3 - 30	8.09	5.03
Copper	342			100%	2.00	200	2 - 200	23.1	17.7
Fluorine	264		7	97%	10.0	1,900	10 - 1900	394	261
Gallium	340		3	99%	5.00	50.0	5 - 50	18.3	8.90
Germanium	85			100%	0.578	2.15	0.5777 - 2.146	1.18	0.316
lodine	85		18	79%	0.516	3.49	0.516 - 3.487	1.07	0.708
Iron	342			100%	3,000	100,000	3,000 - 100,000	21,100	13,500
Lanthanum	341		115	66%	30.0	200	30 - 200	39.8	28.8
Lead	342		25	93%	10.0	700	10 - 700	24.8	41.5
Lithium	307			100%	5.00	130	5 - 130	25.3	14.4
Magnesium	342	1		100%	300	100,000	300 - 100,000	8,890	8,080
Manganese	342			100%	70.0	2,000	70 - 2,000	414	272
Mercury	309		3	99%	0.010	4.60	0.01 - 4.6	0.077	0.276
Molybdenum	340		328	4%	3.00	7.00	3 - 7	1.59	0.522
Neodymium	256		198	23%	70.0	300	70 - 300	47.1	31.7
Nickel	342		12	96%	5.00	700	5 - 700	18.8	39.8
Niobium	335		123	63%	10.0	100	10 - 100	11.4	8.68
Phosphorus	249			100%	40.0	4,497	40 - 4497	399	397
Potassium	341			100%	1,900	63,000	1,900 - 63,000	18,900	6,980
Rubidium	85			100%	35.0	140	35 - 140	75.8	25.0
Scandium	342		51	85%	5.00	30.0	5 - 30	8.64	4.69
Selenium	309		60	81%	0.102	4.32	0.1023 - 4.3183	0.349	0.415
Silicon	85			100%	149,340	413,260	149340 - 413260	302,000	61,500
Sodium	335			100%	500	70,000	500 - 70,000	10,400	6,260
Strontium	342			100%	10.0	2,000	10 - 2,000	243	212
Sulfur	85		71	16%	816	47,760	816 - 47,760	1,250	5,300
Thallium	76			100%	2.45	20.8	2.45 - 20.79	9.71	3.54
Tin	85		3	96%	0.117	5.00	0.117 - 5.001	1.15	0.772
Titanium	342			100%	500	7,000	500 - 7,000	2,290	1,350
Uranium	85			100%	1.11	5.98	1.11 - 5.98	2.87	0.883
Vanadium	342 ·			100%	7.00	300	7 - 300	73.0	41.7
Ytterbium	330		3	99%	1.00	20.0	1 - 20	3.33	2.06
Yttrium	342		7	98%	10.0	150	10 - 150	26.9	18.1
Zinc	330			100%	10.0	2,080	10 - 2,080	72.4	159
Zirconium	342		1	100%	30.0	1,500	30 - 1,500	220	157

^{*}The western U.S. background data set (Shacklette and Boerngen 1984) is composed of background values from Colorado, as well as all states bordering Colorado (Arizona, Kansas, Nebraska, New Mexico, Oklahoma, Utah, and Wyoming). See Section 4.0.

^b The element was measured at a concentration greater than the upper determination limit for the technique.

Average and standard deviation values were calculated using one-half the reported value for nondetects.

FIGURES

Figure A3.2.1
SEEU Surface Soil Box Plots for Aluminum




Figure A3.2.2
SEEU Surface Soil/Surface Sediment Box Plots for Arsenic




Figure A3.2.3
SEEU Surface Soil Box Plots for Arsenic





Figure A.2.4
SEEU Subsurface Soil Box Plots for Arsenic








Figure As.2

Figure AS.2.6
SEEU Surface Soil Box Plots for Cadmium




Top.

Figure A3.2.7
SEEU Surface Soil Box Plots for Chromium



ું જ

Figure A3.2.8
SEEU Surface Soil Box Plots for Copper






Figure A5.2.10
SEEU Surface Soil Box Plots for Lithium






Figure AS.2.11
SEEU Surface Soil/Surface Sediment Box Plots for Manganese




ري)

Figure AS.2.12
SEEU Surface Soil Box Plots for Manganese




To

Figure A.2.13
SEEU Surface Soil Box Plots for Mercury




F

Figure As.2.14
SEEU Surface Soil Box Plots for Nickel




75

Figure AS.2.15
SEEU Surface Soil/Surface Sediment Box Plots for Radium-228



الله الله


Figure A5.2.16
SEEU Surface Soil Box Plots for Vanadium



Box Plot Reference Points - 1) Line inside of box is median, 2) Lower edge of box is 25th percentile, 3) Upper edge of box is 75th percentile, 4) Lower and upper whiskers are drawn to the nearest values not beyond 1.5 times the inter-quartile range.

星

Figure A3.2.17
SEEU Surface Soil Box Plots for Zinc



Box Plot Reference Points - 1) Line inside of box is median, 2) Lower edge of box is 25th percentile, 3) Upper edge of box is 75th percentile, 4) Lower and upper whiskers are drawn to the nearest values not beyond 1.5 times the inter-quartile range.




Figure A3.4.1. Probability Plot of Aluminum Concentrations (Natural Logarithm) in SEEU Surface Soil




Figure A3.4.2. Probability Plot of Arsenic Concentrations (Natural Logarithm) in SEEU Surface Soil/Surface Sediment





Figure A3.4.3. Probability Plot of Boron Concentrations (Natural Logarithm) in SEEU Surface Soil






Figure A3.4.5. Probability Plot of Chromium Concentrations (Natural Logarithm) in SEEU Surface Soil




Figure A3.4.6. Probability Plot of Copper Concentrations (Natural Logarithm) in SEEU Surface Soil




Figure A3.4.7. Probability Plot of Lithium Concentrations (Natural Logarithm) in SEEU Surface Soil




Figure A3.4.8. Probability Plot of Manganese Concentrations (Natural Logarithm) in SEEU Surface Soil/Surface Sediment




Figure A3.4.9. Probability Plot of Manganese Concentrations (Natural Logarithm) in SEEU Surface Soil




Figure A3.4.10. Probability Plot of Molybdenum Concentrations (Natural Logarithm) in SEEU Surface Soil





Figure A3.4.11. Probability Plot of Nickel Concentrations (Natural Logarithm) in SEEU Surface Soil






Figure A3.4.13. Probability Plot of Vanadium Concentrations (Natural Logarithm) in SEEU Surface Soil




Figure A3.4.14. Probability Plot of Zinc Concentrations (Natural Logarithm) in SEEU Surface Soil

COMPREHENSIVE RISK ASSESSMENT

SOUTHEAST BUFFER ZONE AREA EXPOSURE UNIT

VOLUME 13: ATTACHMENT 4

CRA Analytical Data Set